

Natural History Museum Library



May .





Mr. G. Gray's Room

LIST

OF THE SPECIMENS OF

BRITISH ANIMALS

1N

THE COLLECTION

OF THE

BRITISH MUSEUM.



LONDON:

PRINTED BY ORDER OF THE TRUSTEES.

1851.

PRINTED BY RICHARD TAYLOR, RED LION COURT, FLEET STREET.

> 11 m 10 2

INTRODUCTION.

THE principal object of the present Catalogue has been, to give a complete list of the species of Mollusca which have been recorded as found in Great Britain, indicating at the same time the peculiarities of the specimens in the Museum Collection, as regards state, habitation, condition, and the source from whence they have been derived.

The synonyms have been given to the various divisions of the class, and to the genera and subgenera and the species, and a reference is made to the works in which they have been characterized and described; and some attention has been paid to the date at which the works appeared, to show the priority of publication of the various names and groups.

It has been considered desirable, wherever it was possible, to use the first name which has been given to the various classes, orders, genera, and species. As far as regards the specific name, there is comparatively little difficulty in the application of the simple rule of priority; but ordinal, and especially generic names have been used by different authors in senses so widely different, and the groups which they are intended to designate have been so variously extended and restricted, that it is no easy matter to determine, where

several names have been used, which of them ought to be preferred. In all such cases, if it is possible to understand by any means what was intended by the most ancient author, his name has been used, on the universal principle of treating each Naturalist as we ourselves would wish to be treated if we were in his position. As every original observer will constantly make use of characters which others may have overlooked, or not thought of so much importance as further research has shown to belong to them; so when a generic name is used, it will of necessity be often employed in a different sense, or with a more restricted, or very rarely a more extended, meaning than its original proposer applied to it: if this were not allowed, many names must be added to the list of genera, which is, as this work proves, already so overburdened with synonyma.

At the end of each species, after the general habitat, is added an enumeration stating the state, age and habitat, and other peculiarities of the specimens of the kind in the Museum Collection.

JOHN EDWARD GRAY.

LIST OF BRITISH MOLLUSCA.

1. CONCHIFERA.

Mollusca subsilientia, Poli, Test. Sicil. 1791.

Moll. acephales Conchylifères, Lamk. Syst. 136 (1801).

Conchifera, Lamk. Hist. v. 411, ed. 2. v. 1; Fleming, Phil. Zool.; Gray, Syn. B.M. 1840, 1842, 72; Proc. Zool. Soc. 1848, 183.

Acephala testacea, part., Cuvier, Tahl. Elem. 1789; Anat. Comp. 1800; Dict. Sci. Nat. i. 131, 1804; Fleming, B. A. 225. Acephalés Testacés, part., Lamk. Extr. du Cour. 104 (1812).

Acephales Testaces, part., Lamk. Extr. au Cour. 104 (1812). Acephalea conchifera, Lamk. Syst. 105, 1801; Phil. Zool. 317, 1809.

Conchophora, Gray, Med. Repos. 1821, 236.

Acephalæa, Lamk. Extr. du Cour. 1812; Desh. E.M. iii. 553. Lamellibranchiata, Blainv.

Acephalia Bivalvia, Rafin. Anal. Nat. 1815, 146.

Acephales Testacées Lamellibranches, Rang, Man. Mol. 272. Acephala elaterobranchia, Menke, Syn. 97, 1830; Alton, Verz.

Acephala elaterobranchia, Menke, Syn. 97, 1830; Atton, Verz. Conch. 12, 1839. Gualtierii (Testacea) Bivalviæ (Conchæ), Scopoli, Introd. Hist.

Nat. 386, 396, 1777. Bivalves, Megerle, Berl. Mag. 1811.

Endocephala, part., Latr. Fam. Nat. 203, 1825.

Pelecypoda, Goldfuss, Handb. Zool. i. 599.

Therozoa acephala, Eichw. Zool. Spec. i. 277.

Acephalophora, part., Blainv. Prod. 1814; Dict. Sci. Nat. xxxii. Malac. 508.

Acephalæoda, Fischer.

Elatobranchia, Menke, Syn. ed. 2. 97, 1830.

Elatobranchiata, Menke, Syn. 57, 1828.

Conchifera (Orthoconchæ et Pleuroconchæ), D'Orb. Pal. Fran, Terr. Cret. iii. 1843.

Conchæ, Leach in Ross Voy. Baffin's Bay, ii. 174, 1819.

Bivalvia, Bonnan, Ricreaz, 1681; Major, Doctr. Test. t. 10, 1675; Lister, Syn. 1686; Hebenstreit. Diss. 1728.

Dithyra, Aristotle; Turton, Bivalves, 1822; Swainson, Malac. 253, 361, 1840,

Ditoma, Tournef. in Gualt. Index, 1742.

Conchæ (bivalves and multivalves), Adanson, Senegal, 195, 260, 1757; Linn. Syst. Nat. ed. 11. 645, 1758; ed. 12. 1073, 1767. Bivalvia (Asiphonida et Siphonida), Flem. B. A. 225, 1828.

Concha, Breyn, Dissert. Polyth. 7, 1732; Linn. S. Nat. ed. 2, ed. 6. 75, not Klein.

Diconchæ, Klein, Ostrac. 113, 120, 1753.

Order I. PHYLLOPODA.

Phyllopoda, Gray, Med. Repos. 1821, 237; Syn. B. M. 1840, 1842, 74, 91; Proc. Zool. Soc. 1848, 183.

Acephales lamellipedes, Lamk. Cour. 106, 1812.

Conchifera (dimyaria lamellipedia), Lamk. Hist.

Conch. lamellipedes, Lamk. Hist.

Cardiacés, Cuvier, R. A.; Ferussac, Prod. 39.

Cardia, Eichw. Zool. Spec. i. 280.

Cardiacea, Menke, Syn. 109.

Lamellipedes, Brown, Conch. Text-Book, ed. 6.136,1833; Hanley, Ill. Cat. i. 89, 1844.

Dimiaria, part., Lamk. Ann. Mus. x. 389, 1807; Extr. du Cour. 1812; Swains. Elem. Conch. 1835.

Bimusculosa, part., Gould.

Fam. 1. VENERIDÆ.

Veneridæ (Les Veneridées), Leach, Jour. Phys. lxxxviii. 465, 1819; Gray, Syn. B. M. 1840, 1842, 74; Proc. Zool. Soc. 1848, 183; Flem. B. A. 404, 1828.

Callista or Callistoderma, and Arthemis or Arthemiderma, Poli,

Test. Sicil. i. 98, 1791.

Les Conques, part. et Les Lithophages, part., Lamk. Cour. 107. 1812; Hist. v. 501, 556, ed. 2. vi. 263.

Conchacés, § 2, part., Rang, Man. Mol. 306. Veneres (Les Venus), Ferussac, Prod. 44, 1821.

Veneracea, Menke, Syn. 114, 1830; Alton, Verz. Conch. 12, 1839.

Lithophaga, Menke, Syn. 117.

Veneraceæ, Menke, Syn. 69, 1828; Hinds, Zool. Sulph. 65. Venerina, Macgilliv. Moll. Aberd. 210, 1843; Milne-Edw. Elem. Zool. 1841.

Venericardia, F. Braun, Verz. Bayr. Petr. 58, 1840.

Conchæ marinæ, part., Lamk. vi. 263.

Veneriadæ, part., Leach, MSS. 1819; Ann. & Mag. N. H. xx. 272.

Cythereadæ, D'Orb.

Venerides, Latr. Fam. Nat. 218, 1825. Venerinæ, Swains. Malac. 372, 1840.

Cycladina, part., Latr. Fam. Nat. 1825.

a. Meretricina.

Meretricina, Gray, Proc. Zool. Soc. 1847. Meretrix, Lamk. Syst. A. s. V. Cythereæ, Lamk. Hist. A. s. V.

1. Dosinia.

Dosinia (Dosin), Scopoli, Introd. N. H. 339, 1777; Herrmannsen, Ind. 408.

Chama (Dosin), Adanson, Voy. Seneg.

Onlaina (Bosin), Indianon, 1991, Seedy. Sciel. i. 98, 1791; Blainv. Artemis and Artemiderma, Poli, Moll. Sicil. i. 98, 1791; Blainv. Dict. Sci. Nat. x. 216.

Arthemis, Blainv. Malac. 556; Desh.; Philippi, Moll. Sicil.

Orbiculus, Megerle, Entw. 58, 1811. Exoleta, Brown, Text-Book, 145, 1827.

Assa, "Leach, MSS.; Defrance in Basterot, Bord. 9, 1825."

Taras, Risso, Eur. Merid. iv. 1826. Venus β, Schum. N. Syst. 1817.

Circompholos, Klein, Conch.

Arctoë (Arctoa), Risso, Eur. Merid. iv. 362, 1826.

Asa, Leach, 1819. Ann. & Mag. N. H. xx. 1847, 272.

1. Dosinia exoleta.

Venus exoleta, Linn. S. N. 1134; Chemn. vii. 18. t. 38. f. 404; Penn. B. Z. ed. 4. iv. 81. t. 54. f. 49 a, t. 56. f. 49; Donov. B. S. ii. t. 42. f. 1; Wood, Linn. Trans. vi. t. 17. f. 9, 10; Pulteney Hutchins' Hist. Dorset, 34; Mont. T. B. 116; M. & R. Linn. Trans. viii. 87. t. 3. f. 1; Dorset Cat. 35. t. 8. f. 5; Turton, Conch. Dict. 241; Born. Mus. Cæs. t. 5. f. 9; Poli, Test. Sic. t. 21. f. 9-11; Dillw. Rec. Shells, i. 195; Ind. Test. t. 8. f. 83; Blainv. Man. Malac. t. 74. f. 2.

Artemis exoleta, Forbes, M. G. S. i. 414. 47; Brown, Ill. C. G. B. 92. t. 36. f. 1-3; Forbes & Hanley, Brit. Moll. i. 428. t. 23.

f. 3-4.

Arthemis exoleta, Desh. Elem. Conch. t. 20. f. 9, 10, 11; Philippi, Abbild. und Bes. i. 171; Gray, Analyst; Agassiz; Lovén, 39, 283; Brown, Ill. C. ed. 2. 92.

A 2

Cytherea exoleta, Lamk. Hist. 2nd ed. vi. 314; Turt. Brit. Biv. 162. t. 8. f. 7; Flem. Brit. An. 445; Macgilliv. Moll. Aberd. 262; Thorpe, Brit. Mar. Conch. 84; Philippi, Moll. Sic. i. 41, ii. 32; Hanley, Rec. Shells, 102.

Asa exoleta, Leach, 1819; Ann. & Mag. N. H. xx. 1847. 272.

Arthemis pudica, Arthemiderma exoleta, Poli, ii. 252, 258.

Pectunculus capillaceus, Da Costa, 187. t. 12. f. 5, 5.

Exoleta orbiculata, Brown, Ill. C. t. 20. f. 2, 3, 19, 20.

Exoleta radula, Brown, Ill. C. t. 20. f. 1.

Cytherea sinuata, Turton, Bivalves, t. 10. f. 10, 11. Lister, t. 291. f. 127. t. 292. f. 128.

a, b. Scotland.

c-e. Britain.

f. Falmouth harbour. Presented by W. P. Cocks, Esq.

g. Dublin Bay. Presented by T. Warren, Esq.

h-t. Britain.

u-y. Bantry Island.

z. Bantry Bay. Presented by Miss Warne.

a = e e. Aberdour, Fifeshire. Presented by W. Baird, M.D. ff, var. Ditto. Ditto.

gg, hh, var. Britain.

2. Dosinia lincta.

Venus lineta, Solander, Mus. Portland; Pulteney Hutchins' Hist. Dorset, 34.

Cytherea lincta, Lamk. ed. 2. vi. 315; Macgilliv. Moll. Aberd. 262; Flem. B. A. 445; Hanley, Rec. Shells, i. 102.

Artemis lineta, Forbes, M. G. Š. 414-418; Forbes & Hanley, Brit. Moll. i. 431. t. 28. f. 5, 6.

Exoleta lineta, Brown, Ill. C. t. 20. f. 4.

Arthemis lincta, Gray, Analyst; Agassiz; Lovén, E. M.39; Brown, Ill. C. ed. 2. 92. t. 36. f. 2, 4; Desh. Elem. Conch. t. 20. f. 12, 13; Philippi, Abbild. und Bes. i. 171 (not Cyth. lincta of Moll. Sic.).

Venus sinuata, Gmel. S. N. 3285; Turt. Conch. Dict. 242;

(=List. Conch. t. 289. f. 125, t. 290. f. 126.)

Cytherea sinuata, Turt. Biv. 163. t. 10. f. 10, 11 (not var. nor fig.). Venus lupina, Linn. S. N. ed. 10. 689; Poli, t. 21. f. 8.

Venus lactea, Don. B. S. t. 149; Mont. T. B. Supp. 46.

V. exoleta, *Penn. B. Z.* ed. 1812. iv. 209. t. 59. f. 1, ed. 4. iv. 81. t. 56. f. 49.

V. exoleta, jun., Mont. T. B. 117.

V. exoleta, var. \(\beta\), M. \(\delta\), R. Linn. Trans. viii. 87. t. 3. f. 2; Dorset Cat. 35. t. 1. f. 13.

V. lentiformis, Sow. Min. Conch. f. 203.

Asa lineta, Leach, 1819; Ann. & Mag. N. H. xx. 272.

VAR. Artemis compta, Lovén, Moll. Scand.; Forbes & Hanley, B. M. 433.

a-c. Scotland.

d. Dublin Bay. Presented by T. Warren, Esq.

e, f. Plymouth Sound. q-o. Devonshire.

2. Mysia.

Mysia (undata), Leach, 1818; Ann. & Mag. N.H. xx. 1847, 272; King, Ann. N. H. xviii. 242.

Lucinopsis, Forbes & Hanley, Brit. Moll. i. 435, 1848.

Venus, part. Pennant, Brit. Zool.

Lucina, part. Turton, Brit. Bivalves, 115.

Cytherea, part. Macgilliv. Malac. Aberd. 263.

Artemis, part. Alder, Cat. North. Moll. 84; Recluz. Dosinia (sect.), Gray, Proc. Zool. Soc. 1847, 183.

1. Mysia undata.

Venus undata, Penn. B. Z. ed. 4. iv. 81. t. 55. f. 51; Wood, Linn. Trans. vi. t. 17. f. 17, 18; Turt. Conch. Dict. 241. f. 54; Mont. T. B. 117-574; Donov. B. S. iv. t. 121; Linn. Trans. viii. 86; Philippi, Sicil. ii. 34; Flem. Brit. An. 448; Dillw. Rec. Shells, i. 197; Ind. Test. t. 8. f. 87; Lovén, 40, 290.

Lucina undata, Turt. Brit. Biv. 115; Thorpe, Brit. Mar. Conch. 73; Brown, Ill. Conch. G. B. 98. t. 39. f. 1, 2; Lamk. H. vi.

229; Hanley, Rec. Shells, 76.

V. incompta, Philippi, Sicil. i. 44. t. 4. f. 9. Tellina caduca, Scacchi, Not. 15. t. 1. f. 5.

Lucina caduca, Scacchi, Cat. 5.

Cytherea undata, Macgilliv. Moll. Aberd. 263.

Artemis undata, Recluz; Thompson, Rep. Brit. Assoc. 1843, 267; Alder, Cat. North. and Durh. Moll. 84.

Mysia undata, Leach, 1818; Ann. & Mag. N. H. xx. 1847, 272; King, Ann. N. H. xviii. 242.

Lucinopsis undata, Forbes & Hanley, Brit. Moll. i. 435. t. 28. f. l. 2. t. M. f. 2, animal.

a-e. Tenby.

f-j. Dublin Bay. Presented by T. Warren, Esq.

Monstrosity, fide Hanley, Brit. Moll. 435.

Venus sinuosa, Penn. Brit. Moll. iv. 81. t. 55. f. 51 a; Mont. Test. Brit. 120; Turton, Bivalves, 154. t. 10. f. 9?; Donovan, Brit. Shells, t. 42. f. 2? (not Lamk. n. 72).

Lucina flexuosa (part.), Desh.; Lamk. Hist.; Hanley, Brit. Mar.

Moll., from Donovan.

3. DIONE.

Dione, Gray, Proc. Zool. Soc. 1847, 183. Venus (Dione), Megerle, 1811; Schum. N. Syst. 1817. Cytherea, part, Lamk. Hist. A. s. V. 1818; Swainson, Malac. Chione, Gray, in Analyst, 1838; not Megerle, 1811. Callista and Callistoderma, part, Poli, Test. Sicil. 1795. Pectunculus, sp., Da Costa, Brit. Shells, 184.

1. DIONE GLABER.

Venus Chione, Linn. S. N. 1131=(Lister, Conch. t. 269. f. 105); Don. B. S. i. t. 17; Wood, Linn. Trans. vi. t. 17. f. 3, 4; Mont. T. B. 115; Linn. Trans. viii. 84; Turton, Conch. Dict. 239; Chemn, Conch. Cab. vi. 344. t. 32. f. 343; Poli, Test. Sic. t. 20. f. 1, 2; Dillw. Rec. Shells, i. 176; Ind. Test. t. 7. f. 44; Pulteney Hutchins' Dorset, 33; Dorset Cat. 35. t. 6. f. 7; Blainv. Man. Malac. t. 74. f. 5; Penn. B. Z. ed. 1812. iv. 206, t. 54. f. 2. Cytherea Chione, Lamk. Hist. ed. 2. vi. 305; Turt. Brit. Biv. 160. t. 8. f. 11; Flem. Brit. An. 444; Thorpe, Brit. Mar. Conch. 83; Brown, Ill. Conch. G. B. 91. t. 37. f. 2; Desh. Elem. Conch. t. 19. f. 4, 5; Philippi, Moll. Sic. i. 40, ii. 31; Hanley, Recent Shells, 98. t. 7. f. 44; Forbes & Hanley, Brit. Moll, i. 396. t. 27. t. L. f. 8, animal.

Pectunculus glaber, Da Costa, B. C. 184. t. 14. f. 7. Cythérée fauve, Chenu, Traité élément. t. 3. f. 10.

Callista coccinea=Callistoderma chione, Poli, Sicil. ii. 252, 258. Cytherea nitidula (young), Lamk. Hist. 2nd ed. vi. 305 (fide Recluz & Philippi).

Regenfuss, Choix, Coq. t. 8. f. 17; Enc. Méth. Vers, t. 266. f. 1.

Queens, Cornwall.

a—f. Britain.

g, h. Devonshire (Exmouth).

i. Falmouth. Presented by W. P. Cocks, Esq. j-n, jun. Britain.

4. CIRCE.

Circe (scripta), Schum. N. Syst. 152, 1817; Gray, in Analyst, 1838, P. Z. S. 1847, 183. Cytherea, sp., Lamk. Hist.

1. CIRCE MINIMA.

Venus minima, Mont. T. B. 121. t. 3. f. 3; Linn. Trans. viii. 81; Turt. Conch. Dict. 236; Dillw. Rec. Shells, i. 166; Ind. Test. t. 7. f. 17; Penn. B. Z. ed. 1812. iv. 203. no. 7.

Cyprina minima, Turt. Biv. 137; Flem. B. A. 444; Thorpe, M. Conch. 82. f. 102; Hanley, Rec. Shells, i. 95.

Crassina minima, Gray, Ann. Phil. 1825.

Cyth. minuta, Brown, Ill. Conch. G. B. 92. t. 37. f. 4.

Circe minima, Forbes & Hanley, Brit. Moll. i. 446. t. 26. f. 4, 5, 6. 8. and t. M. f. 3, animal.

Venus triangularis, Mont. T. B. 577. t. 17. f. 3; Linn. Trans. viii. 83; Turt. Conch. Dict. 238; Ind. Test. t. 7. f. 35.

Cyprina triangularis, Turt. Biv. 136. t. 11. f. 19, 20; Flem. B. A. 444; Thorpe, Brit. Mar. Conch. 82; Hanley, Rec. Shells, i. 95. Cytherea triangularis, Macgilliv. Moll. Aberd. 268.

Cyth. apicalis, Philippi, Moll. Sic. i. 40. t. 4. f. 5.

Circe triangularis, King, Ann. Nat. Hist. xv. 112.

Cyth. Cyrilli, Philippi, Moll. Sic. ii. 32; Hanley, Rec. Shells, Supp. t. 15. f. 26. Cyth. minima, Brown, Ill. Conch. G. B. 92. t. 37. f. 3.

a. (Venus triangularis.) Britain. Mus. Montagu.

b. (Venus minima.) Ditto. Ditto. c, d. Milford Haven. Presented by R. M'Andrew, Esq.

e-h. Oban. i, j. Lochfyne. Presented by Rev. D. Landsborough.

k-p. Scotland. q-t. Inversery.

u-w. Lamlash Bay. From Mr. Bean's Collection.

5. Venus.

Venus (verrucosa), Linn. S. N. i. 1128; Lamk. Syst. 122, 1801.

Venus (puerpera), Swainson, Malac. 372, 1840.

Dosina, Gray, Analyst, 1838; in Yates, New Zealand; in Dieffenbach, New Zealand, 1843; in Syn. B. M. 1842; Sow. Man. ed. 2.141, 1842; Morris, Brit. Foss. 87; Rev. Zool. 1844, 405. Callista and Callistoderma, part., Poli, Test. Sicil. 1795. Clausina, Brown, Conch. Text-Book, 1827, not Jeffreys.

Venus, sp., Swainson, Malac.

Venus verrucosa.

Venus verrucosa, Linn. S. N. ed. 12, 1130; Pulteney Hutchins' Hist. Dorset, 32; Mont. Test. Brit. 112; Linn. Trans. viii. 78; Chemn. Conch. Cab. vi. 303. t. 29. f. 299, 300; Wood, Linn. Trans. vi. t. 17. f. 5, 6; Donov. B. S. ii. t. 44; Forbes, M. G. S. i. 415. 55; Dorset Cat. 34. t. 8. f. 1; Lamk. Hist. ed. 2. vi. 339, not vars.; Poli, Test. Sic. t. 21. f. 18, 19; Desh. Elem. Conch. t. 21. f. 1, 2; Born, Mus. Cas. t. 4. f. 7; Turton, Conch. Dict. 231; Turt. Brit. Biv. 140; Flem. Brit. An. 446; Thorpe, Brit. Mar. Conch. 85; Dillw. Rec. Shells, i. 163; Ind. Testac. t. 7. f. 12; Crouch, Introd. Conch. t. 7. f. 6; Hanley, Rec. Shells, 110; Forbes & Hanley, Brit. Moll. i. 401. t. 24. f. 3; Philippi, Moll. Sic. i. 43, ii. 34; Sow. Conch. Man.f.119 a; Penn. B. Z. ed. 1812. iv. 201. t. 57. f. 1.

Clausina verrucosa, Brown, Ill. C. t. 20. f. 16. 2nd ed. 90. t. 36. f. 16*.

V. erycina, Penn. B. Zool. ed. 4. iv. 80. t. 54. f. 48; Borlase, Cornw. 278. t. 28. f. 32.

Young. Lister, Hist. Conch. t. 284. f. 122.

Pectunculus strigosus, Da Costa, Brit. Conch. 185. t. 12. f. 1. Callista gemella, Callistoderma verrucosa, Poli, ii. 252, 258.

V. Lemanii, Payr. Moll. Corse, 53. t. 1. f. 29, 30, 31 (fide Desh. & Recluz, from types).

Dosina verrucosa, Gray, Analyst, 1838.

Venus cancellata (young), Donov. Brit. Shells, iv. t. 115? (fide Mont.); Mont. Test. Brit. 574; Turton, Brit. Biv. 144. t. 10.

f. 3; Flem. Brit. An. 447; Thorpe, Brit. Mar. Conch. 87. a-h. Britain.

i-o. Ditto, dark-coloured.

p. Falmouth. Presented by W. P. Cocks, Esq.

g—s. Bantry Bay.

t, jun. Ditto. Presented by Miss Warne.

2. Venus casina.

Venus casina, Linn. S. N.1130; Chemn. Conch. Cab. vi. 306. t. 29. f. 301, 302; M. & R. Linn. Trans. viii. 79. t. 2. f. 1; Mont. T.B. Supp. 47; Turt. Conch. Dict. 232; Brit. Biv. 141. t. 9. f. 1; Lovén, I. M. Suec. 39. 286; Dillw. Rec. Shells, i. 165; Forbes, M. G. S. i. 415. 51; Flem. Brit. An. 446; Macgilliv. Moll. Aberd. 264; Thorpe, Brit. Mar. Conch. 86; Lamk. Hist. 2nd ed. vi. 340; Ind. Test. t. 7. f. 14; Hanley, Rec. Shells, 111; Forbes & Hanley, Brit. Moll. i. 405. t. 24. f. 1, 5, 6; Penn. B. Z. ed. 1812. iv. 202. t. 57. f. 2.

Clausina casina, Brown, Ill. C. t. 20. f. 15, 2nd ed. 90. t. 36. f. 15*. Venus lactea, Donov. B. S. v. t. 149; Mont. T. B. Supp. 46;

Linn. Trans. viii. 79.

Pectunculus membranaceus, Da Costa, Brit. Conch. 193. t. 13.

f. 4. left hand.

Venus reflexa, var., Mont. Test. Brit. Supp. 41 & 168; Mem. Wern. Soc. i. t. 8. f. 1; Turton, Conch. Dict. 233; Brit. Biv. 142. t. 10. f. 1, 2; Flem. Brit. An. 446; Macgilliv. Moll. Aberd. 264; Hanley, Rec. Shells, 110; Supp. t. 16. f. 10.

V. verrucosa, worn, Mont. T. B. 112.

Dosina casina, Gray, Analyst, 1838.

Young.

Venus reflexa, Mont. T. B. Supp. 40 & 168; Laskey, Wern. Trans. i. 384. t. 8. f. 1; Turt. Biv. 142. t. 10. f. 1, 2. Cytherea reflexa, Couch, Cornish Fauna, 2. 26.

Clausina reflexa, Brown, Ill. C. t. 19. f. 12, 13?

Venus Discina, Lamk. H. vi. 338. 6; Philippi, Sic. 42; Blainv. Man. t. 75. f. 6; Thorpe (Hanley), Brit. Mar. Conch. 86.

V. Rusterucci, Payraud. Moll. Cors. f. 26, 27, 28.

Venus Erycina, Penn. Brit. Zool. ed. 4. iv. t. 54. f. 48 a, worn.

a—c. Britain. d—j. Plymouth.

k-p. Oban.

q, monstrosity. Britain.

b. TAPESINA.

Venusina, Gray, Proc. Zool. Soc. 1847, 183. Venus, sp., Lamk. Hist. A. s. V.

6. CYPRINA.

Cyprina (Islandica), Lamk. Hist. A. s. V. v. 556, 1818; ed. 2. vi. 287.

Cyprine, Lamk. Extr. du Cour. 1812.

Arctica (Islandica), Schum. N. Syst. 145, 1817.

Cytherea, sp., Lamk.

Pectunculus, sp., Da Costa, Brit. Shells.

1. CYPRINA ISLANDICA.

Venus Islandica, Linn. S. N.1131 (not O. Fabr. Faun. Græn. 411);

Chemn. Conch. Cab. vi. 340. t. 32. f. 341, 342; Pulteney Hutchins'
Hist. Dors. 33; Don. B. S. iii. t. 77; Mont. T. B. 114; Linn.
Trans. viii. 83; Dorset Cat. 35. t. 6. f. 5; Lovén, I. M. 38.
278; Turt. Conch. Dict. 238; Müll. Z. Dan. t. 28; Dillw.
Rec. Shells, i. 176; Ind. Test. t. 7. f. 41; Penn. B. Z. ed. 1812.
iy. 205. t. 56.

Cyprina Islandica, Lamk. Hist. ed. 2. vi. 290; Turt. Biv. 135; Flem. Brit. An. 443; Forbes, M. G. S. i. 413. 44; Forbes & Hanley, Brit. Moll. i. 441. t. 29. t. M. f. 4, animal; Crouch, Introd. Conch. t. 7. f. 2; Blainv. Man. Malac. t. 70 bis, f. 5 Macgilliv. Moll. Aberd. 257; Thorpe, Brit. Mar. Conch. 81; Desh. Elem. Conch. t. 18. f. 8-10; Gould, Invert. Mass. 82;

Hanley, Rec. Shells, 1-95. C. maxima, S. Wood.

C. æqualis, Sow. M. C.

C. vulgaris, G. Sowerby, Gen. Shells; Brown, Ill. Conch. G. B. 93. t. 37. f. 1, t. 38. f. 11; Sow. Conch. Man. f. 116; Reeve, Conch. Syst. t. 65.

V. mercenaria, Linn. F. Suec.; Müller, Z. D.; Penn. B. Z. iv. 81.

t. 53. f. 47 (not Linn. S. N.).

Pectunculus crassus, Da Costa, 183. t. 14. f. 5.

Cyprine d'Islande, Chenu, Traité élém. 68. f. 243 (hinge).

a, b. Britain.

c. Falmouth. Presented by W. P. Cocks, Esq.

d-h. Britain.

i-o, jun. Britain.

p-w, jun. Inverary.

7. CHIONE.

Chione (Dysera), Megerle, Entwurf. 51, 1811; Gray, P. Z. Soc. 1847, 183; not Blainv. Dict. Sci. Nat. viii. 588, nor Gray, Analyst. 1838.

Antigone (cancellata), Schum. N. Syst. 154, 1817.

Venus, sp., Lamk. Hist. A. s. V. 1818.

Callista and Callistoderma, part., Poli, Test. Sicil.

Ortygia (gallina), Leach, MSS. 1819; Brown, Conch. G. B. 143, 1827 (not Boie).

Timocleà (ovata), Leach, MSS. 1819; Brown, Ill. Conch. G. B. t. 19, 1827.

* ORTYGIA.

1. CHIONE GALLINA.

Venus gallina, Linn. F.S. (not Syst. Nat.); Chemn. f. 308; Wood, Linn. Trans. vi. t. 17. f. 7, 8; Matt. & R. Linn. Trans. viii. 52; Turton, Conch. Dict. 234. f. 65; Brit. Biv. 149. t. 9. f. 2; Forbes, M. G. S. i. 415. 56; Poli, t. 21. f. 5, 6, 7; Dorset Cat. 35. t. 8. f. 2; Flem. Brit. An. 448; Macgilliv. Moll. Aberd. 265; Thorpe, Brit. Mar. Conch. 89; Alder, North & Durh. Moll. 85; Dillw. Rec. Shells, 168; Lamk. Hist. 2nd ed. vi. 347 (part.); Ind. Test. t. 7. f. 23; Hanley, Rec. Shells, 115; Penn. B. Z. ed. 1812. iv. 205. t. 59. f. 2.

Ortygia gallina, Leach, MSS.; Brown, Ill. C. t. 20. f. 11, 2nd ed.

89. t. 36. f. 11.

O. costata, Brown, Ill. C. t. 20. f. 13.

Pectunculus striatulus, Da Costa, B. S. 191. t. 12. f. 2.

Venus striatula, Donov. B. S. ii. t. 68.

V. striatula, Mont. T. B. 113; Lovén, Ind. Moll. Skand. 39. 288;
Forbes & Hanley, Brit. Moll. i. 408. t. 23. f. 4, t. 24. f. 4, t. 26. f. 9, 10, 11.

Venus Pennantii, Forbes, Malac. Monens. 52.

Venus laminosa, Turt. Conch. Dict. 233 (except description of hinge, which is copied from Mont.); Brit. Biv. 148. t. 10. f. 4; Thorpe, Brit. Mar. Conch. 89; Hanley, Rec. Shells, Supp. t. 16. f. 11.

Pectunculus sulcatus, Da Costa, B. S. 192.

Venus Prideauxiana, Couch, Cornish Fauna, pt. 2.26; Macgilliv. Moll. Aberd. 266.

V. casina, Pulteney Hutchins' Hist. Dorset, 33 (not Linn.).

V. sulcata, Brown, Conch. G. B. 90. t. 36. f. 12.

V. rugosa, var., Penn. B. Z. ed. 4. iv. 81. t. 56. f. 50; Flem. Brit. An. 448.

Ortygia rugosa, Leach; Brown, Ill. C. t. 20. f. 14, 2nd ed. 90. t. 36. f. 14.

Venus costata, Brown, Ill. Conch. G. B. 90. t. 36. f. 13. Callista candida, Callistoderma gallina, Poli, ii. 252, 258.

Venus laminosa?. Mont. Test. Brit. Supp. 38; Laskey, Mem. Wern. Soc. i. 384. t. 8. f. 16; Brown, Ill. Conch. G. B. 90. t. 37. f. 14, 15 (copied from last).

Lister, Hist. Conch. t. 282. f. 120.

VAR. rather more elongated behind.

Venus striatula β , Loven, 39.

Venus laminosa, Turt. Biv. 148. t. 10. f. 4.

V. Pennantii, Forbes in Thompson, Rep. Brit. Assoc. 1843, 262.

V. rugosa, Flem. B. A. 448.

V. Prideauxiana, Macg. Moll. Aberd.

V. gallina, var., Jeffrey, Conch. Mag. 44. Ortygia Prideauxiana, Leach, MSS.

Ortygia Prideauxiana, Leach, MSS. O. sulcata, Brown, Ill. C. t. 20. f. 12.

VAR. smoother.

Venus pallida, Turton, Biv. 150. t. 10. f. 5.

a-v. Britain.

w, x. Stevenston, Ayrshire.

y, z. Edinburgh. Presented by Miss Greville. a a—ff. Weymouth. Presented by Miss Bennett.

q q-l'l. Britain.

m m—y y. Salcomb. (Venus striatula) Mus. Montagu.

zz-ddd, var. Northumberland.

eee. Venus rugosa, Brown.

fff. Venus sulcata, Brown.

ggg, hh. Venus laminosa, Mont.? Zetland. Presented

by R. M'Andrew, Esq.

** TIMOCLEA.

CHIONE OVATA.
 Venus ovata, Penn. B. Z. ed. 4. 83. t. 56. f. 56, ed. 1812. iv. 206. t. 59. f. 3; Mont. T. B. 120; M. & R. Linn. Trans. viii. 85. t. 2. f. 4; Dorset Cat. 35. t. 1. f. 15; Turt. Conch. Dict. 239; Brit. Biv. 150. t. 9. f. 3; Forbes, M. G. S. i. 415. 54; Malac. Monens. 52; Macgilliv. Moll. Aberd. 267; Thorpe, Brit. Mar. Conch. 90; Brown, Ill. Conch. G. B. 91. t. 37. f. 11; Dillw. Rec. Shells, 171; Lamk. Hist. 2nd ed. vi. 370; Ind. Test. t. 7. f. 30; Mawe, Conchol. t. 10. f. 5; Hanley, Rec. Shells, 116; Forbes & Hanley, Brit. Moll. i. 419. t. 24. f. 2, t. 26. f. 1, t. L. f. 6, animal.

Cytherea ovata, Flem. B. A. 445; Thompson, Rep. Brit. Assoc.

1843, 262.

Timoclea ovata, Brown, Ill. C. t. 19. f. 11.

T. Pennantii, "Leach, MSS." Brown.
 V. radiata, Brocchi, 543. t. 15. f. 3; Philippi, Moll. Sic. i. 44.
 & ii. 34; Desh. Elem. Conch. t. 20. f. 17, 18.

V. spadicea, Renieri; Nyst.

V. pectinata, Lamk. H. n. 26, 2nd ed. vi. 348.

Cardium striatum radiatum, Walker, MS. f. 82.

a—d. Sunderland.

e-j. Bantry. k, l. Dublin Bay. Presented by T. Warren, Esq.

m-gg. Britain.

h h, i i. Zetland. Presented by R. M'Andrew, Esq. ij-mm. Britain. Presented by Mrs. Robinson.

*** CLAUSINELLA.

3. CHIONE FASCIATA.

Venus fasciata, Dors. Cat. 34. t. 7. f. 3; Linn. Trans. viii. 80; Donov. B. S. v. t. 170; Dillw. R. S. 159; Hanley, Rec. Shells, i. 412; Flem. Brit. An. 447; Turt. Conch. Dict. 234; Brit. Biv. 146. t. 8. f. 9; Philippi, Sicil. ii. 381; Lovén, I. M. 39. 287, not Gmelin; Forbes, Malac. Monens. 52; Macgilliv. Moll. Aberd. 267; Thorpe, Brit. Mar. Conch. 88; Brown, Ill. Conch. G. B. 91. t. 36. f. 10; Burrows, Elem. Conch. t. 7. f. 2; Dillw. Rec. Shells, i. 159; Desh. in Lamk. Hist. 2nd ed. vi. 371, & Elem. Conch. t. 20. f. 4, 5; Forbes & Hanley, Brit. Moll. i. 415. t. 23. f. 3, t. 26. f. 7, t. L. f. 7, animal; Penn. B. Z. ed. 1812. iv. 203. no. 6.

Pectunculus fasciatus, Da Costa, Brit. Conch. 188. t. 13. f. 3.

Dosina fasciata, Forbes, M. G. S. i. 415. 52.

Venus Paphia, Mont. T. B. 110 (not Linn.); Pulteney Hutchins' Hist. Dorset, 33.

Clausina fasciata, Brown, Ill. C. t. 20. f. 10.

Venus Brongniarti, Payr. Cors. 51. t. 1. f. 23-25; Philippi, Sic. i. 43.

V. Dysera minor, Broc. t. 16. f. 7 (not Linn.).

Astarte Dysera, Jonkaire.

a-c. Dublin Bay. Presented by T. Warren, Esq.

d-q. Scotland.

h-x. Britain.

8. TAPES.

Tapes (litteratus), Megerle, Entw. 51, 1811; Gray, Syn. B. M. 1842, 75, 91; Proc. Z. Soc. 1848.

Tapes (pullastra), Schum. N. Syst. 136, 1817.

Pullastra, Sow. Genera, t. 1827; Man. ed. 2. 239; Zool. Journ. iii. 134; Alton, Verz. 8. 1839.

Rupellaria, Bellevue, Jour. Phys. liv. 1802; Bull. Soc. Philom. n. s. 62; Blainv. D. S. N. xlvi. 450; Recluz, Rev. Zool. 1846, 408.

Les Rupellaires, Lamk. Extr. du Cour. 1812. Venus (Les Ruperelles), Blainv. Malac. 559, 1825. Venerupis, Lamk. Hist. A. s. V. 506, 1818, ed. 2, vi. 161; Turton, Bivalves; Fleming, B. A. 441, 1828.

Irus, Oken, Lehrb. Naturg. 1815.

Petricola, part., Schweiger, Naturg. 704, 1820.

Gastrana, § 2, Schum. N. S. 136, 1817.

Petrifora?, Latr.

Callista and Callistoderma, part., Poli, Test. Sicil. 1795,

Paphia, part., Bolten, Mus. 1798, not Lamk.

Capsa (pullastra), Leach, MSS. 1817, 1818; Ann. & Mag. N.H. xx. 272, not Lamk.

Venerirupis, Sow. Man. 113, 1839.

Venerirupes, Swains. El. Conch. 1835.

Venerupes, Swainson, Malac. 376. ? Petricola, sp., Lamk. Hist. A. s. V. 1816.

? Saxidomus, Conrad, Journ. Acad. N. S. Phil.

1. TAPES DECUSSATA.

Venus decussata, Linn. S. N. 1135; Chemn. Conch. Cab. vii. 58. t.43. f. 455, 456; Pulteney Hutchins' Hist. Dorset, 34 (chiefly); Dorset Cat. 36. t. 6. f. 4; Donov. B. S. ii. t. 67; Mont. T. B. 124; Wood, Trans. Linn. Soc. vi. t. 17. f. 11, 12; M. & R. Linn. Trans. viii. 88. t. 2. f. 6; Thorpe, Brit. Mar. Conch. 93; Turt. Brit. Bivalves, 158. t. 8. f. 10; Conch. Dict. 244; Dillw. Rec. Shells, i. 206; Lamk. Hist. 2nd ed. vi. 357 (not var. 4); Ind. Test. t. 8. f. 107; Philippi, Moll. Sic. i. 45. t. 4. f. 11, & 11. 35; Hanley, Rec. Shells, 122. 1. t. 8. f. 107; Penn. B. Z. ed. 1812. iv. 210. t. 60. f. 2.

Pullastra decussata, Brown, Ill. C. ed. 2. 88. t. 37. f. 5, 6; Forbes,

M. G. S. i. 414. 49.

Venus litterata, Penn. B. Z. ed. 4. iv. 82. t. 57. f. 53 (not Linn.). Venerupis decussata, Flem. Brit. An. 451; Macgilliv. Moll. Aberd. 339.

Cuneus reticulatus, Da Costa, B. C. 203. t. 14. f. 4.

Capsa reticulata, Leach, 1818; Ann. & Mag. N. H. xx. 272.

Venus deflorata, *Born*, t. 5. f. 2. V. florida, *Poli*, *Test*. *Sic*. t. 21. f. 16, 17.

V. variegata, Gmel. 3281.

Tapes decussata, Forbes & Hanley, Brit. Moll. i. 379. t. 25. f. 1; Lister, Ang. t. 4. f. 20; Conch. t. 423. f. 271.

a, b. Sussex. Presented by F. Dixon, Esq.

c, d. Cork. Presented by Miss Elliot.

e-i. Britain.

j. Scotland.

k. Teignmouth. l-n. Falmouth. Presented by W. P. Cocks, Esq.

o-q, jun. Britain.

2. TAPES PULLASTRA.

Venus Pullastra, Wood, Linn. Trans. vi. t. 17. f. 13, 14; Mont. T. B. 125; M. & R. Linn. Trans. viii. 88. t. 2. f. 7; Hanley, Rec. Shells, 122; Dors. Cat. 36. t. 1. f. 8; Turton, Conch. Dict. 244; Brit. Biv. 159; Lamk. Hist. ed. 2. vi. 358; Thorpe, Brit. Mar. Conch. 94; Ind. Test. t. 8. f. 109; Lovén, 40. n. 293; Forbes, M. G. S. i. 414, 50; Malac. Monens. 53; Penn. B. Z. ed. 1812. iv. 210. no. 27.

Venus vulgaris, Brod. Penny Cyclop. xxvi. 211.

Venerupis pullastra, Flem. B. A. 451; Macg. Moll. Aberd. 269. Capsa pullastra, Leach, 1818; Ann. & Mag. N. H. xx. 272.

Venerupis vulgaris, Sow. Conch. Man. 97.

Venus plagia (var.), Jeffreys, Ann. Nat. Hist. xix. 313.

V. senegalensis, Dillwyn, R. S. i. 206.

Pullastra perforans, Brown, Ill. Conch. G. B. 89. t. 37. f. 10.

Pullastra vulgaris, Sow. Gen. f. 1; Brown, Ill. C. ed. 2. 89. t. 37. f. 7.

Venus perforans, Mont. Test. Brit. 127. t. 3. f. 6; Linn. Trans. viii. 89; Turton, Conch. Dict. 245; Dillw. Rec. Shells, i. 206; Ind. Test. t. 8. f. 108.

V. pullastra (var. perforans), Jeffreys, Conch. Mag. 43. Tellina rugosa? Penn. Brit. Zool. ed. 4. iv. t. 57. f. 34.

Venerupis perforans, Lamk. Hist. ed. 2. vi. 162; Turt. Brit. Biv. 29. t. 2. f. 15–18; Flem. Brit. An. 451; Thorpe, Brit. Mar. Conch. 61; Crouch, Introd. Conch. t. 5. f. 5; Hanley, Rec. Shells, 54; Philippi, Wiegm. Arch. f. Natur. 1845, 190. t. 7. f. 15–18.

Capsa perforans, Leach, MSS. 1818; Ann. & Mag. N. H. xx. 272. Venerupis nucleus, Lamk. Hist. ed. 2. vi. 162; Macgilliv. Edin. New Phil. Journ. 1827, 370; Delessert, Rec. Coq. t. 5. f. 1; Hanley, Rec. Shells, 54.

Venus palustris, Mawe, Lin. Conch. t. 10. f. 3.

Venus pattestis, *Maker, Lin. Collect. G. 10*, 13. Tapes Pullastra, *Forbes & Hanley, Brit. Moll.* i. 382. t. 25. f. 2, 3. t. L. f. 5, 5 a (animal).

? Venus plagia, Jeffreys, Ann. & Mag. N. H. xix. 313.

Pullers and Pullets, Devon.

a. Britain. Presented by Mrs. Robinson.

b-m. Ditto.

n, o, tubes of animal. Britain.

p-s. Aberdour, Fifeshire. Presented by Dr. Baird.

t, u. Saltcoats.

v, x. Northumberland.

y-dd. Edinburgh. Presented by Miss Greville.

 $e \ e - g \ g$, jun. Britain.

h h - jj, jun. Falmouth. Presented by W. P. Cocks, Esq. k k - xx. Britain.

Venus perforans, Mont.

y y. Ditto. Dawlish.

zz-b b b. Britain.

(Var. monstrosa. Venus sinuosa?)

c c c. Dawlish. (Var. monstrosa.)

3. TAPES VIRGINEA.

Venus virginea, Thorpe, Brit. Mar. Conch. 92; Pult. Hutchins' Dorset, 34; Dorset Cat. 36. t. 13. f. 1; Forbes, Malac. Monens. 53; (not Linn. S. N. ed. 12. 1136); Dillw. Rec. Shells, i. 207; Lamk. Hist. 2nd ed. vi. 360; Ind. Test. t. 8. f. 110; Hanley, Rec. Shells, 123. t. 8. f. 110; Mont. T. B. 128, 576; M. & R. Linn. Trans. viii. 89. t. 2. f. 8; Turt. Conch. Dict. 246; Brit. 156. t. 8. f. 8.=V. florida, Lamk., Lovén; Penn. B. Z. ed. 1812. t. 58.

V. rhomboides, *Penn. B. Z.* ed. 4. iv. 83. t. 55. f. (no number).

V. pullastra virginea, Forbes, M. G. S. i. 415. 53.

V. pullastra virginea, Forbes, M. G. S. I. 410, 50.
Venerupis virginea, Flem. B. A. 452; Macgill. Moll. Aberd. 269.
Cuneus fasciatus, Da Costa, Brit. Conch. 204.

Venus læta, Poli, t. 21. f. 1.

Venus virago, Lovén, I. M. Skand. 40. 291.

Vellas trago, Hotel, 11 Vellastra virginea, Brown, Ill. Conch. G. B. 89. t. 37. f. 8, 9. t. 36. f. 6. Tapes virginea, Forbes & Hanley, Brit. Moll. i. 388. t. 25. f. 4-6. Capsa virgo, Leach, 1818; Ann. & Mag. N. H. xx. 272.

VAR. (shorter, higher).

Venus Sarniensis, Turt. Brit. Biv. 153. t. 10. f. 6; Thorpe, Brit. Mar. Conch. 91.

Venerupis Sarniensis (var.), Flem. B. A. 452; Macgilliv. Moll. Aberd. 269.

Lister, Conch. 403. 247?

? V. sinuosa, Turton, Biv. 154. t. 10. f.9? distorted?, not Donovan.

Young.

Tellina elliptica (fry)? Brown, Ill. Conch. G. B. 101. t. 40, f. 20, 21.

a. Britain. Presented by Mrs. Robinson. b, c. Dublin Bay. Presented by T. Warren, Esq.

d. Falmouth Harbour. Presented by W. P. Cocks, Esq.

e, f. Scotland.

g—y. Britain. z—b b. Britain. Mus. Laskey.

(Venus Sarniensis, Turt.)

4. TAPES AUREA.

Venus aurea, Gmel. S. N. 3288; Mont. T. B. 129-576; Dorset Cat. 36. t. 13. f. 3; M. & R. Linn. Trans. viii. 90. t. 2. f. 9; Thorpe, Brit. Mar. Conch. 92; Turt. Conch. Dict. 247; Brit. Biv. 155. t. 9. f. 7, 8; Flem. Brit. An. 449; Dillw. Rec. Shells, 207; Lamk. Hist. ed. 2. vi. 360; Ind. Test. t. 8. f. 111; Philippi, Moll. Sic. i. 47, ii. 35; Hanley, Rec. Shells, i. 123. t. 8. f. 111; Penn. B. Z. ed. 1812. iv. 212. t. 60. f. 1. Pullastra aurea, Brown, Ill. C. ed. 2. 89. t. 36. f. 5, 7, 8; Forbes,

M. G. S. i. 414. 51.

V. literata, Linn. F. Suec. (not Linn. S. N.).

V. nebulosa, Solander; Pult. Dors. 34.

Tellina rugosa, *Penn. B.Z.* ed. 4. iv. 75. n. 34. t. 57. f. 34. *Lister*, t. 404, f. 249 A.

Tapes aurea, Forbes & Hanley, Brit. Moll. i. 392. t. 25. f. 5. Capsa crocea, Leach, 1818; Ann. & Mag. N. H. xx. 272.

a-f. Falmouth. Presented by W. P. Cocks, Esq.

q-k (with purple inner lip). Britain.

l—x. Britain.

y, z, var.? Loch Rvan.

a a—g g (rounded). Britain.
h h. Britain. Venus ænea, Turt.

VAR.

Venus ænea, Turt. Conch. Dict. 248? f.20?; Bivalves, 152. t. 10. f.7; var. Flem. Brit. An. 449; Thorpe, Brit. Mar. Conch. 91. Venus nitens, Turt. C. Dict. 247; Bivalves, t. 10. f. 8, var.; Flem. Brit. An. 449; Thorpe, Brit. Mar. Conch. 93.

MONSTROSITY.

Venus sinuata, Turton (not Penn.), Conch. Dict. 242; Brit. Biv. 155. t. 9. f. 7, 8; Flem. Brit. An. 449; Thorpe, Brit. Mar. Conch. 92.

Fam. 2. Corbiculadæ.

Corbiculadæ, Gray, Proc. Zool. Soc. 1848, 184.

Cyrenidæ, *Gray*, *Syn. B. M.* 1840; 1842, 75, 91. Les Conques **, *Lamk. Cour.* 107, 1812.

Les Conques fluviatiles, Lamk. Hist. v. 556, ed. 2. v. 263.

Conchacés, § 2. part., Rang, Man. Moll. 312.

Cyclades, Feruss. Prod. 43.

Cycladées, Rafinesque, Anal. Nat. 1815.

Veneridia Isoperia, Rafin. Anal. Nat. 1815. Cycladea, Menke, Syn. 110, 1830; Alton, Verz. Conch. 12;

Desh. Enc. Meth. iii. 552. Cycladina, Macgilliv. Moll. Aberd. 208; Latr. Fam. Nat. 1825 (not Cantraine).

Cycladacea, Hinds, Zool. Sulph. 66, 1844.

Cycladæ, Fleming, B. A. 409, 1828; Gray in Turton, Man. ed. 2. 277, 1840.

Cyclas, Lamk. Syst. 1801.

Cycladia, Rafin. Coq. Biv. Ohio, 1820.

Cycladeæ, Menke, Syn. ed. 1.

Cyclasidæ, D'Orbigny, Voy. Amér. Mérid.; Geinitz.

Veneriadæ, part., Leach, 1818; Ann. & Mag. N. H. xx. 272.

1. Sphærium.

Sphærium (cornea), Scopoli, Introd. N. Hist. 397, 1777 (not Charp. 1824).

Nux, Humph. Calonne Cat. 1796. Cycladea, Rafin. Anal. Nat. 1815.

Cornea, Megerle, Entwurf. 56, 1811.

Cyclas, sp. Lamk. Hist. An. s. V. 1818.

Cyclas, sp. Brug. Ency. Meth. 301, 1792; Lamk. Sys. A. s. V. 123, 1801; not Klein, 1753; Leach, 1818.

Corneocyclas, Ferussac in Blainv. Dict. Sci. Nat. xii. 277, 1818. Cyglas, Oken, Lehrb. Nat. (error of press).

Cyclas, Pfeiffer, Naturg. i. 123, ii. 3, 1822; Nilsson, Moll. Suec. 95.

1. SPHÆRIUM RIVICOLE.

Tellina cornea β, Maton & Racket, Linn. Trans. viii. 59; Turton, Conch. Dict. 180; Wood, t. 46. f. 3.

Cardium corneum, var. Montagu, T. B. 86.

Cyclas cornea, Drap. Hist. Moll. 128. t. 10. f. 1, 3 (not Müller);

Brard, Coq. ter. et fluv. de Paris, 219. t. 8. f. 2, 3.

C. rivicola, Leach, MSS.; Lamk. Hist. v. 558, 2nd ed. vi. 267; Pfeiffer, L. & Suss. Moll. 121. t. 5. f. 3, 5; Turton, Bivalves, 248. t. 11. f. 13; Man. Land & Freshwater Shells, 12. t. 1. f. 1; Gray, ditto, 279. t. 1. f. 1; Fleming, Brit. Anim. 452; Jenyns, Trans. Camb. P. S. iv. 294; Brown, Ill. Con. G. B. 93. t. 39. f. 16-18; Sow. Gen. Shells, Cyclas; Kickx, Moll. Brab. 86; Desh. Enc. Meth. ii. pt. 2. 36; Sow. Conch. Man. f. 111; Reeve, Conch. Syst. t. 62; Hanley, Rec. Shells, i. 89. t. 5. f. 90.

Pisum rivicola, Blainv. Malac.; Forbes & Hanley, Brit. Moll. ii.

111. t. 37. f. 1, 2. and t. Q. f. 1 (animal).

Young, compressed, pale.

Tellina æquata, Sheppard, MSS. Brit. Mus. Cardium nux, part., Da Costa, Brit. Con. 189.

Cardium amnicum, Dorset Cat. 32; Enc. Meth. Vers, t. 302. f. 5. a-k. Wednesbury, Warwickshire. Presented by Mrs. Corrie.

l-q. Surrey Canal.

 $r-\dot{y}$. Britain.

z, a a. River Fosse, York. Presented by Rev. W. Hincks. b b—r r, old and young. York. Presented by P. Carpenter, Esq.

2. Sphærium corneum.

Tellina cornea, Linn. S. N. ed. 12. 1120; Faun. Suec. ed. 2. 517; Linn. Trans. viii. 59; Donov. B. S. iii. t. 96; Turt. Conch. Dict. 179; Penn. Brit. Zool. ed. 4. 75. t. 49. f. 36. ed. 1812. t. 52. f. 3; Schroëter, Flussconch. 189 (pars). t. 4. f. 4; Dillw. Rec. Shells, i. 104.

Nux nigella, Humph. Calonne Cat.

Tellina rivalis, Müller, Verm. Hist. ii. 202.

Cardium corneum, Mont. T. B. 86; Pulteney Hutchins' Dorset, 31.

Cardium nux, part., Da Costa, B. S.?

Cyclas cornea, Lamk. Hist. v. 558, ed. 2. vi. 268 (not vars.); Pfeiffer, 120. t. 5. f. 1, 2; Nilsson, Moll. Suec. 96; Turton, Biv. 248. t. 11. f. 14; Man. Land and Freshwater Shells, 13. t. 1. f. 2; Gray, ditto, 280. t. 1. f. 2; Flem. B. A. 452; Jenyns, l. c. iv. 295; Brown, Ill. Con. G. B. 93. t. 39. f. 19; Kickx, Moll. Brabant, 87; Philippi, Moll. Sic. ii. 30; Gras, Moll. t. et fl. France, 72. t. 6. f. 2; Hanley, Rec. Shells, 1–89; Supp. t. 9. f. 15; Forbes & Hanley, Brit. Moll. ii. 113. t. 37. f. 3–6.

Var. 1. Stagnicola. Shell subglobose, rather flattened on the basal edge; umbones tumid, pellucid, very prominent.
Cyclas rivalis, Drap. Moll. 129. t. 10. f. 4, 5; Brard, Coq. ter. et fl. 222. t. 8. f. 4. 5.

Tellina stagnicola, Shep. Linn. Trans. xiv. 150.

Cyclas flavescens, Macgilliv. Moll. Aberd. 246.

Cyclas stagnicola, Leach, MSS. Brit. Mus.

C. cornea β , Jenyns, l. c. 8.

Cyclas citrina, Brown, Ill. Conch. G. B. 132. t. 39. f. 37.

VAR. 2, gibbosa. Shell very gibbous; margin very blunt.

Var. 3. compressa. Shell rather compressed; the margin meeting at an acute angle.

VAR. 4, minor. Small, nearly globular.

a—m. Coggeshall, Essex.

n-z, old and young. York. Presented by P. Carpenter, Esq.

a a-w w. Near Edinburgh. Presented by Miss Greville.

x x - q q q. Regent's Canal.

rrr—www, old and young. Brislington near Bristol.
Presented by P. Carpenter, Esq.

x x x, y y y, young. Campsey Ash, Suffolk. Presented by Rev. — Sheppard.

Tellina æquata, Sheppard.

z z z -h h h h. Aberdeenshire. Presented by Professor Macgillivray.

Cyclas flavescens, Macgilliv. i i i i. Lakes of Cumberland.

Cyclas flavescens.

3. SPHÆRIUM LACUSTRE.

Cardium lacustre, Mont. T. B. 89.

Tellina lacustris, Linn. Trans. vii. 60; Turton, C. D. 180; Wood, Gen. Conch. 197. t. 47. f. 5; Dillw. Rec. Shells, i. 104; Penn.

B. Z. ed. 1812. iv. 184. no. 23.

Cyclas calyculata, Drap. 130. t. 10. f. 14, 15; Lamk. Hist. v. 559, ed. 2. vi. 269; Brown, Ill. C. G. B. 94. t. 39. f. 28; Hanley, Rec. Shells, 1–89; Gras, Moll. t. et fl. 73. t. 6. f. 5; Philippi, Moll. Sic. ii. 214; Forbes & Hanley, Brit. Moll. ii. 115. t. 37. f. 7. (as lacustris) t. O. f. 7, animal; Pfeiffer, 122. t. 5. f. 17, 18; Nilsson, 99; Turton, Man. ed. l. 14. t. 1. f. 3; Kickx, Moll. Brab. 89; Desh. E. M. Vers, ii. pt. 2. 37.

Cyclas lacustris, Turton, Biv. 249. t. 11. f. 18; Brown, Ill. Conch.

G. B. 94. t. 39. f. 20; Flem. Brit. An. 453.

Young. The apex of the shell large relatively to the size of the specimen.

Inhab. rivers.

Var. 1. Shell orbicular, less compressed, subdiaphanous, reddish brown.

Cyclas lacustris, Alder, Cat. 1, 40, Brit. Mus.; Alder, Trans. Nat. Hist. Soc. Newcastle, 1, 40; Gray, Man. L. & Freshw. Shells, 281. t. 1. f. 3.

Cyclas calyculata β , Jenyns, l. c. 11.

Inhab. ponds.

VAR. 2. Shell orbicular, rhombic, rather ventricose, subdiaphanous, reddish; unbones less prominent, blackish.

Cyclas stagnicola, Leach, MSS. fide Lamk.

C. calyculata, var. 2, Lamk. Hist. v. 559.

C. ____, \gamma, Jenyns, l. c. 11.

Inhab. North of England (Jenyns).

a—h. Yorkshire. Presented by W. Sewell, Esq.

i-c c. Coggeshall, Essex.

d d-s s. Pond near Edinburgh.

tt, uu. Belfast. Presented by W. Thompson, Esq.

v v-m m m. Britain.

n n n—y y y. River Fosse, York. Presented by P. Carpenter, Esq. z z z—i i i i. Yorkshire. Presented by P. Carpenter, Esq. Cyclas stagnalis.
jjjj—p p p p ? Britain. Mus. Mont.

2. PISUM.

Pisum, Megerle, Entw. 57, 1811 (not Linn.); Gray, P. Z. S. 1848, 184.

Cyclas, sp., Lamk. Hist. ed. 2. v. 559; Leach, 1818, 1. c. xx. 272.
Pisidium (amnicum), Pfeiffer, Naturg. i. 123. (1821) ii. 33. iii. 68;
Desh. E. M. iii. 772; Nilsson, Moll. Suec. 99; Gray, Turt. Man. ed. 2. 279, 282, 1840.

Galileja (fontinalis), Costa, Correspond. Zool. 1839; Phil. Moll.

Sic. ii. 214.

Pera (amnica), Leach, MSS. B. M. 1819, fide Gray, Turt. Man. 282, 1840; Ann. & Mag. N. H. xx. 267.

Euglesia (pusilla), Leach, MSS. B. M. 1820, fide Gray, Turt. Man. 282, 1840; Ann. & Mag. N. H. xx. 267.

1. PISÚM OBTUSALE.

Pisidium obtusale, Pfeiffer, 125. t. 5. f. 21, 22; Jenyns, l. c. 301.
t. 20. f. 1, 3; Gray, Man. L. & F. W. Shells, 282. t. 12. f. 149;
Brown, Ill. Conch. G. B. 94. t. 39. f. 24; Forbes & Hanley,
Brit. Moll. ii. 120. t. 36. f. 1.

Cyclas obtusalis, not Lam. Hist. v. 559.

Pera gibba, Leach, MSS. Brit. Mus.

Young. The yellow zone broader.

Var. 1. Shell ovate, trigonal, very ventricose, blackish or ochraceous; the edge very blunt.

Cyclas obtusalis, Nilsson, 101 (not Lamk.); Hanley, Rec. Shells,

i. 90. Supp. t. 9. f. 47.

Cyclas obtusale β , Jenyns, l. c. 13.

a—f (Pera gibba). Britain. Presented by J. E. Gray, Esq. g—l l. Coggeshall, Essex.
 m m—u u. Watford, Herts. Presented by T. B. Hall, Esq.

2. Pisum nitidum.

Pisidium nitidum, Jenyns, Monog. 16. t. 20. f. 7, 8; Gray, Man. L. & F. W. Shells, 283. t. 12. f. 150; Thompson, Ann. Nat. Hist. vi. 195; Macgilliv. Moll. Aberd. 253; Brown, Ill. Conch. G. B. 95. t. 39. f. 26; Forbes & Hanley, Brit. Moll. ii. 126. t. 37. f. 14.

Cyclas nitida, Hanley, Rec. Shells, i. 90. Supp. t. 14. f. 46.

Hab. — —?

3. Pisum pusillum.

Tellina pusilla, Turton, C. Dict. 167.

Cyclas pusilla, Turton, Biv. 251. t. 11. f. 16, 17; Man. ed. 1. 16.

t. 1. f. 7

C. fontinalis, Nilsson, 101; Drap. 130. t. 10. f. 8, 11; Gras, Moll. t. & fl. France, 73. t. 6. f. 3, 4?; Lamk. Hist. 2nd ed. vi. 270?; Desh. E. M. Vers, ii. pt. 2. 37?; Hanley, Rec. Shells, i. 90, Supp. t. 14. f. 5.

C. gibba, Âlder, Cat. 41.

Euglesia Henslowiana, Leach, MSS. Brit. Mus.; Ann. & Mag.

N. H. xx. 267.

Pisidium pusilium, Jenyns, Monog. 14. t. 20. f. 4, 6; Gray, Man. L. & F. W. Shells, 283. t. 1. f. 7; Macgilliv. Moll. Aberd. 253; Brown, Ill. Conch. G. B. 95. t. 39. f. 27; Forbes and Hanley, Brit. Moll. t. 37. f. 10. t. O. f. 9, animal.

Galileja, Costa.

a-f. York. Presented by P. Carpenter, Esq. g-j. Britain. Presented by W. Trevelyan, Esq. k-vv. West Bergholt, Essex.
w w?. Staffordshire. Presented by J. Carter, Esq.

4. PISUM PULCHELLUM.

Pisidium pulchellum, Jenyns, Monog. 18.t.21.f.1-5; Gray, Man. L. & F. W. Shells, 284. t. 12. f. 151; Macgilliv. Moll. Aberd. 252; Forbes & Hanley, Brit. Moll. ii. 128. t. 37. f. 12, 13.

Cardium amnicum, jun., Montag. T. B. 88.

VAR. 1. Smaller, shell thin, finely striated, umbones rather acute.

Pera pulchella, Leach, MSS. Cab. Brit. Mus.

Pisidium fontinale, Pfeiffer, Deutsch L. & S. Moll. 125. t. 5. f. 15, 16; Brown, Ill. Con. G. B. 94. t. 39. f. 23.

Cyclas fontinalis, Brown, Edin. Journ. N. & G. Sc. i. 11. f. 5, 7; Alder, Cat. 41.

Pisidium pulchellum β , Jenyns, Mon. l. c. t. 21. f. 2, 3.

VAR. 2. Shell obliquely oval, finely striated; edge very blunt; hinge margin nearly straight.

Pisidium pulchellum o, Jenyns, Mon. 18. t. 21. f. 4, 5.

Cyclas pulchella, Hanley, Rec. Shells, i. 91.

Pisidium Jenynsii, Macgilliv. Moll. Aberd. 249. P. Johannis, Macgilliv. Moll. Aberd. 248.

a-n. Britain.

Var. b. Jun.

5. PISUM HENSLOWIANUM.

Pera Henslowiana, Leach, MSS. Brit. Mus. 1819.

Tellina Henslowiana, Leach, MSS.; Shepp. Linn. Trans. xiv. 150.

Pera appendiculata, Leach, MSS. Brit. Mus. 1819.

Cyclas appendiculata, Turton, Man. ed. 1. t. 15. f. 6; Hanley,

Rec. Shells, i. 91, Supp. t. 14. f. 42.

Pisidium Henslowianum, Jenyns, Mon. 20. t. 21. f. 6, 7, 8, 9; Gray, Man. L. & F. W. Shells, 285. t. 1. f. 6; Brown, Ill. Con. G. B. 95. t. 39. f. 25; Forbes & Hanley, Brit. Moll. ii. 131. t. 37. f. 11.

Pisidium acutum, *Pfeiffer*, *Wiegm. Arch.* 1831, pt. i. 230. a-n. Cambridge. Presented by Rev. J. S. Henslow.

o-t. York. Presented by P. Carpenter, Esq.

u-c c. Preston.

6. PISUM AMNICUM.

Tellina amnica, Müller, ii. 205; Linn. Trans. viii. 60; Dillwyn, Rec. Shells, i. 105; Don. Cat. 31. t. 7. f. 2 a; Turt. Dict. 168; Wood, Gen. Conch. 153. t. 47. f. 6; Ind. Test. t. 3, Tellina, f. 19; Penn. B. Z. ed. 1812. iv. 185. no. 24.

Tellina rivalis, Maton, Linn. Trans. iii. 44. t. 13. f. 37, 38; Don.

B. T. t. 64. f. 2.

Cardium amnicum, Montag. T. B. 86.

Cyclas palustris, Drap. 131. t. 10. f. 15, 16; Gras, Moll. t. et fl. France, 73. t. 6. f. 6.

C. obliqua, Lamk. Hist. v. 559, ed. 2. vi. 269; Nilsson, 99; Kickx,

Moll. Brab. 89.

Pisidium obliquum, Pfeiffer, 124. t. 5. f. 19, 20; Brown, Ill. Con. G. B. 94. t. 39. f. 22; Philippi, Moll. Sic. ii. 31.

Cyclas amnica, Turt. Biv. 250. t. 11. f. 15; Man. ed. 1. 15. f. 5;
Fleming, B. A. 453; Hanley, Rec. Shells, i. 89. t. 3. f. 19.

Pisidium amnicum, Jenyns, Mon. 21. t. 21. f. 2; Forbes & Hanley, Brit. Moll. ii. 133. t. 37. f. 8, 9. t. O. f. 8, animal.

Young shell rather compressed; umbones scarcely prominent.

Var. 1. Shell with very deep grooves. Pera fluviatilis, *Leach*, MSS, in Brit. Mus. Pisidium amnicum β, Jenyns, Mon. 22.

VAR. 2. Shell nearly smooth with slighter striæ.

Pera Henslowiana, Leach, MSS. Brit. Mus.

Pisidium amnicum y, Jenyns, Mon. 22.

a—ff. Bexley, Kent.

g g—o o. Coggeshall, Essex.

p p-w w w. Cambridge. Presented by Rev. J. S. Henslow.

Pera Henslowiana, Leach, B. M.

x x x—a a a a. York. Presented by P. Carpenter, Esq.

b b b b—n n n n. Britain.

Pisidium obliquum, Brown.

7. PISUM CINEREUM.

Pisidium cinereum, Alder, Cat. Supp. 4; Mag. Z. & Bot. ii. 119; Brown, Ill. Conch. G. B. 95. t. 39. f. 28; Forbes & Hanley, Brit. Moll. ii. 125. t. 36. f. 2; Gray, Man. L. & F. W. Shells, 286. t. 12. f. 152; Thompson, Ann. Nat. Hist. vi. 196.

VAR. More ventricose, and produced at the umbones. Cyclas cinerea, Hanley, Rec. Shells, i. 90, Supp. t. 14. f. 44. a-w. Castle Eden. Presented by Joshua Alder, Esq. x-k k. Scarborough. From Mr. Bean's Collection.

Fam. 3. CARDIADÆ.

Cardiadæ, Gray, Syn. B. M. 1840, 1842, 75, 91; Proc. Zool. Soc. 1848, 185.

Cerastes or Cerastoderma, Poli, Test. Sicil. 1791.

Les Cardiacées, pars, Lamk. Cour. 106, 1812.

Bucardes ou Cardiacés, Feruss. Prod. 44.

Veneridia Isoperia, pars, Rafin. Anal. Nat. 1815.

Conchacés, § 2, Rang, Man. Mol. 304.

Cardiacea, Menke, Syn. 49; Alton, Verz. Conch. 12.

Cardina, Macgilliv. Moll. Aberd. 213.

Veneriadæ, part., Leach, 1818; Ann. & Mag. N. H. xx. 1847, 272.

1. Cardium.

Cardium (costatum), Linn. S. N. ed. 10, ed. 12. i. 1122; Gmelin, S. N. i. 3244; Brug. E. M. i. 203; Lamk. Syst. 119, 1801; Hist. vi. 2, ed. 2. vi. 388; Megerle, 1811; Schum. N. S. 158; Spengler, Skrift. Nat. Selsk. vi.; Sow, Conch. Illust. Pectunculus, Adanson, Seneg.

Lævicardium (lævigatum), Šwainson, Malac. 1840.

Hemicardium (Unedo), Swainson, Mal. 1840.

Hemicardia, sp. Klein.

Isocardia, sp. Klein.

Circulum, sp. (fragum), sp. Bolten.

ACANTHOCARDIA.

1. CARDIUM ACULEATUM.

Cardium aculeatum, Linn. S. N. 1122; Chemn. Conch. Cab. vi. 161. t. 15. f. 157; Penn. B. Z. ed. 4. iv. 76. t. 50. f. 37; Da Costa, 175; Donov. B. S. i. t. 6; Mont. T. B. 77. Supp. 30; Wood, Gen. Conch. 207. t. 48? f. 1; Turt. Conch. Dict. 28; Brit. Biv. 181. t. 13. f. 6, 7; Poli, Test. Sic. t. 17. f. 1-3; Dillw. Rec. Shells, i. 114; Lamk. H. n. 14. 2nd ed. vi. 397; E. M. t. 297. f. 5; Philippi, Moll. Sic. i. 50, ii. 37; Reeve, Conch. Icon. Cardium, t. 4. f. 17; Forbes & Hanley, Brit. Moll. ii. 4. t. 33. f. 1; M. & R. Linn. Trans. viii. 62; Flem. Brit. An. 420; Thorpe, Brit. Mar. Conch. 95; Brown, Ill. Conch. G. B. 87. t. 34. f. 1-3; Sow. Conch. Ill. Cardium, f. 28; Hanley, Rec. Shells. 1. 131; Leach, Ann. & Mag. N. H. xx. 272.

Cerastes giganteus, Cerastoderma aculeatum, Poli, ii. 253, 258.

Young.

Card. ciliare, Wood, Gen. Conch. 209. t. 49. f. 3, 4; Penn. B. Z. iv. 90. t. 50. f. 39; Pulteney Hutchins' Dors. 31; Donov. Brit. Shells, i. t. 32. f. 2; Mont. Test. Brit. 79; Linn. Trans. viii. 64; Dorset Cat. 31. t. 4. f. 1.

C. parvum, Da Costa, Brit. Conch.177; Enc. Meth. Vers, t. 298. f. 1.

a, b. Torbay.

c, d, e. Britain.

f—k, old and young. Tenby, Devon.l. Britain. Presented by Mrs. Robinson.

2. CARDIUM ECHINATUM.

Cardium echinatum, Linn. S. N. 1122; Penn. B. Z. ed. 4. iv. 76. n. 38; Da Costa, B. C. 176. t. 14. f. 2; Donov. B. S. iii. t. 107. f. 11; Mont. T. B. 78. 568; Linn. Trans. viii. 63; Dorset, Cat. 3, t. 6. f. 2; Wood, Gen. Conch. 208. t. 49. f. 1, 2; Pulteney Hutchins' Dors. 30; Lamk. H. n. 12, 2nd ed. vi. 396; Turt. Conch. Dict. 29; Brit. Biv. 183; Lovén, I. M. 35. 265; Forbes, M. G. S. i. 416. 62. Chemn. Conch. Cab. vi. 165. t. 15. f. 158; Mag. Berl. Gesels. Natur. ii. 113; Müller, Zool. Dan. t. 13, 14; Ind. Testac. t. 5. f. 2; Reeve, Conch. Icon. Card. t. 6. f. 34; Forbes & Hanley, Brit. Moll. ii. 7. t. 33. f. 2, & t. N. f. 3, animal; Flem. Brit. An. 421; Macgil. Moll. Aberd. 271; Thorpe, Brit. Mar. Conch. 96; Brown, Ill. Conch. G. B. 87. t. 34. f. 6; Philippi, Moll. Sic. i. 49, ii. 37; Hanley, Rec. Shells, i. 131. t. 5. f. 2.

Lister, Ang. t. 5. f. 33; Conch. t. 324. f. 161.

Cerastes cirratus, Cerastoderma echinatum, *Poli*, ii. 253, 258. Card. mucronatum, *Poli*, *Test. Sic.* i. t. 17. f. 7, 8.

VAR. Card. spinosum, Sow. Brit. Miscell. t. 32; Linn. Trans. viii. 63.

a. Scotland.

b—i. Britain.

j. Falmouth. Presented by W. P. Cocks, Esq.

3. CARDIUM RUSTICUM.

Cardium rusticum, Linn. S. N. ed. 10 (not Lamk. nor British writers) 681, ed. 12. ii. 24; Wood, Gen. Conch. 225. t. 55. f. 2, 3; Forbes & Hanley, Brit. Moll. ii. 11. t. 31. f. 3, 4.

Cardium tuberculatum, Linn. S. N. ed. 10. 679?, ed. 12. 1122; Mus. Ulric. 488; Pulteney Hutchins' Dors. 30; Donov. B. S. iii. t. 107. f. 2; Flem. Brit. An. 421; Thorpe, Brit. Mar. Conch. 95; Mont. T. B. 568; Linn. Trans. viii. 64; Wood, G. Conch. 210. t. 50. f. 1, 2; Turt. Dict. 28. f. 12; Brit. Biv. 181; Lamk. H. n. 15, 2nd ed. vi. 397; Brown, Ill. Conch. G. B. 87. t. 34. f. 9; Chemn. Conch. Cab. vi. t. 17. f. 173; Dillw. Rec. Shells, i. 117; Hanley, Rec. Shells, 131; Payraud. Cat. Moll. Corse, 55; Philippi, Moll. Sic. i. 50, ii. 37; Penn. B. Z. ed. 1812, iv. 188. no. 7.

Cerastes cinnabarinus, Cerastoderma rusticum, Poli, Test. Sic. ii.

252, 258. t. 16. f. 5.

C. echinatum (var.), Mont. Test. Brit. 79. & Supp. 33.

C. tuberculare, Sow. Gen. Shells, Card. f. 3; Enc. Meth. Vers, t. 295. f. 3, t. 300. f. 1.

a—d. Britain.

e, f. Falmouth. Presented by W. P. Cocks, Esq. g-t, young. Britain.

** CARDIUM.

4. CARDIUM EDULE.

Cardium edule, Linn. S. N. 1124; Chemn. f. 194; Penn. B. Zool. ed. 4. iv. 77. t. 50. f. 41; Pulteney Hutch. Dors. 30; Dorset Cat. 32. t. 11. f.1; Mont. T.B. 76. 569; Donov. B. S. iv. t. 124. f. 1; Wood, Gen. Conch. 226. t. 55. f. 4; Linn. Trans. viii. 65; Lovèn, I.M. 35. n. 266; Forbes, M. G. S. i. 416. 58; Turt. Conch. Dict. 30; Brit. Biv. 188; Flem. Brit. An. 422; Couch, Corn. Faun. pt. ii. 28; Macgilliv. Moll. Aberd. 272; Brown, Ill. Conch. G. B. 87. t. 35. f. 1-6; Cuv. Règn. An. ed. Croch. t. 99. f. 4; Chemn. Conch. Cab. vi. 198. t. 19. f. 194; Thorpe, Brit. Mar. Conch. 97; Dillw. Rec. Shells, i. 127; Lamk. Hist. 2nd ed. vi. 406; Ind. Test. t. 5. f. 26; Rees' Cycloped. t. 5; Hanley, Rec. Shells, i. 134. t. 5. f. 26; Reeve, Conch. Icon. Card. t. 4. f. 22; Forbes & Hanley, Brit. Moll. ii. 15. t. 33. f. 1-4, t. N. f. 5 (animal); Leach, Ann. & Mag. N. H. xx. 272, 1847. List. Ang. t. 5. f. 34; Conch. t. 334. f. 171.

Card. obliquum, Woodward, Geol. Norf. t. 2. f. 19 (foss.).

Card. vulgare, Da Costa, 180. t. 11. f. 1.

C. crenulatum, Lamk. Hist. 2nd ed. vi. 405; Deless. Rec. Coq. t. 11. f. 5; Reeve, Conch. Icon. Card. t. 20. f. 112.

Card. zonatum, Brown, Ill. C. t. 22. f. 8, 2nd ed. 88. t. 35. f. 8. C. pectinatum, Lamk. Hist. 2nd ed. vi. 405; Hanley, Rec. Shells,

C. arcuatum, Reeve (not Mont.), Conch. Icon. Card. t. 22. f. 33. Cerastes gracilis, Cerastoderma edule, Poli, ii. 252, 258.

Enc. Meth. Vers, t. 300. f. 5; Savigny, Desc. Egypte, t.?. f.?.

VAR.

Cardium rusticum, Chemn. (not Linn. nor Hanl.) Conch. Cab. vi. t. 19. f. 197; Mont. Test. Brit. 569; Donov. Brit. Shells, iv. t. 124. f. 2; Poli, Test. Sic. t. 17. f. 12, 13; Lamk. Hist. 2nd ed. vi. 405; Desh. Elem. Conch. t. 25. f. 1; Philippi, Moll. Sic. i. 52. t. 4. f. 12-14, ii. 38; Forbes & Hanley, Brit. Moll. ii. 18.

C. edule, β . rusticum, Leach, Ann. δ Mag. N. H. xx. 1847, 272. C. glaucum, Brug. Enc. Meth. Vers, i. 221; Poiret, Voy. Barb. ii. 13; Wood, Gen. Conch. 218; Dillw. Rec. Shells, i. 130;

Hanley, Rec. Shells, Supp. t. 17. f. 36.

Cerastes cinnabarinus, Cerastoderma rusticum, Poli, ii. 252, 258. C. Lamarckii, Reeve, Conch. Icon. Card. t. 18. f. 93.

C. Belticum, Reeve, l. c. t. 20. f. 113.

C. edule, Brown, Ill. C. G. B. t. 35. f. 7; Philippi, Moll. Sic. i. 52, ii. 39.

VAR. fluviatile.

Cardium edule, var. fluviatile, Witham, Trans. Wern. Soc. v. 577. Cardium tenuis, Brown, Ill. C. G. B. t. 22. f. 4.

a—d, var. large. Stornoway.

e-v. Britain.

w-y. Romney.

z—d d, var. Britain.

e e, ff, var. Hoylake.

g g. (Cardium rusticum.) Hastings. h h—o o. (Ditto.) Britain.

p p, var. Britain.

q q - w w, var. Portsea.

 \hat{x} \hat{x} , y y. (Cardium zonarium), Sow. (fide Bean). England. z z, var. distorted. Britain.

*** HEMICARDIUM.

5. Cardium nodosum.

Cardium nodosum, Mont. T. B. 81; Turton, Bivalves, 186. t. 13. f. 8; Hanley, Rec. Shells, 136, Supp. t. 17. f. 44; Lovèn, I. M. 36. n. 268; Jeffreys, Ann. N. H. xix. 313; Reeve, Conch. Icon. Card. t. 22. f. 128; Forbes & Hanley, Brit. Moll. ii. 22. t. 32. f. 7; Penn. B. Z. 1812, iv. 189. no. 11.

? C. discrepans, Brown, Ill. C. t. 22. f. 9.

Cardium tuberculatum, β. nodosum, Leach, Ann. & Mag. N. H. xx. 272, 1847.

C. scabrum, Philippi, Moll. Sic. ii. t. 14. f. 16; Hanley, Rec. Shells, Supp. t. 17. f. 43.

a-h. Édinburgh. Presented by Miss Greville.

i-m. Scotland.

n-p. Torquay.

6. CARDIUM FASCIATUM.

Cardium fasciatum, Mont. (not Gmel.) Test. Brit. Supp. 30. t. 27. f. 6; Reeve, Icon. t. 21. f. 118; Lovèn, I. M. 35. 267; Turt. Conch. Dict. 32; Flem. Brit. An. 422; Thorpe, Brit. Mar. Conch. 98; Brown, Ill. Conch. G. B. 88. t. 35. f. 11; Wood, Gen. Conch. 215; Dillw. Rec. Shells, i. 130; Forbes & Hanley, Brit. Moll. ii. 25. t. 32. f. 5, t. N. f. 4, animal; Penn. B. Z. ed. 1812, iv. 191. no. 16.

C. exiguum, Macg. Moll. Aberd. (not Gmel., Mont., nor Philippi).

C. parvum, Philippi, Moll. Sic. ii. 39?

C. elongatum, Montague, Test. Brit. 82! fide Turton (not Brug.); Turt. Biv. 185. t. 13. f. 9; Linn. Trans. viii. 17 (from Mont.); Turt. Conch. Dict. 31; Wood, Gen. Conch. 214; Dillw. Rec. Shells, i. 131; Flem. Brit. An. 422.

C. ovale, Sow. Conch. Ill. Card. no. 24; Hanley, Rec. Shells, i. 136, Supp. t. 17. f. 45; Reeve, Conch. Icon. Card. t. 21. f. 119.

C. obovale (error for ovale), Thorpe, Brit. Mar. Conch. 96.

C. obovale, Sow. Conch. Illust. f. 4.

Young. C. rubrum, Reeve, Conch. Icon. Card. t. 22. f. 124, not Montague.

a, b. Scotland.

c-h. Walton Marshes, Essex.

i-n. Lochfyne.

o. (Cardium ovale, Sow.) Britain.

p?-r?. Near Newcastle. Presented by J. Alder, Esq.

7. CARDIUM EXIGUUM.

Cardium exiguum, Gmelin, S.N. 3255 (from List. Conch. t. 317. f. 154 A); Dorset Cat. 31. t. 2. f. 11; Mont. T. B. 82; Forbes, M. G. S. i. 416. 61; Linn. Trans. viii. 61; Turt. Conch. Dict. 31; Brit. Biv. 186; Flem. Brit. An. 422; Philippi, Moll. Sic. i. 51 & ii. 38; Hanley, Rec. Shells, 135; Reeve, Conch. Icon. Card. t. 21. f. 121; Macgilliv. Moll. Aberd. 273; Thorpe, Brit. Mar. Conch. 97; Brown, Ill. C. G. B. 88; Wood, Gen. Conch. 212; Dillw. Rec. Shells, i. 114; Lamk. Hist. 2nd ed. vi. 408; Leach, Ann. & Mag. N. H. xx. 1847, 272; Penn. B. Z. ed. 1812, iv. 186. no. 2.

Card. pygmæum, Donov. Brit. Shells, t. 32. f. 3; Forbes & Hanley, Brit. Moll. ii. 29. t. 32. f. 8, and t. N. f. 2, animal.

Young. Cardium muricatulum, Mont. T. B. 85; Maton & Racket, Linn. Trans. viii. 68; Wood, Gen. Conch. 215; Dillw. R. S. i. 131 (all from Walker), Walker, M. Shells, i. t. 32. f. 3.

a-t. Britain.

u—a a. Devonshire.

b b—h h. Falmouth. Presented by J. Alder, Esq. i—k k. Ditto. Presented by W. P. Cocks, Esq.

Gmelin's species is described from Lister's figure, which is marked as English.

8. CARDIUM SUECICUM.

- C. Suecicum, Lovèn, I. M. 36. 269; Forbes & Hanley, Brit. Moll. 33. t. 32. f. 6; Jeffreys, Ann. & Mag. N. H. xix. 313, 1847.
- C. Suediense, Reeve, Conch. Icon. Card. t. 22. f. 132, March 1845; near C. scabrum, Phil. Journ. ii. 38. t. 14. f. 16.

Cardium Loveni, Thompson, Ann. N. H. xv. 317. t. 19. f. 7, 1845, May.

a—c. Scotland.

d—f. Dublin.

*** LÆVICARDIUM.

9. Cardium Norvegicum.

Cardium Norvegicum, Spengler, Skrift. Naturh. Selsk.v. pt. 1. 42; Lovèn, I. M. 35. n. 264; Forbes & Hanley, Brit. Moll. ii. 35. t. 31. f. 1, 2. t. N. f. 1, animal.

Cardium serratum, Lamk. Hist. n. 25, ed. Desh. vi. 405; Thorpe, M. C. 99 (not Linn., Chemn. nor Brug.); Turt. Brit. Biv. 192.

t. 13. f. 5.

Cardium lævigatum, Penn. B. Zool. ed. 4. iv. 77. t. 51. f. 40 (not Linn. S. N.); Pulteney Hutch. Dorset, 31; Da Costa, Brit. Conch. 178. t. 13. f. 6; Don. B. S. ii. t. 54; Linn. Trans. viii. 65; Mont. T. B. 80; Wood, Gen. Conch. 222. t. 54. f. 1; Dorset Cat. 31. t. 7.f. 6; Poli, Test. Sic. t. 17. f. 10, 11; Forbes, M. G. S. i. 416. 63 (not Linn., Chemn. nor Lamk.); Philippi, Moll. Sic. i. 50 & ii. 37; Turt. Conch. Dict. 31, & Brit. Biv. 190; Flem. Brit. An. 423; Macgilliv. Moll. Aberd. 273; Brown, Ill. Con. G. B. 88. t. 35. f. 12-15; Dillw. Rec. Shells, i. 123; Mawe, Conch. t. 7. f. 7 (young); Hanley, Rec. Shells, i. 133; Leach, Ann. & Mag. N. H. xx. 1847, 272.

List. Ang. t. 5. f. 32; Conch. t. 332. f. 169; Pet. Gaz. t. 93.

f. 12.

VAR.

Card. Pennanti, Beck, MSS.; Reeve, C. Icon. Card. t. 9. f. 48.
Card. obliquum, Brown, Ill. Con. G. B. 88. t. 35. f. 16 (not Chemn.);
Reeve, Conch. Icon. Card. t. 15. f. 71.

711.

C. vitellinum, Reeve, l. c. Card. t. 7. f. 37.

Cerastes maculatus & Cerastoderma flava, Poli, ii. 253, 258.

a, b. Stevenston, Ayrshire.

c-f. Salcomb, Devon.

g. Scotland.

h. Falmouth. Presented by W. P. Cocks, Esq.

i-s. Salcomb, Devon.

Loven described three varieties:-

a. As long as high, subtrigonal, red-spotted behind. C. Pennanti, Reeve. C. serratum, Turt. C. lævigatum, Thorpe.

β. Longer than high, subovate. C. Norvegicum, Spengler =

C. lævigatum jun., Mont.

7. Higher than long, subovate, rather obtuse; ribs nearly obliterated. C. —.

Fam. 4. MACTRADÆ.

Mactridæ, Fleming, Brit. Anim. 409, 1828; Gray, Syn. B. M. 1840, 1842, 75.

Mactradæ, Gray, Proc. Zool. Soc. 1848, 185; Loudon, Mag. N. H. i. 370, 1837; Forbes & Hanley, Brit. Moll. 349.

Les Mactracées (Mactracea), Lamk. Cour. 107; Hist. v. 466, ed. 2.

Conchacés § 2. part., Rang, Man. Moll. 302.

Pylorides, part., Blainv.; Rang, Man. Moll. 322.

Mactracés, Féruss. Prod. 44.

Mactraceæ, Hinds, Zool. Sulph. 184.

Mactracidæ, D'Orb. Moll. Canar. 1836.

Veneridia heteroperia, Rafin. Anal. Nat.

Mactracea, Menke, Syn. 118; Anton, Verz. Conch. 12.

Mactrina, Macgilliv. Moll. Aberd. 217; Milne-Edwards, Elem. Zool.; Brown, Conch. Text Book.

Mactracæa, Berth.

Callista and Callistoderma, part., Poli, Test. Sicil. 1791.

Trigonella, part., Da Costa, Test. Brit. 1778 (not DeCand. nor Conrad); Humph. Mus. Calonn. 1797.

a. Mactrina. Mantle lobes free.

Mactraädæ, part., Leach, Ann. & Mag. N. H. xx. 1847, 272.

1. MACTRA.

Mactra, Gray, Mag. Nat. Hist.i.370, 1837; Wiegmann, Arch. N. 1838, i. 86; Proc. Z. Soc. 1848, 185; Sow. Gen.

Mactra (stultorum), Linn. S. N. ed. 12. i. 1125; Gmelin, S. N. i. 3258; Lamk. Syst. 121, 1801; Hist. A. s. V. v. 471, ed. 2. vi. 96; Forbes & Hanley, Brit. Moll. 350.

Trigonella, part., Da Costa, Brit. Shells, 1778.

1. MACTRA STULTORUM.

Cardium stultorum, Linn. S. N. ed. 10, 681.

Mactra stultorum, Linn. S. N. ed. 12. i. 1125; Gmel. L. S. N. i. 3258; Pulteney Hutch. Dorset, 31; Mont. T. B. 94; Linn. Trans. viii. 69; Don. B. S. ii. t. 106; Turton, Conch. Dict.

81; Brit. Biv. 72; Da Costa, 196. t. 12. f. 3=Dorset Cat. 32. t. 8. f. 3; Brown, Ill. C. 107. t. 15. f. 2; Forbes, M. G. S. i. 408. 10; Flem. Brit. An. 427; Macgilliv. Moll. Aberd. 287; Thorpe, Brit. Mar. Conch. 47; Lam. Hist. ed. 2. vi. 99 (part.) = E. M. t. 256. f. 3; Mawe's Conchol. t. 8. f. 5; Gray, Mag. N. Hist. i. 370; Crouch, Introd. Conch. t. 4. f. 4; Poli, Sic. t. 18. f. 10, 11, 12; Sow. Conch. Man. f. 79; Dillw. Rec. Shells, i. 138; Chenu, Ill. Conch. Mactra, t. 3.f. 3; Hanley, Rec. Shells, 29; Forbes & Hanley, Brit. Moll. i. 362. t. 22. f. 4, 6. t. 26. f. 2; Leach, Ann. & Mag. N. H. xx. 1847, 272; Penn. B. Z. ed. 1812, 193. t. 52. f. 1.

M. magna, Woodward, Geol. Norf. t. 2. f. 10 (fossil).
Tellina radiata, Penn. Brit. Zool. ed. 4. iv. 74. t. 49. f. 30.
Trigonella radiata, Da Costa, Brit. Conch. 196. t. 12. f. 3.
Callista discolor and Callistoderma stultorum, Poli, ii. 252,

258.

VAR. M. cinerea, Mont. T. B. Supp. 35; Turt. Brit. Biv. 73;
Fleming, Brit. An. 428; Thorpe, Brit. Mar. Conch. 47.
M. lactea, Lamk. 477 (not Poli).

M. straminea, Lamk. 477?

a, b. Romney.

c-e. Aberdeen. Presented by Professor Macgillivray. f-r. Britain.

s, t. Redcar, Yorkshire.

u-w. Ilfracombe. Presented by J. E. Gray, Esq. x. (young). Barmouth. Presented by Mrs. Robinson. y-ff. (M. cinerea.) Britain.

 $g\ g$. Ditto. Ilfracombe. Presented by J. E. Gray, Esq.

2. Mactra glauca.

Mactra glauca, Spengler, Skrift. Nat. Selsk. v. t. 3; Gmelin, S. N. i. 3260; Donovan, B. S. iv. t. 125; Mont. T. B. 571; Linn. Trans. viii. 68; Dorset Catal. 68; Dillw. R. S. i. 144; Turton, Bivalves, 80; Wood, Cat. t. 6. f. 30; Fleming, B. A. 428; Thorpe, Brit. Mar. C. 48; Brown, Ill. C. G. B. 107. t. 41. f. 1; Penn. B. Z. ed. 1812, iv. 192. no. 2.

M. Neapolitana, Poli, Test. Sicil. i. t. 18. f. 1, 2, 3.

M. helvacea, Chemn. Conch. vi. 234. t. 23. f. 232, 234; Lamk.
Hist. ed. 2. vi. 99; Philippi, Moll. Sicil. i. 10, ii. 4; Chenu,
Mact. t. 2. f. 4; Forbes & Hanley, Brit. Moll. i. 366. t. 23.
f. 3.

Mactra —, Ency. Méthod. t. 256. f. 1.

a. Dunbar. From. Col. Montagu's Collection.

b. Cornwall. Presented by Miss Pocock.

2. Spisula.

Spisula (solida), Gray, Loudon Mag. N. H. i. 370, 1837; Syn. B. M. 1842, 92 (cop. Wiegmann, Arch. 1838, 86); Sow. Man. Conch. 101, ed. 2. 264.

Mactra, part., Lamk. Hist. A. s. V.; Forbes & Hanley, Brit. Moll.

351; Leach, Ann. & Mag. N. H. xx. 272.

Hemimactra (solidissima), part., Swainson, Malac. 369, 1840; Sow. Conch. Man. ed. 2. 260.

Trigonella, part., Da Costa, Brit. Shells, 1778.

* Subequilateral.

1. Spisula solida.

Mactra solida, Linn. Syst. Nat. ed. 12. 1126; Chemn. Conch. Cab. vi. 230. t. 23. f. 229, 230; Penn. B. Z. ed. 4. iv. 78. t. 51. f. 43 a, t. 52. f. 43; Spengl. Skrif. Natur. Selsk. pt. 2. 113; Donov. B. S. ii. t. 61. f. 1, 3, 4, 5; Mont. Test. Brit. 92; Linn. Trans. viii. 70; Pulteney Hutchins' Dorset, 31; Dillw. Rec. Shells, i. 140; Dorset Cat. t. 6. f. 6 (32. t. 12. f. 1); Brown, Ill. C. G. B. t. 15. f. 3, 4, 2nd ed. 108. t. 41. f. 3, 4; Lamk. Hist. ed. 2. vi. 104; Forbes, M. G. S. i. 408. 11; Philippi, Moll. Sic. i. 11, ii. 10; Hanley, Recent Shells, 31; Turt. Conch. Dict. 81; Turt. Brit. Biv. 67; Fleming, Brit. An. 426; Macgilliv. Moll. Aberd. 288; Thorpe, Brit. Mar. Conch. 46; Ind. Test. t. 6, Mactra, f. 21; Forbes & Hanley, Brit. Moll. i. 351. t. 22. f. 1–5, t. L. f. 2, siphons; Leach, Ann. & Mag. N. H. xx. 272.

Trigonella gallina, Da Costa, Brit. Conch. 199. t. 14. f. 6.

M. dubia & M. ovalis, Sow. M. C. t. 160, fossil.

M. striata, Smith, Wern. Mem. viii. t. 1. f. 22, fossil.

Mactra truncata, Turt. B. B. 68 (not Montag.); Forbes, M. G. S. i. 408. 12.

M. crassatella, Lam. 33.

Trigonella zonaria, Da Costa, Brit. Conch. 197. t. 15. f. 1. Spisula solida, Gray, Mag. N. H. i. 373.

List. Ang. t. 4. f. 24, adult.

a, b. Frith of Forth. Presented by General Bingham.

c. Youghal. Presented by Miss Warne.

d-n. Tenby and Dawlish.

o. Devon.

p, q. Teignmouth.

r. Britain. From the Collection of Col. Montagu.

2. Spisula Truncata.

Mactra truncata, Mont. Test. Brit. Supp. 34 (not Turt. Brit. Biv.); Turt. Conch. Dict. 81; Flem. Brit. An. 427; Thorpe, Brit. Mar. Conch. 46; Dillw. Rec. Shells, i. 140; Hanley, Rec. Shells, 32, Supp. t. 9. f. 1; Forbes & Hanley, Brit. Moll.

i. 354. t. 23. f. l; Leach, Ann. & Mag. N. H. xx. 272; Penn. B. Z. ed. 1812, iv. 196. no. 13.

M. subtruncata, Donov. Brit. Shells, iv. t. 126.

M. crassa, Turt. Brit. Biv. pp. 69, 258. t. 5. f. 7 (adult).

Spisula crassa, Gray, Mag. N. H. i. 373.

Lister, Hist. Conch. t. 253. f. 87.

a-c. Kingsbridge. d—f. Loch Fyne.

g—h. Yorkshire.

i-k. Scotland.

l-n. var.? small. Scotland.

3. Spisula elliptica.

Mactra elliptica, Brown, Ill. Conch. t. I5. f. 6, ed. 2. 108. t. 41. f. 6; Forbes, Malac. Mon. 48; Macg. Moll. Aberd. 280; Thorpe, Brit. M. C. 244. f. 28; Loven, I. M. Skand. 45. 317; Forbes & Hanley, Brit. Mar. Conch. i. 356. t. 22. f. 3, t. L. f. 1, animal.

Mactra solida (part.), Donov. Brit. Shells, ii. t. 61. f. 2.

a-e. Sunderland.

f-h. Britain.

i. Ilfracombe. Presented by J. E. Gray, Esq.

j—n. Weymouth. o—r. Whitby. Presented by J. Fryer, Esq. s-u.? Britain.

** Inequilateral.

4. Spisula subtruncata.

Maetra subtruncata, Mont. T. B. 93. Supp. 37. t. 27. f. 1; Linn. Trans. viii. 71. t. 1. f. 11; Dorset Cat. 32. t. 5. f. 10; Penn. B. Z. ed. 1812, iv. 194. t. 55. f. 1; Da Costa, Brit. Conch. 198; Brown, Ill. C. t. 15. f.7, 2nd ed. 108. t.41. f.7; Philippi, Abbild. und Bes. Mactra, t. 1. f. 4; Forbes, M. G. S. i. 408. 13; Lovèn, I. M. 45. 318; Mawe's Conchol. t. 8. f. 4; Turt. Conch. Dict. 82; Turt. Brit. Biv. 70; Flem. Brit. An. 427; Macgilliv. Moll. Aberd. 289; Thorpe, Brit. Mar. Conch. 47; Ind. Test. t. 6. f. 23; Forbes & Hanley, Brit. Moll. i. 358. t. 21. f. 8, t. 22. f. 2, t. L. f. 3, siphons (not M. deltoidea, Lam.); Leach, Ann. & Mag. N. H. xx. 1847, 272.

M. limbata, Menke.

Trigonella subtruncata, Da Costa, 198.

M. stultorum, Penn. B. Z. ed. 4. iv. 78. t. 52. f. 42.

M. truncata, Brown, Ill. C. t. 15. f. 5.

?M. triangula, Renieri; Brocchi, t. 13. f. 7; Philippi, Moll. Sic. i. 11, ii. 10; Hanley, Recent Shells, Supp. t. 10, f. 40.

M. lactea, Poli, Test. Sic. t. 18. f. 13, 14 (not Lam.).

M. cuneata, Sow. M. C. t. 160. f. 7; Woodw. Geol. Norf. 62. f. 10.

M. crassatella, Lamk. Hist. ed. 2. vi. 107 (var.); Deless. Rec. Coq. t. 3. f. 6.

Spisula subtruncata, Gray, Mag. N. H. i. 373.

VAR. Mactra striata, Brown, Ill. Conch. G. B. 108. t. 41. f. 10; Forbes & Hanley, Brit. Moll. i. 361.

a-i. Kingsbridge.

Mactra subtruncata, *Leach*.

j. Cork. Presented by Miss Warne.

COIL. Trescribed by Miss Warne.

b. Lutrariana. Mantle lobes united beneath.

Myadæ, part., Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847,

272. 3. Lutraria.

Lutraria, Lamk. Prod. 1799; Syst. A. s. V. 1801; Hist. A. s. V.
v. 467, ed. 2. vi. 88; Schum. N. S. 1817; Gray, Mag. N. H.
i. 1837; Leach, Ann. & Mag. N. H. xx. 272; Forbes & Hanley, Brit. Moll. i. 369.

Lutricola, Blainv., not Goldf.

Cultellus (oblonga), Sow. Man. Conch. ed. 2. 129 (not Schum. nor Conrad).

Lutraria, Herrmannsen, Ind. 633.

Lutraria (Lutraria), Megerle, Entw. 46, 1811.

Psammophila (oblonga), Leach, MSS. fide Brown, Brit. Conch. Mya (subgenus), Cuvier, R. A. 1817, 1830.

* Shell ovate, rather gaping behind.

1. LUTRARIA ELLIPTICA.

Mactra Lutraria, Linn. Syst. Nat. ed. 12. 1126; Chemn. Conch. Cab. vi. 239. t. 24. f. 240, 241; Pulteney Hutchins' Hist. Dors. 32; Dorset Cat. 33. t. 5. f. 11; Turt. Conch. Dict. 84; Linn. Trans. viii. 73; Mont. Test. Brit. 99; Donov. B. S. ii. t. 58; Penn. B. Z. ed. 4. iv. 78. t. 52. f. 44, ed. 1812, t. 55. f. 3; Dillw. Rec. Shells, 146; Wood, Linn. Trans. vi. t. 16. f. 3, 4; Hanley, Rec. Shells, 26; Philippi, Moll. Sic. i. 9 & ii. 7; Desh. Exp. Sc. Alg. Moll. t. 33, 35, 36, animal.

Lutraria elliptica, Lamk. ed. 2. vi. 90; Brown, Ill. Conch. G. B.
t. 12. f. 3. ed. 2. 109. t. 43. f. 3, 4; Turt. Brit. Biv. 65; Thorpe,
Brit. Mar. Conch. 45; Macgilliv. Moll. Aberd. 291; Forbes,
M. G. S. i. 409. 15; Forbes & Hanley, Brit. Moll. i. 370. t. 12,
t. H. f. 2, animal; Chenu, Ill. Conch. Lutrar. t. 1. f. 10; Leach,

Ann. & Mag. N. H. xx. 272.

L. vulgaris, Flem. B. A. 464.

Mactra, Ency. Méth. Vers, t. 258. f. 3.

List. Ang. t. 4. f. 19; Conch. t. 415. f. 259.

a-k, old and young. Britain.

1. Scarborough. Presented by J. E. Gray, Esq.

- ** Shell widely gaping behind; lozenge without any posterior ridge; lateral teeth distinct. Psammophila, Leach.
- 2. Lutraria oblonga.

Lutraria oblonga, Turt. Biv. 64. t. 5. f. 6; Thorpe, Brit. Mar. Conch. 44; Forbes & Hanley, Brit. Moll. i. 374. t. 13. f. 1.

Mya oblonga, Gmelin, S. N. 3221; Chemn. Conch. Cab. vi. 27.

t. 2. f. 12.

Mactra hians, Pulteney Hutchins' Dors. 32; Dorset Cat. 33. t. 2. f. 4; Donov. B. S. iv. t. 140; Wood, Linn. Trans. vi. t. 16. f. 5, 6; Ind. Test. t. 6. f. 37; Mont. T. B. 101; Linn. Trans. viii. 74; Turt. Dict. 85. f. 41; Dillw. Rec. Shells, i. 146; Penn. B. Z. ed. 1812, iv. 196. no. 12.

Chama magna, Da Costa, Brit. Conch. 230. t. 17. f. 4.

Chana hagna, Da Costa, Brit. Conch. 230. t. 17. f. 4.
Lutraria Solenoides, Lank. Hist. 2nd ed. vi. 90; Brown, Ill. C. t. 12. f. 1, 2nd ed. 109. t. 43. f. 1; Blainv. Man. t. 77. f. 3; Sow. Gen. f. 1; Conch. Man. f. 78; Hanley, Rec. Shells, i. 26; Chenu, Ill. Conch. Lutrar. t. 1. f. 9; Desh. Exp. Sc. Alg. Moll. t. 31, 32, animal; Leach, Ann. & Mag. N. H. xx. 272, 1847.
L. hians, Flem. B. A. 465.

Lutricola solenoides, Blainv. Man. t. 77. f. 3.

"Psammophila solenoides, Leach MSS.," Brown; Gray, Ann. & Mag. N. H. 1847.

a-c. Britain.

d. Ditto. Presented by Mrs. Robinson.

Lateral teeth are distinct in the young, but they disappear as the animal approaches maturity.

Fam. 5. Tellinidæ.

Tellinides (or Tellinidæ), Latr. Fam. Nat. 1825; Desh. Ency. Méth. iii. 1830.

Tellinidæ, Gray, Syn. B. M. 1840, 1842, 75, 91; Proc. Zool. Soc. 1848, 186; D'Orb. Pal. Franç. 1844; Swains. Malac. 369, 1840; Forbes & Hanley, B. M. i. 269.

Les Conchacées, part., et Les Lithophages, part., Lamk. Cour.

107, 1812.

Les Mactracées, part., Lamk. Hist. v. 467, ed. 2. vi. 87.

Les Nymphacées, Lamk. Hist. v. 509, ed. 2. vi. 165; Féruss. Prod. 43.

Conchacés § 2, part., Rang, Man. Moll. 304.

Pylorides, part., Rang, Man. Moll. 322.

Veneridia Isoperia, part., Rafin. Anal. Nat. 1815.

Nymphacea, Menke, Syn. 111.

Tellinacea, Anton, Verz. Conch. 12.

Tellinina, Macgilliv. Moll. Aberd. 214.

Tellinacées (Tellinacea), Blainv. Bull. Soc. Phil. 1814, 179.

Tellinaceæ, Oken, Isis, 1818, 1681.

Tellinoidæ, Agassiz, Nomencl.

Tellinidea, Swainson, Elem. Conch. 1835.

Tellinides, Lamk. Hist. A. s. V. v. 535, 1818, ed. 2. vi. 215; Desh. E. M. iii. 1021; Sow. Man. 104, ed. 2. 270; Gray, Ann. Phil. ix. 136.

Tellinina, Milne-Edw. Elem. Zool. 1841; Macgilliv. Conch. Text-Book. 202; Moll. Aberd. 1843.

Tellininæ, Swains. Mal. 371, 1840.

Psammobiadæ, part., Flem. B. A. 409, 437, 1828.

Psammobioidæ, part., Agass. Nomenc.

Donacidæ, Forbes & Hanley, Brit. Moll. 331.

Veneriadæ, part., Leach, Ann. & Mag. N. H. xx. 272.

A. TELLININA.

1. PSAMMOBIA.

Psammobia (Gari), Lamk. Hist. A. s. V. v. 511, 1818, ed. 2. vi. 171; Blainv. D. S. N. xliii. 476 (not Risso, E. M. iv. 375); Sow. Gen.; Desh. E. M. iii. 154; Forbes & Hanley, Brit. Moll. 271.

Gari, A. Schum. N. Syst. 1817.

Solen (Gari), Megerle, 1811.

Peronæa et Peronæoderma, Poli, Test. Sicil.

Azor, part. (vespertinus), Leach MSS. 1818; Ann. & Mag. N. H. xx. 272.

Psammothea, Cuvier, R. A. ed. 2; Voigt. iii. 566.

Psammotea, Férussac, Tab. Syst. 43, 1821; Schweiger, Naturg. 705; Blainv. Man. 349.

Psammotæa (zonalis), Lamk. Hist. A. s. V. v. 516, 1818, ed. 2. vi. 180.

Psammocola (section), Blainv. Dict. Sci. Nat. xxxii. 349, 1824; Malac. 567; Lea, Proc. Phil. Soc. iii. 165.

* Azor.

1. PSAMMOBIA VESPERTINUS (The Setting Sun).

Solen pictus, Spengler, Skrift. Nat. Selskii ii. 107 (partly?).

Lux vespertina, Chemn. Conch. vi. 72. t. 7. f. 59, 60.

Solen vespertina, Gmel. S. N. 3228; Mont. T. B. 54; Linn.
Trans. viii. 47; Wood, G. Conch. 135. t. 32. f. 2, 3; Turton,
Dict. 163; Penn. B. Z. ed. 1812, iv. 174. t. 50. f. 2.

Psammobia vespertina, *Lamk. Hist.* vi. 173. n. 3; *Turt. Biv.* 92. t. 6. f. 10, young; *Brown, Ill. C.* t. 16. f. 3, ed. 2, 102. t. 40. f. 3; *Philippi, Sicil.* i. 22, ii. 21.

Sanguinolaria vespertina, Thorpe, Brit. Mar. Conch. 65; Flem. B.

A. 461; Lovèn, 42. 302; Forbes & Hanley, Brit. Moll. i. 271. t. 19. f. 1, 2.

P. florida, Lamk. Hist. vi. 174. n. 4.

Tellina depressa, Penn. B. Z. ed. 4. iv. 73. t. 47. f. 27 (not Linn.). T. albida, Dillwyn, R. S. 78 (not Linn.).

Tel. variabilis, Pult. Dors. 29; Don. B. S. ii. t. 41. f. 2.

Tellina Gari, Poli, Sic. t. 15. f. 19, 21, 22 (not Linn.). Tel. radiata, Linn. F. S. ed. 2 (not Syst. Nat.).

Azor variabilis, Leach, Ann. & Mag. N. H. xx. 272.

a, b. Loch Ranza. Presented by the Rev. D. Landsborough. c - e. Britain. f—i. \int

j. Loch Ryan.

k. Dublin Bay. Presented by T. Warren, Esq.

PSAMMOBIA.

2. PSAMMOBIA FERROENSIS.

Tellina Feroensis, Gmelin, S. N. 3235; Mont. T. B. 55; Philippi, 23. t. 3. f. 7; Born. t. 2. f. 6.

T. radiata, Da Costa, 209. t. 14. f. 1; Brown, Ill. C. t. 16. f. 1, 2. Psammobia feröensis, Lamk. Hist. ed. 2. vi. 172; Lovèn, I. M. 42; Forbes, M. G. S. i. 410.28; Turt. Biv. t. 8. f. 1; Leach, Ann. & Mag. N. H. xx. 272.

T. ferroensis, Chemn. vi. t. 10. f. 91; Pult. Dors. 29; Penn. B. Z. ed. 1812, iv. 177. t. 50. f. 3.

Tellina trifasciata, Don. B. S. t. 60 (not Gmelin).

T. truncata, Spengler (not Linn.).

T. incarnata, Linn. F. S. ed. 2 (not Syst. Nat.); Penn. B. Z. ed. 4. iv. t. 47. f. 31.

T. muricata, Brocchi, 511. t. 12. f. 2.

Psammobia ferroensis, Forbes & Hanley, Brit. Moll. i. 274. t. 19.

List. Hist. Conch. t. 394. f. 241; Ang. 19. t. 1. f. a.

a-c. Dublin Bay. Presented by T. Warren, Esq.

d—m. Britain. n, o. Scotland.

p, q. Britain. Presented by Mrs. Robinson.

*** PSAMMOBELLA.

3. PSAMMOBIA TELLINELLA.

Psammobia Tellinella, Lamk. Hist. vi. 177. n. 1; Thorpe, Mar. Conch. 62; Brown, Ill. Conch. 102. 133. t. 39. f. 30; Loven, I. M. 42. 303; Forbes & Hanley, Brit. Moll. 277. t. 19. f. 4, t. K. f. 1, animal.

P. florida, Turt. Biv. 86. t. 6. f. 9 (not Lam.); Flem. B.A. 437.

a—c. Bantry Bay.
d, e. Scotland.
f—p. Britain.

4. PSAMMOBIA COSTULATA.

Psammobia costulata, Turt. Biv. 87. t. 6. f. 8; Flem. B. A. 437; Thorpe, Mar. Conch. 62; Brown, Ill. C. 102. 133. t. 39. f. 34; Forbes & Hanley, Brit. Moll. i. 279. t. 19. f. 5; Philippi, Moll.

ii. 21; Neu Conch. t. 1. f. 3, 4. P. discors, Philippi, i. 23. t. 3. f. 8; Jeffreys, Ann. & Mag. N. H.

xix. 314.

2. Diodonta.

Diodonta, Desh. Exp. Algér. t. 68; Forbes & Hanley, Brit. Moll.i. 283 (not Didonta, Schum. nor Diodonta, Agassiz, Nomenclat.).

Petricola, sp., Lamk. Hist.

Psammotæa, sp., Lamk. Hist. Psammobia, sp., Turton, Bivalves, 88; Brown, Ill. C. G. B.

1. DIODONTA FRAGILIS.

Tellina fragilis, Linn. S. N. 1117; Chemn. Conch. vi. 95. t. 9. f. 84 Turt. Conch. Dict. 166. f. 18; Poli, t. 15. f. 22, 24; Dillw. R. S. i. 78; Wood, Cat. t. 3. f. 7; Philippi in Wiegm. Arch. Natur. 1845, 190. t. 7. f. 19, 20; Anim. Moll. Sicil. i. 27, ii. 22.

Psammobia fragilis, Turt. Biv. 88. t. 7. f. 11, 12; Flem. B. A.

438; Thorpe, Mar. Conch. 62.

Tell. jugosa, Brown, Wern. Trans. ii. 506. t. 24. f. 2.

Psammobia jugosa, Brown, Ill. C. t. 16. f. 4, 5, 6.

Petricola ochroleuca, Lamk. Hist. vi. 157; Payraud. Cors. t. 1. f. 9, 10; Sow. Gen. f. 4; Desh. Elem. t. 12. f. 13; Thorpe, M. C. xxvi.

Peronæa sanguinolenta & Peronæoderma fragilis, Poli, ii. 252, 257. Psammobia Tarentina, Lamk. Hist. vi. 183; Deless. Rec. Coq. t. 5. f. 11.

Tellina ochroleuca, Wood, Cat. Supp. t. 1. f. 6.

Diodonta fragilis, Desh. Exp. Algériê, Moll. t. 68, animal; Forbes & Hanley, Brit. Moll. i. 284. t. 21. f. 2, t. K. f. 2, animal.

Junior? Tellina polygona, Mont. T. B. Supp. 27. t. 28. f. 4,
cop. Wood, Cat. t. 4. f. 80, and Brown, Ill. Conch. 102. t. 39. f. 33;
Turt. Dict. 180; Thorpe, Mar. Conch. 63 B; Penn. B. Z.
ed. 1812, iv. 185. no. 25.

Psammobia polygona, Turt. Biv. 96; Flem. B. A. 439.

T. Guinaica, Dillw. R. S. i. 96.

Diodonta fragilis, junior? Forbes & Hanley, Brit. Moll. 286, note. a-c. Bantry.

3. TELLINA.

Tellina (part.), Linn. S. N. ed. 10, 674, 1758; ed. 12, 1126, 1767. Tellina (radiata), Brug. Ency. Méth. t. 287, 1792; Lamk. Syst. 124, 1801; Schum. Essai, 161, 1817; Forbes & Hanley, Brit. Moll. 286.

Peronæa, sp. Poli, Test. Sicil.

Psammotæa, part., Lamk. Hist. A. s. V. 1818.

Angulus (lanceolata), Megerle, Entw. 47, 1811.

Macoma (tenera), Leach, in Ross's Voy. Baffin's Bay, i. 175, 1819; Journ. Phys. lxxxviii. 465, 1819; Couch, Man. ed. 2. 180; Blainv. Mal. 558, 1825.

Macroma, Gray, P. Z. Soc. 1848, 106 (error of press); Forbes

& Hanley, Brit. Moll. 307.

Psammotea (solidula), Turton, Bivalves, 1822.

Tellinides (timorensis), Lamk. Hist. A. s. V. v. 535 (1818), ed. 2. vi. 215; Recluz, Rev. Zool. 1846, 146.

Tellinides (roseus), Sow. Gen. f. 1; Man. i. 104, ed. 2, 270.

Omala (planata), Schum. Essai, 128, 1817.

Homala (planata), Agassiz, Nomencl.

Phylloda (foliacea), Schum. Essai, 148, 1817.

Phyllode (foliacea), Blainv. D. S. N. xl. 107 (misprint). Arcopagia (crassa), Leach, 1816; Brown, Ill. Conch. t. 16. f. 8; D'Orb. Voy. Amér. Mérid.

Tellina β . (scobinata), Megerle, Entw.

Solecurtus (solida), Gray, Spic. Zool.

* ARCOPAGIA.

Arcopagia, Leach, Ann. & Mag. N. H. xx. 272; Brown, Ill. Conch.

1. Tellina crassa.

Lister, Conch. t. 299. f. 136.

Venus crassa, Gmelin, S. N. 3288.

Tellina crassa, Penn. B. Z. ed. 4. iv. 73 (not figure); Lam. Hist. vi. 201. n. 35; Mont. T. B. 65; Linn. Trans. viii. 55; Loven, I. M. 41. 296; Forbes, M. G. S. i. 410.27; Forbes & Hanley, Brit. Moll. i. 288. t. 20. f. 1,2; Turton, Dict. 173; Bivalves, 109. t.7. f. 2; Flem. B. A. 436; Macgill. Moll. Aberd. 280; Thorpe, Mar. Conch. 80; Wood, Conch. 186. t. 40. f. 1; Cat. t. 4. f. 75; Thomp. Rep. B. Assoc. 1843, 261.

T. rigida, Pulteney, Dors. Cat. 30; Don. B. S. 111. t. 103. Pectunculus depressior, Da Costa, 194. t. 13. f. 4. right hand.

Tellina obtusa, Sow. M. C. t. 179. f. 4.

Arcopagia crassa, Leach, 1818, Ann. & Mag. N. H. xx. 272; Brown, Ill. Conch. t. 16. f. 8, ed. 2. 99. t. 40. f. 8.

A. ovata, Brown, Ill. C. t. 16. f. 9-10, ed. 2. 99. t. 40. f. 9-10, junior?

Tellina maculata, Adams, Linn. Trans. iii. 252? Linn. Trans. viii. 48?; Turt. Dict. 173. f. 13; Bivalves, 108. t. 6. f. 7; Flem. B. A. 436; Thorpe, Mar. Conch. 70; Wood, Conch. 153.

T. scabra, Chemn. Conch. vi. t. 10. f. 94.

a—l. Plymouth Sound and Devonshire Coast.
m. Britain. Presented by Mrs. Robinson.
n. Dublin Bay. Presented by T. Warren, Esq.

2. Tellina balaustina.

Tellina balaustina, Linn. S. N. 1119; Poli, Test. Sicil. i. 14, f.17; Desh. in Lamk. vi. 209; Philippi, Sicil. Moll. i. 25 & ii. 21; Hanley, Recent Shells, 72, Supp. t. 9. f. 17; Thompson, Ann. N. H. xviii. 385; Jeffreys, Ann. & Mag. N. H. xix. 313, 1849; Forbes & Hanley, Brit. Moll. i. 290. t. 21. f. 2; Hanley in Sow. Thes. Conch. i. 253. t. 56. f. 10.

Lucina balaustina, Payraud. Moll. Cors. t. 1. f. 21, 22.

Hab. Connemara and Isle of Skye; Falmouth.

** Elongate. Donacilla.

3. TELLINA DONACINA.

Tellina donacina, Linn. S. N. i. 1118; Lam. Hist. vi. 198. n. 27; Poli, i. t. 15. f. 10; Mont. T. B. 58. t. 27. f. 3; M. & R. Linn. Trans. viii. 50. t. 1. f. 7; Dors. Cat. 29. t. 12. f. 3 B; Pulteney, in Hutchins' Hist. Dorset, 29; Wood, G. Conch. 161. t. 45. f. 5; Cat. t. 4. f. 31; Turt. Biv. 103. t. 8. f. 4; Dict. 170; Flem. B. A. 435; Thorpe, Mar. Conch. 67; Brown, Ill. C. G. B. t. 16. f. 16, ed. 2. 101. t. 40. f. 16; Desh. Elem. t. 14. f. 1, 2, 3; Exp. Sci. Algérie, Moll. t. 69. f. 1, 3; Philippi, Moll. Sicil. i. 24, ii. 21; Forbes & Hanley, Moll. ii. 292. t. 20. f. 3, 4, t. K. f. 4, animal; Dillw. Recent Shells, i. 89; Hanley, Recent Shells, 64; ditto in Sow. Thes. Conch. i. 232. t. 56. f. 12, t. 66. f. 259; Leach, Ann. & Mag. N. H. xx. 272; Penn. B. Z. ed. 1812, iv. 178. no. 5.

T. variegata, Poli, i. t. 15. f. 10.

T. subcarinata, Broc. 512. t. 12. f. 5.
T. Lantivvi, Payr. Cat. Cors. 40. t. 1. f. 10, 14, 15.

T. trifasciata, *Penn. B. Z.* ed. 4. iv. 75. no. 33 (not *Linn.*). a-c. Scotland.

d, e. Loch Ryan. Presented by the Rev. D. Landsborough.
f. Dublin Bay. Presented by T. Warren, Esq.
g—i. Shetland Isles. Presented by J. T. Irvine, Esq.

4. TELLINA PYGMEA.

Tellina pygmea, "Philippi MSS." in Lovèn, Ind. Moll. Suec. 42. 300; Alder, Cat. Northumb. 88; Jeffreys, Ann. N. H. xx. 18; Forbes & Hanley, Moll. Brit. ii. 295. t. 19. f. 6 7.

Like T. donacina, but smaller, more tumid, the pallial sinus less produced, and the front cardinal teeth more remote.

a-h. Arran.

i-m. Cape Wrath, Orkney. Presented by R. McAndrew,

n-p. Holy Island. Presented by J. Alder, Esq.

*** FABULINA.

5. Tellina incarnata.

T. incarnata, Linn. S. N. 1118, fide Mus. Linn.; Poli, i. t. 15. f. 1. (not Linn. F. S., Penn. nor Dillw.); Hanley, Thes. Conch. i. 283. t. 60. f. 142, t. 66. f. 265; Forbes & Hanley, Brit. Moll. i. 298. t. 20. f. 5.

T. squalida, Pult. Dors. 29; Mont. T. B. 56; Flem. B. A. 436.

Tellina depressa, Gmel. 3238; Lam. Hist. vi. 195. n. 22; Brown, Conch. ed. 1. t. 16. f. 12, ed. 2. 100. t. 40. f. 12; Wood, G. Conch. 171. t. 45. f. 3; Turt. Biv. 105. t. 8. f. 6; Phil. Moll. Sicil. i. 27, ii. 22; Dillw. R. S. i. 91; Donov. B. Shells, v. t. 163; Linn. Trans. viii. 51; Turt. Dict. 171; Bivalves, 105; Thorpe, Mar. Conch. 68: Penn. B. Z. ed. 1812, 179, no. 8. a-k. Britain.

6. TELLINA TENUIS.

Tellina incarnata, List. Conch. t. 405. f. 251; Chemn. Conch. vi. 119. t. 12. f. 110, not Linn.; Dillw. R. S. i. 87.

T. planata, Penn. B. Z. ed. 4. iv. 74. t. 48. f. 29 (not Linn.); Forbes, M. G. S. i. 410. 28; Burrows, Elem. t. 5. f. 3.

T. balaustina, Dillw. R. S. i. 93 (not Linn.).

T. carnaria, Born. Mus. (not Linn.).

T. polita, Pult. Cat. Dors. 29.

Tellina tenuis, Da Costa, 210; Chemn. f. 117; Don. B. S. i. t. 19. fig. 3. lower; Lam. Hist. vi. 197. n. 25; Mont. T. B. 59; Linn. Trans. viii. 52; Turton, Dict. 169; Bivalves, 107; Flem. B. A. 436; Thorpe, Mar. Conch. 68; Brown, Ill. Conch. 100. t. 40. f. 19; Wood, Conch. 155. t. 44. f. 3, 4; Cat. t. 3. f. 22; Philippi, Sicil. i. 26, ii. 22; Forbes & Hanley, Moll. Brit. i. 300. t. 19. f. 8, t. K. f. 3, animal; Loven, I. M. 41. 298; Leach, Ann. & Mag. N. H. xx. 272; Penn. B. Z. ed. 1812, 180. t. 51. f. 2.

VAR. T. exigua, Poli, Test. Sicil. t. 15. f. 15-17.

a-h. Aberdeenshire. Presented by Professor Macgillivray. i, k. Southampton.

l−*c c*. Britain.

d d-i i. Edinburgh. Presented by Miss Greville.

7. TELLINA FABULA.

Tellina fabula, Gronov. Zoophyl. 263. no. 1111. t. 18. f. 9; Gmelin, 3239; Lam. H. ed. 2. vi. 197; Wood, G. Conch. 156. t. 45. f. 4; Ind. Test. t. 3. f. 23; Mont. T. B. 61; Linn. Trans. viii. 52; Dorset Cat. 30. t. 12. f. 3, 3 a; Forbes, M. G. S. 411. 32; Brown, Ill. Conch. G. B. t. 16. f. 19, 2nd ed. t. 40. f. 18; Wood, Gen. Conch. 156. t. 45. f. 4; Turt. Conch. Dict. 170; Brit. Biv. 101; Flem. Brit. An. 435; Macgill. Moll. Aberd. 280; Thorpe, Brit. Mar. Conch. 66; Philippi, Moll. Sic. i. 26. t. 3. f. 10, ii. 22; Forbes & Hanley, Brit. Moll. i. 302. t. 19. f. 9, var. t. 26. f. 3; Donov. B. S. t. 97; Dillw. Recent Shells, i. 91; Rees, Cyclop. Shells, t. 5; Deless. Rec. Coq. t. 6. f. 5; Hanley, Recent Shells, 64; ditto in Sow. Thes. Conch. i. 287. t. 57. f. 62; Ann. & Mag. N. H. xx. 272; Penn. B. Z. ed. 1812, 179. no. 9. T. discors. Pulteney, Dors. 54.

"T. semistriata, Solander," Montag.

Tellina vitrea, Gmelin.

a-k. Britain.

l-w. Aberdeenshire. Presented by Professor Macgillivray. x-b b. Red Car.

c c-ff. Edinburgh. Presented by Miss Greville.

**** MACOMA, Leach.

8. TELLINA CARNARIA.

T. carnaria, Penn. B. Z. ed. 4. iv. 74. t. 49. f. 32, 32 A (not ed. 1812, nor Linn.); Fleming, Brit. An. 438.

T. rubra, Da Costa, 211. t. 12. f. 4.

Tellina solidula, Pulteney Hutchins' Hist. Dors. 29; Dorset Cat. 29. t. 8. f. 4; Mont. T. B. 63; Linn. Trans. viii. 58; Lovèn, Moll. Suec. t. 41; Lam. H. ed. 2. vi. 206; Index Testac. t. 4. f. 84; Turt. Conch. Dict. 177; Macgill. Moll. Aberd. 279; Thorpe, Brit. Mar. Conch. 70; Brown, Ill. Conch. G. B. 101. t. 40. f. 14; Wood, Gen. Conch. 193. t. 46. f. 2; Hanley, Recent Shells, 70; ditto in Sow. Thes. Conch. 318. t. 59. f. 109, 110; Forbes & Hanley, Brit. Moll. i. 304. t. 20. f. 6; Ann. & Mag. N. H. xx. 272; Penn. B. Z. ed. 1812, 184. t. 52. f. 2, 2 A.

? T. zonata, Dillw. R. S. i. 100 (not Gmelin)=List. Ang. t. 4.

f. 25; List. Conch. f. 250, 251.

T. Balthica, Gmel.?; Philippi, Moll. Sic. i. 28, ii. 22; Forbes, Mem. Geol. Surv. i. 411. 29.

Psammobia solidula, Turt. Brit. Biv. 95. t. 8. f. 2.

a—j. Aberdeenshire. Presented by Professor Macgillivray.
k. Falmouth. Presented by W. P. Cocks, Esq.

l—o. New Romney.

p, q? var.? Edinburgh. Presented by Miss Greville. Montagu considers this the T. incarnata, Linn., Chemn. v. f. 110.

9. TELLINA TENERA.

Macoma tenera, Leach, App. Ross Voy. Baffin's Bay, i. 175, 1819;

Journ. Phys. lxxxviii. 465, 1819.

Tellina proxima, Gray, Zool. Beech. Voy. 154. t. 44. f. 4; Smith, Wern. Trans. viii. 105. t. 1. f. 21; Macg. Aberd. 340; Thorpe, M. C. 246; Jeffreys, Ann. N. H. xx. 19; Philippi, New Conch. ii. Tellina, t. 5. f. 4; Hanley in Sow. Thes. Conch. i. 313. t. 66. f. 264, t. 59. f. 115; Forbes and Hanley, Brit. Moll. i. 307. t. 21. f. 1.

T. lata, Gmelin; Lovèn, M. Suec. 41. 297 (not Quoy & Gaim.).

"T. triangularis, Wahlenb.," Lyell.

T. calcarea, Lyell, Phil. Trans. 1836; Möller; Forbes, Mem. Geol. Surv. i. 411.

T. sabulosa, Spengler.

T. sordida, Couthouy, Bost. Journ. Nat. Hist. ii. 59. t. 3. f. 11.

T. ovalis, Woodward, Geol. Norf. t. 2. f. 11.

T. ovata, Sow. Min. Conch. t. 161. f. 2.

T. obliqua, Sow. M. C. t. 161. f. 1.

Sanguinolaria sordida, Gould, Invert. Mass. 67=List. Conch. t. 407. f. 253.

Inhab, Scotland.

4. ABRA.

Abra (tenuis), Leach, MSS. B. M. 1817, & in Lamk. H. A. s. V. 1818, ed. 2. vi. 128; Ann. & Mag. N. H. xx. 272.

Syndosmya (Boysii), Recluz, Rev. Zool. 1843, 292, 359; Lovèn, Ind. Moll. Skand. 44, 1846; Forbes and Hanley, Brit. Moll. i. 315.

Syndesmya, Agass. Nom. (misprint).

Syndosmia, Forbes, Athenaum, 1844 (misprint).

Ligula 3. (tenuis), part., Montague, Test. Brit. 1808, not Menke, 1830.

Amphidesma, part., Lamk. H. A. s. V. 1818.

Erycina (Boysii) (Lamk.?), Philippi, Moll. Sicil. 1846.

Tellina, part. (rubiginosa), Poli, Test. Sicil.

1. ABRA ALBA.

Mactra Boysii, Mont. T. B. 98. t. 3. f. 7; Maton & Racket, Linn. T. viii. 72. t. 1. f. 12; Dorset Cat. 33. t. 12. f. 7; Turt. Conch. Dict. 84; Dillw. Rec. Shells, 143; Index Testac. t. 6. Mactra, f. 27; Penn. B. Z. 1812, iv. 195. no. 10.

Amphidesma Boysii, Lam. H. ed. 2. vi. 128; Turt. Biv. 53. t. 5. f. 4, 5; Thorpe, Brit. Mar. Conch. 55; Brown, Ill. Con. G. B. 105. t. 42. f. 3; Hanley, Recent Shells, 42. t. 6. Mactra, f. 27.

Ligula Boysii, Mont. Linn. Trans.

Mactra alba, Wood, Linn. Trans. vi. 174. t. 18. f. 9-12.

Amphidesma alba, Fleming, B. A. 432; Macgill. Moll. Aberd. 293.

Syndosmya alba, Recluz, Rev. Zool. 1843, 362; Chenu, Ill. Conch. Syndosm. 3; Lovèn, Ind. Moll. Skand. 45. 311; Forbes & Hanley, Brit. Moll. i. 316. t. 17. f. 12, 13, 14.

Abra alba, Leach; Gray, Ann. & Mag. N. H. 1847, 272; Forbes,

M. G. S. i. 409. 18 (1846).

Erycina Renieri, Brown; Philippi, i. 2. t. 1. f. 6, ii. 8.

Tellina opalina, Renieri, not Chemn. T. pellucida, Brocchi, t. 12. f. 8.

Amph. semidentata, Scacchi, Cat. 5.

a-f. Coast of England.

g-j. Scarborough.

 \tilde{k}, \tilde{l} . Strangford Lough. Presented by G. Hyndman, Esq. m-r. Dublin Bay. Presented by T. Warren, Esq.

2. Abra intermedia.

Amphidesma intermedia, Thompson, Ann. N. H. xv. 318. t. 19.

Abra intermedia, Forbes, M. G. S. i. 409. 20; Forbes & Hanley, Brit. Moll. i. 319. t. 17. f. 9, 10, t. K. f. 5, animal.

Amph. obovale, S. Wood.

Mya nitida, Müller, Prod. n. 2963, not O. Fab. Syndosmya nitida, Lovèn, Ind. Moll. Skand. 44.

Young. Abra profundissima, Jeffreys, Ann. Nat. Hist. xx. 19 (not Forbes).

a—c. Scotland.

d-l. Inverary.

m-p. S. of Ireland. Presented by R. M'Andrew, Esq.

3. ABRA PRISMATICA.

Ligula prismatica, Mont. T. B. Supp. 23. t. 26. f. 3; Penn. B. Z. ed. 1812, iv. 169. no. 1.

Mya prismatica, Wood, Gen. Conch. 101; Turt. Conch. Dict. 103; Dillw. Recent Shells, i. 47; Index Testac. t. 2. Mya, f. 21.

Amphidesma prismatica, Lamk. Hist. ed. 2. vi. 128; Turt. Brit. Biv. 52. t. 5. f. 3; Macgilliv. Moll. Aberd. 294; Thorpe, Brit. Mar. Conch. 54; Brown, Ill. Conch. G. B. 105. t. 42. f. 5; Hanley, Recent Shells, i. 42. t. 2. Mya, f. 21.

Abra prismatica, "Leach," fide Lam. Hist.; Ann. & Mag. N. H. xx. 1847, 272; Forbes, M. G. S. i. 408. 19.

Syndosmya prismatica, Recluz, Rev. Zool. 1843, 367, in Chenu, Ill. Conch. Syndos. 4; Forbes & Hanley, Brit. Moll. i. 321. t. 17. f. 15; Lovèn, Ind. Moll. Skand. 45. 314.

a-f. Newcastle. Presented by J. Alder, Esq.

q-k. Ireland.

l, m. Dublin Bay. Presented by T. Warren, Esq.

n-s. Britain.

4. ABRA TENUIS.

Mactra tenuis, Mont. T. B. 572. t. 17. f. 7; Linn. Trans. viii. 72; Dorset Cat. 33; Turton, Conch. Dict. 84; Fleming, Brit. An. 433; Dillw. Recent Shells, i. 142; Ind. Test. t. 6. Mactra, f. 26.

Amphidesma tenue, Lam. Hist. ed. 2. vi. 128. 8; Turt. Biv. 53; Flem. Brit. An. 432; Macgilliv. Moll. Aberd. 293; Thorpe, Brit. Mar. Conch. 55. f. 24; Brown, Ill. Con. G. B. 105. t. 45.

f. 2; Delessert, Rec. Coq. t. 4. f. 6; Hanley, Recent Shells, 42. Ligula tenuis, Brown, Ill. C. t. 14. f. 2.

Abra tenuis, *Leach*, fide *Lamk*. H. v. 492; Ann. & Mag. N. H. xx. 1847, 272.

Syndosmya tenuis, Recluz, Rev. Zool. 1843, 366, & in Chenu, Ill. Conch. Syndos. 3; Forbes & Hanley, Brit. Moll. i. 323. t. 17.

a—f. Coast of England.

5. Trigonella.

Arenaria (compressa), Megerle, Entw. 47, 1811, not Linn. Scrobicularia a., Schum. Essai, 127, 1817; Blainv. D. S. N. xlviii. 212.

Scrobicularia, Forbes & Hanley, Brit. Moll. 325.

Ligula β. (compressa), Montague, T. Brit. 1808.

Abra (compressa), part, Leach, MSS. Brit. Mus. 1819; Ann. & Mag. N. H. xx. 1847, 272.

Abra (fragilis), "Leach, MSS.;" Risso, Eur. Merid. iv. 370, 1826.

Lavignon, Cuvier, R. A. 1817; D'Orb. Amér. Mérid.

Lavignonus (Lavignon), Férussac, Tabl. Syst. 44, 1821; Pot. & Mich. Gall. ii. 249, 1844.

Listera (piperita), Turton, Bivalves, 51, 1822 (not Brown); Menke, Syn. ed. 2. 118.

Lutricola A., Blainv. Dict. Sci. Nat. xxxii. 348, 1824; Malac. 566; not Luticola, Goldfuss.

Lutraria (compressa), Swains. Malac. 1840.

Trigonella (compressa), Lovèn, Moll. Skand.

Calcinella, "Desh.," Agassiz, Nomenclat. Carinella, Sow. Man. 98 (misprint), 1842.

Platymya sp., Agassiz, Verh. 1838.

Lutraria, sp., *Lamk. Hist. A. s. V.* 1818.

Trigonella, sp., Da Costa, Brit. Shells, 200.

Amphidesma, sp., Fleming, B. A.; Sow. Gen.; Say, Amer. Conch.

Ligula, part, Leach, MSS.

Chama (Calcinella), Adanson, Seneg.

1. TRIGONELLA PLANA.

Trigonella plana, Da Costa, Brit. Conch. 200. t. 13. f. 1: Desh. Exp. Sc. Algérie, Moll. t. 44-64 (shell, animal and anatomy). Mactra piperata, Gmel. Syst. Nat. 3261; Dillw. Recent Shells, i.

Lutraria piperata, Lamk. Hist. 2nd ed. vi. 92; Philippi, Moll.

Sic. i. 9; Chenu, Illust. Conchyl. Lutraria, t. 1. f. 1. Scrobicularia piperata, Philippi, L. c. ii. 8; Forbes, Mem. Geol. Surv. i. 409. 16; Forbes & Hanley, Brit. Moll. i. 326. t. 15.

f. 5, t. K. f. 6 (animal).

Mactra compressa, Soland.; Pulteney Hutchins' Dors. 31; Mont. T. B. 96 & 560.

Lutraria compressa, Lamk. Hist. 2nd ed. vi. 91; Brown, Ill. Conch. G. B. t. 12. f. 4, 2nd ed. 109. t. 43. f. 4; Crouch, Introd. Conch. t. 4. f. 3; Hanley, Recent Shells, 27; Chenu, Ill. Conch. Lutraria, t. 1. f. 7.

Listera compressa, Turt. Biv. 51. t. 5. f. 1, 2; Thorpe, Brit. Mar.

Conch. 45.

Amphidesma compressa, Flem. B. A.

A. transversum, Say, Amer. Conch. t. 28. mid. fig. (fide Recluz). Tellina plana, Donov. B. S. ii. t. 64. f. 1.

Mya Gaditana, Gmel. 3221.

Lutricola compressa, Blainv. Malac. 77. f. 2.

Solen callosus, Olivi.

Mya hispanica, Chemn. C. Cab. vi. 31. t. 3. f. 21.

M. orbiculata, Spengler.

Venus borealis, Penn. B. Z. ed. 4. iv. 82 (Tellina crassa) t. 48.

f. 28 (not Linn.). Mactra Listeri, Gmel. 3261=List. Hist. Conch. t. 253. f. 88; Ang. t. 4. f. 23; Linn. Trans. viii. 71; Dorset Cat. 33. t. 7. f. 1; Turt. Conch. Dict. 83; Ind. Test. t. 6. Mactra, f. 25; Penn. B. Z. ed. 1812, iv. 194. no. 7 (Tellina crassa, t. 51. f. 1).

Lutraria Listeri, S. Wood; Macgilliv. Moll. Aberd. 291. Abra Listeri, Leach, 1819; Ann. & Mag. N. H. xx. 272, 1847.

Abra fragilis, "Leach;" Risso, Europ. Merid. iv. 370. Lavignon Calcinella, Recluz, Ill. Conch. Lavigno, 8.

Young?? Amphidesma truncatum, Brown, Ill. Conch. G. B. 106. t. 42. f. 4.

Syndosmya truncatus, Recluz, Rev. Zool. 1843, 368, from Brown's figure.

? Tellina pellucida, Brown, Ill. Conch. G. B. fide Forbes and Hanley, Brit. Moll. i. 345 note.

a-c. Northumberland. d, e. Wyvanhoe, Essex.

f-q. Plymouth.

B. Donacina.

6. Donax.

Donax, Linn. Syst. Nat. ed. 10. 682, 1758, ed. 12. 1126, 1797; Gmelin, S. N. 3262; Scopoli; Brug. E. M. i. 14; Forbes & Hanley, Brit. Moll. 331; Sow. Gen. Donax, f. 1-4.

Donax (rugosa), Lamk. Syst. A. s. V. i. 22, 1801: Ann. Mus. vii. 139.

), Da Costa, Brit. Shells; Humph. Mus. Calonn. Cuneus (Peronæa, part., and Peronæoderma, part., Poli, Test. Sicil. Capisteria, Gevers.

Hecuba (scortum), Schum. N. S. 157, 1817.

Donax (scortum), Swainson, Malac. 1840.

Chion (denticulata), Scopoli, Introd. H. N. 1777.

Latona (cuneata), Schum. N. Syst. 156, 1817, not Straus nor Guerin.

Capsa (complanata), part., Sow. Gen. Potamomya (), J. Sow.; D'Orb. Donacidæ, Forbes & Hanley, B. Moll. 331.

* Margin denticulated. Cuneus.

1. Donax vittatus.

Cuneus vittatus, Da Costa, Brit. Conch. 207. t. 14. f. 3.

Donax asiaticum, Lamk. Hist. ed. 2. vi. 249; Blainv. Man. t. 71, f. 2; Forbes & Hanley, Brit. Moll. i. 332. t. 21. f. 4, 5, 6, t. K.

f. 7 (animal); Hanley, Recent Shells, i. 83.

D. trunculus, Linn. Syst. Nat. ed. 12. 1127, partly, not Mus. Ulric.; Dillw. R. Š. i. 150 (not Lam. 24); Penn. Brit. Zool. ed. 4. iv. 79. t. 55, f. 45, ed. 1812, t. 58. f. 1; Donov. B. S. i. t. 29. f. 1; Wood, Linn. Trans. vi. t. 16. f. 13; Flem. Brit. An. 433; Forbes, M. G. S. i. 410. 26; Turt. Conch. Dict. 41; Brit. Biv. 123; Brown, Ill. Conch. G. B. 97. t. 39. f. 11; Ind. Test. t. 6. Donax, f. 5; Mawe, Conchology, t. 9. f. 5; Pulteney Hutchins' Dorset, 32; Mont. Test. Brit. pt. 1. 103; Dorset Cat. 33. t. 6. f. 3; Macgilliv. Moll. Aberd. 275; Thorpe, Brit. Mar. Conch. 77; Crouch, Introd. Conch. t. 6. f. 5.

Peronæa brevirostris and Peronæoderma trunculus, Poli, ii. 251,

257=List. Ang. t. 5. f. 35; Conch. 376, f. 217.

Young. Donax ruber, Mont. Test. Brit. Supp. 38; Turt. Brit. Biv. 127. t. 10. f. 14; Flem. Brit. An. 434; Thorpe, Brit. Mar. Conch. 79; Brown, Ill. Conch. G. B. 97. t. 13. f. 13.

D. trunculus, junior, Thomp. Rep. B. Assoc. 1843, 261; Forbes &

Hanley, B. Moll. 332.

VAR.? D. fabagella, Lamk. Hist. ed. 2. a-f, very large. Stornoway.

-j. Britain. g—j. Britain.k. Ditto. Mus. Laskey.

l—n. Scotland.

o-k k, old and young. Britain.

ll-pp. Young (Donax ruber, Mont.). England.

** Edge even. CAPSELLA.

2. Donax politus.

Donax complanatus, Mont. T. B. 106. t. 5. f. 4; Linn. Trans. viii. 75; Turt. Brit. Biv. 125. t. 7. f. 13, 14; Conch. Dict. 42; Philippi, Sicil. ii. 28; Flem. Brit. An. 433; Thorpe, Brit. Mar. Conch. 78; Dillw. Recent Shells, i. 150; Lamk. Hist. ed. 2. vi. 249; Ind. Testac. t. 6. Donax, f. 6; Leach, Ann. & Mag. N. H. xx. 272; Penn. B. Z. ed. 1812, iv. 198. no. 2.

Capsa complanata, Sow. Gen. Shells, Capsa, f. 2; Brown, Ill. Conch. G. B. 96. t. 39. f. 10; Payraud. Cat. Moll. Corse, 46; Reeve, Conch. Syst. t. 61. f. 2; Hanley, Recent Shells, 86. t. 6,

Donax, f. 6.

D. lævigata, Swains. MSS., not Gmelin.

Tellina polita, Poli, Test. Sic. ii. t. 21. f. 14, 15.

Psammobia polita, Costa, Cat. Test. Sic. 20.

Peronæoderma politum, Poli, ii. 257.

T. vinacea, Gmel.

Donax longa, Brown; Philippi, Moll. Sic. i. 37. t. 3. f. 13. Tellina variegata a., Gmelin, 3237; from List. t. 384. f. 227.

Donax politus, Forbes & Hanley, Brit. Moll. i. 336. t. 21. f. 7. a-g. Britain.

h, i. Bantry.

i. Bantry Bay. Presented by Miss Warne.

k-m. Britain.

C. Petricolina.

Gastrochænidæ, part., Forbes and Hanley, Brit. Moll. i. 186.

7. Petricola.

Petricola, sp., Lamk. Hist.; Philippi, Sicil. i. 21.

Petricola, Forbes & Hanley, Brit. Moll. i. 151. Venus, sp., Retzius, Act. Acad. Taur. 1786, 11.

Mya (species), Montagu, Brit. Shells, ii. 20.

Venerupis, sp., Gray, Ann. Phil. 1825; Blainv. Man. Malac. Sphænia (decussata), Turton, Biv. 38; Brown, Illust. C. G. B.

1. Petricola Lithophaga.

Venus Lithophaga, Retzius, Act. Acad. Taur. 1786, 11. f. 1, 2. Tellina ——?, Poli, Test. Sicil. i. t. 7. f. 14, 15.

Mya decussata, Mont. T. B. Supp. 20. t. 28. f. 1; Thorpe, M. C. 41; Dillw. R. S. i. 46; Turton, Dict. 102; Wood, Gen. Conch. 99; Cat. t. 2. f. 17; Fleming, B. A. 466.

Venerupis decussata, Gray, Ann. Phil. 1825.

Petricola striata, Lamk. Hist. ed. 2. vi. 158; Deless. Rec. Cog. t. 4. f. 11; Payr. Cat. Moll. Corse, 35. no. 51.

P. costellata, Lamk. Hist. ed. 2. vi. 158; Deless. Rec. Cog. t. 4. f. 12; Chenu, Elem. 200. f. 59; Payr. Cat. Moll. Corse, 35. no. 52.

Petricola ruperella, Lamk. Hist. ed. 2. vi. 159; Deless. Rec. Cog. t. 4. f. 14; Desh. Enc. Méth. Vers, iii. 747. no. 3.

Sphænia decussata, Turton, Dithyra. Brit. 38; Brown, Ill. C. ed. 2. t. 45. f. 3.

Venerupis lamellosa (V. pétricole), Blainv. Man. Malac. t. 76.

f. 2.

Petricola Lithophaga, Bronn, Reise, 600; Philippi, Moll. Sic. i. 21. t. 3. f. 6, ii. t. 20; Wiegmann, Arch. 1845, 188. t. 7. f. 11-14, animal; Desh. Algérie, Moll. t. 66. f. 5-9. t. 67, anat.; Forbes & Hanley, Brit. Moll. i. 151. t. 6. f. 9, 10, t. G. f. 1, animal.

Petricola ——?, Brown, Ill. Conch. t. 10. f. 3.

Inhab. Cork Harbour, Humphrey, Mus. Jeffreys, two spec.

8. Venerupis.

Venerupis, Lamk. 1818; Forbes & Hanley, Brit. Moll. i. 154. Capsa, sp., Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847, 272.

Donax, sp., Linn.

Petricola, sp., Turton, Bivalves. Pullastra, sp., Brown, Illust. B. C.

Cuneus sp., Da Costa, Brit. Shells, 204.

1. Venerupis Irus.

Donax Irus, Linn. S. N. 1128; Chemn. vi. 271. t. 26. f. 268, 269: Don. B. S. t. 29. f. 2; Mont. T. B. 108, 573; Dors. Cat. t. 12. f. 6; Linn. Trans. viii. 77; Turton, Dict. 43; Dillw. R. S. i. 156; Penn. Brit. Zool. ed. 1812, iv. 200. no. 6. Cuneus foliatus, Da Costa, B. S. 204. t. 15. f. 6 (left hand).

Petricola Irus, Turt. Dith. Brit. 26. t. 2. f. 14.

Venerupis Irus, Lamk. Hist. edit. 2. vi. 163; Flem. B. A. 451; Philippi, Sicil. i. 21, ii. 20; Desh. Exped. Algérie, Moll. t. 66. f. 14, 17, anim.; Forbes & Hanley, Brit. Moll. i. 156. t. 7. f. 1, 2, 3, t. G. f. 2 (animal).

Pullastra Irus, Brown, Ill. C. ed. 2. 89. t. 37. f. 9. Venus Irus, "Leach," Brown, Ill. Conch. t. 20. f. 9. V. cancellata, Olivi.

V. Boltari, Renieri.

Capsa Irus, Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847,

Tellina Cornubiensis, Penn. B. Z. ed. 4. iv. 75. no. 35, from Borlase, Cornw. t. 28. f. 23.

a-q. Britain.

r. Teignmouth. Presented by J. B. Harvey, Esq.

Order II. CLADOPODA.

Cladopoda, Gray, Synops. Brit. Mus. 1840; 1842, 76, 91; Proc. Zool. Soc. 1848, 187.

Cladopoda, Pachypoda and Phyllopoda (part.), Gray, Med. Repos.

1821, 237. Conch. dimyaires crassipèdes, Lamk. Hist. v. 426, ed. 2. vi. 12. Acephales lamellipèdes, part., and A. crassipèdes, part., Lamk.

Cour. 106, 1812.

Pholadiadæ, Leach, 1818; Ann. & Mag. N. H. xx. 272.

Hypogidia, Rafin. Anal. Nat. 146, 1815.

Pyloridea, Blainv. Man. Moll.

Enfermés, Cuvier, R. A.; Féruss. Prod. 39.

Inclusa, Menke, Syn. 119.

Myacea, Eichw. Zool. Special. i. 277.

Fam. 1. PHOLADIDÆ.

Pholadidæ, Gray, Proc. Zool. Soc. 1848, 187; Forbes & Hanley, Brit. Moll. i. 57, 1848.

Hypogæa or Hypogæoderma, Poli, Test. Sicil.

Pholadiadæ, part., Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847, 272.

Pholadæ, Gray, Syn. B. M. 1840; 1842, 76.

Les Pholadaires, part., Lamk. Cour. 208, 1812.

Les Pholadaires et Les Tubicolées, part., Lamk. Hist. v. 427,441, ed. 2. vi. 17-39.

Cladopoda, part., Gray, Med. Repos. 1821, 237; Desh. E. M. iii. 237. Pholadaria and Teredaria, part., Rafin. Anal. Nat. 1815, 146.

Pholadea and Tubicola, part., Menke, Syn. 121; Alton, Verz.

Conch. 12. Tubicolés, § 2, Rang, Man. Moll. 343.

Pholades, Féruss. Tab. Syst.

Pyloridés, part., Blainv. Man. Moll.

Pholadina, Macgilliv. Moll. Aberd. 221.

Teredinadæ, Flem. B. Anim. 454, 1828. Teredinidæ, Flem. B. A. 409, 1828.

Teredinina, Agassiz, Nom. 1847.
Teredinitæ (Teredinites), Latr. Fam. Nat. 1825.
Solen, Tourn. in Gualt. Ind. 1742, not Linn.
Conchæ multivalves, Adanson, Seneg. 195, 1757.
Conchæ plurivalves, part., Martini, Verzeich. 1775.
Conchæformia and Scobinata, Schum. Essai, 36, 95, 1817.

1. PHOLAS.

Pholas (costatus), Lamk. Syst. A. s. V. 1801; Gray, P. Z. S. 1848, 187.

Pholas, sp., Adanson, Seneg. 1757; Linn.; Montague, T. B.; Forbes & Hanley, Brit. Moll. i. 94.

Barnia (candida), Leach, MSS. B. M. 1819.

Barnea, "Leach," Risso, Eur. Merid. iv. 1826.

Hypogæa and Hypogæoderma, part., Poli, Test. Sicil.

1. PHOLAS PARVA.

Pholas parvus, Penn. Brit. Zool. ed. 1. iv. 77. t. 40. f. 13, ed. 4. iv. 65. t. 40. f. 13; Montag. T. B. 22. t. 1. f. 7, 8.

Pholas parva, Linn. Trans. viii. 33; Brown, Ill. C. t. 9. f. 11, 12, ed. 2. 115. t. 48, f. 11, 12, not Don.; Forbes & Hanley, Brit. Moll. i. 111. t. 4. f. 1, 2. t. 2. f. 2, var. short, t. F. f. 3, 3 a; Turton, C. Dict. 143; Bivalves, 9; Brit. Faun. 145. no. 171; Flem. B. A. 457; Thorpe, Mar. Conch. 32. f. 71; Wood, Gen. Conch. 82; Cat. t. 2, Pholas, f. 6; Dillw. R. S. i. 38; Leach.

Ann. & Mag. N. H. xx. 272.

Ph. dactyloides, Lam. Hist. ed. 2. vi. 45 (not note).

Pholas crenulatus, Spengler, Skrivt. Naturh. Selsk. ii. 92 (1792).

Pholas ligamentina, Desh. Elem. Conch. t. 3. f. 11, 12.

Pholas tuberculata, Turton, Dithyr. Brit. 5. t. 1. f. 7-8; Flem.
 B. A. 457; Brown, Ill. Conch. 115. t. 49. f. 12, 13; Thorpe,
 Brit. M. C. 30; Wood, Cat. Supp. f. 2.

? Ph. callosa, Lamk. Hist. vi. 46.

VAR. Short.—Forbes & Hanley, Brit. Moll. i. t. 2. f. 2.

a-g. Britain.

h-m. Ditto.

n-p. Devonshire. Presented by Mrs. Robinson.

2. Pholas candida.

Pholas candidus, Linn. S. N.; Chemn. Conch. viii. t. 101. f. 861, 862; Mont. T. B. 24; Penn. B. Zool. ed. 1. iv. 76, ed. 4. 64. t. 39. f. 11; Da Costa, B. Conch. 246; Donov. B. S. t. 132; Brown, Ill. Conch. G. B. t. 9. f. 6-16; Lovèn, I. M. 49, 340; Wood, G. Conch. 79. t. 14. f. 3, 4; Cat. t. 2. f. 3; Philippi, Moll. Sicil. i. 3, ii. 4; Dillw. Rec. Shells, i. 36; Linn. Trans.

viii. 31; Turton, Dict. 144. f. 79; Biv. 10; Brit. Faun. 145. no. 173; Flem. B. Anim. 457; Macgilliv. Moll. Aberd. 306; Thorpe, B. M. Conch. 115. t. 48. f. 6-10; Burrows, Elem. Conch. t. 3. f. 4; Mawe, Introd. Conch. t. 3. f. 2; Crouch, Intr. Conch. t. 2. f. 11; Desh. Exp. Alger. 109. t. 9. f. 4, 5.

Ph. candida, Pultn. Dorset. 26; Lamk. Hist. 2nd ed. vi. 44: Forbes

& Hanley, Brit. Moll. i. 117. t. 4. f. 1, 2.

Ph. papyracea, "Solander," Spengler, Skrivt. Naturh. Selsk. ii. 98. t. 1. f. 4, not his diagnosis, and not Turton.

Ph. dactyloides, Chiaje, t. 65. f. 4, not Lamk.; Poli, Sicil. t. 7. f. 12, 13.

Lister, Conch. t. 435, f. 278.

a—f. Devonshire. Presented by Mrs. Robinson. g (in situ). Britain. Ditto.

h, jun. Near Edinburgh. Presented by Miss Greville. i—l (in situ and separate). Felixtow. Presented by Professor Henslow.

2. Dactylina.

Dactylina (dactylus), Gray, P. Z. S. 1848, 187. Pholas, sp., Linn, S. N.; Lamk, Hist, A. s. V. 1818; Leach, 1818. Hypogæa and Hypogæoderma, part., Poli, Test. Sicil. Thovana (oblongata), Leach, MSS. Brit. Mus. 1818.

1. Dactylina dactylus.

Pholas dactylus, Linn. S. N. 1110; Mont. T. B. 20, 558; Donov. B. S. iv. t. 118; Linn. Trans. viii. 30; Turton, Conch. Dict. 143; Bivalves, 8; Brit. Faun. 145. no. 170; Brown, Ill. C. G. B. t. 8. f. 1, 2, 3; Lovèn, I. M. 50. 341; Penn. B. Z. ed. 1. iv. 76, ed. 4. 64. t. 39. f. 10=Lister, Conch. t. 433. f. 276; Flem. B. A. 457; Thorpe, Brit. M. Conch. 31; Born. Mus. 14. t. 1. f. 7; Chemn. C. C. viii. 353. t. 101. f. 859; Spengl. Skrivt. Naturh. Selsk. ii. 85; Wood, Gen. Conch. 77. t. 13; Index Test. t. 2. f. 1; Sow. Gen. f. 1; Conch. Man. f. 55; Reeve, Conch. Syst. f. 24; Dillw. R. S. i. 35; Lamk. A. s. Vert. ed. 2.43; Mawe, Conch. t. 3. f. 3; Phil. Moll. Sicil. i. 3, ii. 4; Desh. Exp. Alger. Moll. 107. t. 9. f. C, E, G, f. 1, 2, 3; Chenu, Trait. Elem. 38. f. 111; Leach, Ann. & Mag. N. H. xx. 272; Forbes & Hanley, Brit. Moll. i. 108. t. 3. f. 1, 2, large, f. 3, var.

Pholas muricatus, Da Costa, 244. t. 16. f. 2.

Pholas hians, Pultney, Dorset, 26.

Hypogæa verrucosa, Hypogæoderma dactylus, Poli, Test. Sicil. 251, 257. t. 1. f. 1, 5.

Pholas callosa, Edwards, in Cuvier, Règ. Anim. ed. Croch. t. 113. f. 1; ? Lamk. vi. 46; ? Brown, Ill. Conch. t. 8. f. 5, 8.

VAR. Narrowed in front.—Forbes & Hanley, l. c. t. 3. f. 3. a-d. Britain.

e-i. Ditto.

 j, k. Ditto, in situ. Presented by Mrs. Robinson.
 l-p (var. narrowed in front). Britain. q (old). Devonshire. Presented by Mrs. Robinson.

3. Pholadidea.

Pholadidea, "Leach," in Blainv. Dict. Sci. Nat. xxxix. 532; Goodall, in Turton, Conch. Dict.; Desh. Elem. Conch. 75; Forbes & Hanley, Brit. Moll. 123, 1848.

Pholidea, Swainson, Elem. Conch. 1835.

Pholidea, "Leach," Swainson, Malac. 1840.

1. Pholadidea papyracea.

Pholas papyracea (Solander), Turton, Biv. 2. t. 1. f. 1, 2, 3, 4; Brown, Ill. Conch. t. 8. f. 4, 6, 7, 9; Thorpe, B. Mar. Conch. 29; Sow. Gen. f. 3; Conch. Man. f. 56; Reeve, Conch. Syst. t. 24. f. 3; Mawe, Conch. t. 3. f. 5; Wood, Cat. Supp. t. 1.

Pholadidea Loscombiana, Goodall, in Turt. Conch. Dict. 147. Pholas (Pholadidoidea) striata, Blainv. Man. Malac. 578. t. 81.

Pholadidea Goodallii, Blainv. D. S. N. xxxvii. 532.

Pholas striata, Griffith, A. K. t. 8. f. 4.

Pholadidea papyracea, Forbes & Hanley, Brit. Moll. i. 123. t. 5. f. 3, 4, 5, 6; t. 2. f. 1; t. F. f. 4, animal.

Young. Open in front, and without hinder appendages. Pholas lamellata, Turton, Biv. 5. t. 1. f. 5, 6; Flem. B. A. 456; Brown, Ill. Conch. 114. t. 49. f. 10, 11; Wood, Cat. Supp. t. 1.

VAR. Small.—Forbes & Hanley, Brit. Moll. t. 2. f. 1.

 ${a. \atop b.}$ Group in situ. Britain. Presented by Mrs. Robinson.

c, d. Exmouth.

e-h. Britain. Presented by Mrs. Robinson.

i, j. Teignmouth. Presented by J. B. Harvey, Esq.

2. Pholadidea sulcata.

Pholas sulcata, Brown, Ill. Conch. G. B. t. 9. f. 17, 18; Forbes & Hanley, Brit. Moll. i. 128, note.

Pholas vibonensis, Philippi, Moll. Sicil. ii. 4. t. 13. f. 5.

Inhab. Dunbar.

4. ZIRFÆA.

Zirfæa (crispata), Leach, MSS. Brit. Mus.; Gray, Syn. B. M. 1840; ed. 1842, 76, 91; P. Z. S. 1848, 188.

Pholas, sp., Lamk.; Leach, 1818.

1. ZIRFÆA CRISPATA.

Pholas crispata, Linn. S. N. 1111; Don. B. S. ii. t. 62; Linn. Trans. viii. 32; Turt. Dict. 146; Biv. 6; Brit. Faun. 145. no. 172; Flem. B. A. 456; Brown, Ill. Conch. 114. t. 9. f. 1-5; Dillw. R. S. i. 40; Macgill. Moll. Aberd. 306; Thorpe, B. M. Conch. 29; Wood, Gen. Conch. 81. t. 15. f. 2, 5; Cat. t. 2. f. 5; Spengler, Skrivt. Selsk. ii. 96; Lamk. Hist. ii. 46; Dekay, Moll. N. Y. 247. t. 32. f. 506; Lovèn, I. M. 50. 342; Forbes, M. G. Surv. i. 407. n. 3; Forbes & Hanley, Brit. Moll. i. 114. t. 4, 3, 4, 5.

Ph. crispatus, Mont. T. B. 23; Chemn. Conch. viii. 369. t. 102. f. 872-874; Penn. B. Z. ed. 4. iv. 65. t. 40. f. 12.

Ph. bifrons, *Da Costa*, 242. t. 16. f. 4. Solen crispus, *Gmel. S. N.* 3228.

VAR. Small.

Pholas parvus, Da Costa, Conch. 247; Don. B. S. i. t. 69. Lister, Conch. t. 436. f. 279; Ency. Meth. t. 169. f. 5.

a, b. Scotland. Presented by the Duke of Gordon.

c-i. Britain.

k—m. Ramsgate and Scarborough. Presented by Mrs. Robinson.

n—s. Scarborough. t, u, jun. Britain.

5. XYLOPHAGA.

Xylophaga, Turton, Brit. Bivalves, 16. 253; Flem. B. A. 409, 455, 1828; Latr. Fam. Nat.; Sow. Gen. fig.; Forbes & Hanley, Brit. Moll. i. 89; Loven, Ind. Moll. Scand. 50.

Xilophaga, Herrmannsen, Ind. 713.

Pholas, sp., Desh. in Lamk. H. A.s. V.

1. Xylophaga dorsalis.

Teredo dorsalis, Turt. Conch. Dict. 185; Bivalves, 16. t. 2. f. 4, 5. Xylophaga dorsalis, Turt. Biv. 253. t. 2. f. 4, 5; Sow. Gen. f.; Lovèn, I. M. 50, 343; Thompson, Ann. & Mag. N. H. xx. 159; Sow. Man. Conch. f. 50, 51; Forbes & Hanley, Brit. Moll. i. 90. t. 11. f. 3, 4.

Pholas xylophaga, Desh. Lam. H. ed. 2. vi. 47.

Xylophage dorsale, Chenu, Trait. Elem. 40. f. 122, 123.

a (group in situ, in wood). Dock gates, Ardrossan, Ayrshire.
 Presented by W. Thompson, Esq.

b (group in situ, in wood). Ayrshire.

c (ditto). Britain.

d—i (separate shells). Britain.

j, k (in wood). Britain. Presented by Mrs. Robinson.

l-n (in wood and separate). Britain.

o (in wood). Cowes. Presented by Lady Fellowes.

6. Teredo.

Teredo, Leach, MSS. 1819; Gray, P. Z. S. 1848, 188.

Teredo, part., Sellius, Comm. Liter. Nor. 409, 1732; Hist. Nat. Tered. 1733; Adanson, Seneg. 263, 1757; Linn. S. N. i. 1267; Brug. E. M. i. 12, 1789; Lamk. Syst. 129, 1801; Forbes & Hanley, Brit. Moll. i. 58; Spengler, Skrivt. Nat. Selsk. ii. 99; Pallas. Misc. Zool. 1766.

Solen part., Rumph. Amb. Rar. 123, 1705 (tube of shell).

Teredo a, Blainv. Dict. Sci. Nat. 411, 267, 1828.

Xylophagus, Gronov. Zooph. 258, 1781.

Teredarius, Dumeril, Zool. Anal. 343, 1806.

Uperotus part., Guett. Mem. ii. 128, 1774.

Hyperotus part., Herrmannsen, Ind. 671.

Dentalium, sp., Linn.

Siphonium, sp., Browne, Jam.

Malleolus, Gray, P. Z. S. 1848, 188.

* Tube semiconcamerated above.

1. Teredo Norvagicus.

Teredo Norvagicus, Spengler, Skrivt. af Naturh. Selsk. 1792, ii. 102. t. 2. f. 4, 5, 6, 13; Forbes & Hanley, Brit. Moll. i. 67. t. 1. f. 1-5.

Teredo navalis, Montag. T. B. 527; Supp. 7; Turton, Conch. Dict. 183; Bivalves, 14. t. 2. f. 13; Fleming, Brit. Anim. 454; Gray, Phil. Mag. & Ann. 1827, 410; Brown, Ill. C. 16.

Teredo Bruguieri, Chiaje, Mem. iv. 28, 32. t. 54. f. 9, 12; Phi-

lippi, Moll. Sicil. i. 2, ii. 3.

T. Norvegica, Thompson, Ann. & Mag. N. H. xx. 157, 163; Adanson, Acad. Sci. Par. t. 9. f.1-8, cop. E. M. t.187. f.1-3, t.167. f. 4, 5.

a—h. Portions of tubes. Plymouth Dock.

i (in situ, in drift wood). Falmouth Harbour. Presented by W. P. Cocks, Esq.

** Tube simple behind.

2. Teredo navalis.

Pfahl Wurms, Beschreib. Holland. 1733, t. 3. f. 19, 20.

Vers de Mer, Rousset, Observ. 1516, 17. f. 1, 2, 3, 4, 10; Translat. 1733, 13, 14. f. 1, 2, 3, 4, 10.

Zee Wurm, Belkmeer, Natur. Verh. t. 2. f. 7, 8, 9.

Teredo, Sellius, Hist. Nat. t. 2. f. 2, 3, 6.

Teredo Navalis, Linn. Syst. Nat. i. 1267 (not Montag.); Home, Phil., Trans. 1806, t. 12. f. 7, 8, 9, 10; Chiaje, Mem. iv. 23, 32. t. 54. f. 2-8; Philippi, Moll. Sicil. i. 2, ii. 3; Forbes & Hanley, Brit. Moll. i. 74. t. 1. f. 7, 8, t. 18. f. 3, 4.

Teredo Batava, Spengler, Skrivt. Natur. Selsk. 1792. ii. 103.

t. 2. f. c.

a-c? (tube only). S. Devon.

3. TEREDO NANA.

Teredo nana, Turton, Biv. 26. t. 2. f. 6, 7, and Append.; Flem. Brit. Anim. 455; Thorpe, Brit. Mar. Conch. 29; Brown, Ill. Conch. G. B. 116. t. 50. f. 14, 15; Gray, Phil. Mag. 1827, 410; Hanley, Rec. Shells, 4; Supp. t. 11. f. 23, 24 (Turton).

Teredo navalis, M. Edwards in Cuvier, Règ. Anim. t. 114. f. 2. Teredo megotara, Forbes & Hanley, Brit. Moll. i. 77. t. 1. f. 6,

t. 18. f. 1, 2.

Inhab. Torbay, Turton. Herne Bay, Hanley, &c. &c.

4. TEREDO MALLEOLUS.

Teredo malleolus, Turt. Biv. 255. t. 2. f. 19; Thomps. Ann. N.H. xx. 163, 174; Gray, Phil. Mag. 1827, 410; Forbes & Hanley, Brit. Moll. i. 84. t. 1. f. 12, 13, 14.

Inhab. Torbay. Nat.? from timber.

In bottom of vessel from tropics, W. Thompson, Ann. N. H. xx. 163.

7. XYLOTRYA.

Xylotrya, Leach, in Menke Syn. ed. 2. 121, 1830; Gray, Syn. B. M. 1842, 76, 91.

Bankia, Gray, Syn. B. M. 1840.

Xylophaga, part., Sow. Man. 115. ed. 2. 291.

Teredo a, Schum. N. Syst. 1817.

Teredo \(\beta\), Blainv. D. S. N. 411. 268, 1828.

Teredo (bipalmulata), part., Lamk. Syst. A. s. V. 1801.

1. XYLOTRYA PALMULATA.

Taret de Pondicherry, Adanson, Acad. Roy. Sci. 1759, 276. t. 9.
f. 11, 12, cop. E. M. t.

Teredo palmulatus, Lamk. Hist. ed. 2. vi. 38; Gray, Phil. Mag. 1827, 410; Philippi, Moll. Sicil. i. 2. t. 1. f. 8, ii. 3?

Teredo palmulata, Forbes & Hanley, Brit. Moll. i. 86. t. 11. f. 9, 10, 11.

T. bipalmulata, Lamk. Syst. A. s. V. 129; Chiaje, Mem. iv. 28. t. 54. f. 18, 20, 23, 24; Thompson, Ann. Nat. Hist. 1847; Hanley, Rec. Shells, t. 11. f. 13, cop. from Blainv.; Griffith, A. K. xii. t. 7. f. 5.

Taret bipalmulé, Blainv. Man. Malac. t. 80*. f. 8, from Adanson. a—f. Ireland. Presented by W. Thompson, Esq. g, mass of wood, perforated. Ditto. Ditto.

Fam. 2. GASTROCHÆNIDÆ.

Gastrochænidæ, Gray, Syn. B. M. 1840; 1842, 77; Proc. Zool. Soc. 1848, 188; Agass. Nomencl.

Gastrochænidæ, part., Forbes & Hanley, Brit. Moll. i. 129.

Cladopoda, part., Gray, Med. Repos. 1821, 236.

Pholades, part., Féruss. Prod. 45.

Teredaria, part., Rafin. Anal. Nat. 1815.

Les Pholadaires, part., Lamk. Cour. 108, 1812.

Les Tubicolées, part., Lamk. Hist. v. 427, ed. 2. vi. 17; Féruss. Prod. 45.

Tubicola, part., Menke, Syn. 122; Alton, Verz. Conch. 12.

Pholadea, part., Menke, Syn. 121; Férussac.

Enfermés, Cuvier, R. A.

Tubicolés, § 1, Rang, Man. Moll. 336.

Adesmacés, Blainv. Dict. Sc. Nat. 1824.

Pholadæ, part., Flem. B. A.; Agassiz, Nomencl.

Pholadiadæ, part, Leach, 1818; Ann. & Mag. N. H. xx. 272. Clavagellidæ, D'Orb. Pal. Franc. Cretac. iii. 1845.

1. Gastrochæna.

Gastrochæna, Spengler, Nye Saml. K. Dansk. Vid. Selsk. ii. 174, 1783; Lamk. Hist. v. 446, 1818, ed. 2. vi. 48; Sow. Gen. f.; Man. ed. 2. 152; Blainv. Man. 574; Desh. Rev. Zool. 1846, 28; Leach, MSS. 1818; Ann. & Mag. N. H. xx. 272; Forbes & Hanley, Brit. Moll. i. 130.

Gastrochœna, Brown, Conch. Text-Book, 1833.

Gastrochena, Swainson, Malac. 1840.

Chœna β , Retz. Diss. N. Hist. 18, 1788; Spengler, Naturh. Selsk. Skrivt. iii. 16, 1793; Oken, Zool. 1815; Schum. Essai, 94, 1817.

Fistularia, sp., Brug. Encyc. Meth. i. 12, 1789 (not Fabricius); Lamk. Syst. 129, 1801; Hist. v. 432, 1818, ed. 2. vi. 25.

Fistularia, part., Desh. Encyc. Meth. iii. 165; Blainville, Man. Uperotus, part., Guettard, Mem. iii. 128.

Hyperotus, part., Herrmann. Ind. 671.

Mya, sp., Pennant, Brit. Zool.

Roxellaria, Fleur. de Bellev. Journ. Phys. 1802, liv. Rupellaria, Agassiz, Nomencl. (not Fleur. de Bellev.).

Trapezium β, Muhlfeldt, Etwurf. 68, 1811.

Trapezium, Blainv. Dict. Sci. Nat. x. t. , 1818 (not Humph. nor Schum.).

Pholas, sp., Chemnitz, Conch. Cab.

? Quoyie, Desh. Encyc. Meth. ii. 247, 1830.

1. Gastrochæna dubia.

Mya dubia, Penn. 1st ed. iv. 82. t. 44. f. 19; 4th ed. iv. 69. t. 44; Don. B. S. t. 108; Wood, Conch. i. 102. t. 25. f. 2, 3; Linn. Trans. viii. 33; Turton, Dict. 104; Brit. Faun. 146. no. 181.

Pholas faba, Pulteney, Cat. Dors. 27.

Chama parva, Da Costa, 234.

Mya Pholadia, Mont. T. B. 28; Supp. 20; Thorpe, M. C. 33; Brown, Ill. C. t. 9. f. 13, 14.

Mytilus ambiguus, Dillw. R. S. i. 304.

Gastrochæna faba, Leach, MSS. 1817.

Gastrochæna modiolina, Lamk. Hist. ed. 2. vi. 49; Sow. Gen. f. 1, 2; Man. Conch. f. 52; Reeve, Conch. Syst. t. 20. f. 1, 2; Thorpe, B. Mar. Conch. 33; Forbes & Hanley, Brit. Moll. i. 132. t. 2. f. 5, 8, t. F. f. 5.

Gast. Pholadia, Turton, Dithyr. Brit. 18. t. 2. f. 8, 9; Mag. N. Hist. xi. 404. f. 52; Brown, Ill. Conch. 116. t. 48. f. 13, 14.

Gast. hvans, Flem. B. A. 458.

Gast. fulva, Leach, MSS. 1818; Ann. & Mag. N. H. xx. 272.

Gast. dubia, Desh. Trait. Elem. Conch. t. 2. f. 4, 5.

Gast. Poliana, Philippi, Wiegm. Arch. 1845, 186. t. 7. f. 1. a—c. Devonshire. d, e. Britain.

Fam. 3. Solenidæ.

Solenidæ, Flem. Brit. Anim. 410, 1828; Gray, Syn. B. M. 1840;
1842, 77, 91; Proc. Zool. Soc. 1848, 189; Lea, Proc. Acad.
N. S. Philad. iii. 163, 1843; Agass. Nomencl. 1847; Forbes & Hanley, Brit. Moll. i. 239.

Soleniadæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

Les Solenacées, Lamk. Phil. Zool. 1809; Cour. 108; Hist.v.448, ed. 2. vi. 50; Sow. Man. 99, ed. 2. 261.

Les Solens (Solenes), Féruss. Prod. 44.

Solenacea, Menke, Syn. 126; Alton, Verz. Conch. 12.

Pyloridea, part., Blainv. Dict. Sc. Nat. 1824; Rang, Man. Moll. 322.

Solenides (Solenidæ), Latr. Fam. Nat. 1825.

Soleninæ, Swains. Malac. 1840.

Phyllopoda*, part., Gray, Med. Repos. 1821, 237.

Pholadaria, part., Rafin. Anal. Nat. 1828. Solenina, part., Macgilliv. Moll. Aberd. 216.

Solenides, Berth.; Thorpe, Brit. Mar. Conch. 34, 1844.

Solenicurtidæ, Forbes & Hanley, Brit. Moll. i. 255; D'Orbigny. Myadæ, part., Forbes & Hanley, Brit. Moll. i. 176. Myacidæ, part., D'Orb. Pal. Franç. iii. 1845. Glycimeridæ, Desh. Elem. 124, 1839.

1. Solen.

Solen, Arist. Hist. Nat. iv. cap. 4; Plin. H. N. x. cap. 8, xi. cap. 52, xxxii. cap. 53.

Solen, part., Linn. S. N. ed. 10. 672, ed. 12. 1113, 1767; Brug.

E. M. i. 14, 1789; Leach, MSS. 1818.

Solen (vagina), Lamk. Syst. A. s. V. 125, 1801; Hist. v. 449, ed. 2. vi. 51; Oken, Zool. 222, 1815; Desmoul. Mém. Linn. Soc. Bord. 1832; Forbes & Hanley, Brit. Moll. i. 240.
Solenarius, Dum. Zool. Anal. 168, 1811.

Vagina (Ceylonensis), Megerle, Entw. 44, 1811; Desm. Act. Soc. Linn. Bord. 1832; Blainv. Dict. Sci. Nat. xlix. 428.

Solena, part., Browne, Jam. 412, 1756.

Hypogæa and Hypogæoderma, part., Poli, Test. Sicil.

1. SOLEN VAGINA.

Solen vagina, Penn. B. Z. ed. 4. iv. 70. t. 46. f. 21, ed. 1812. iv. 171. t. 49. f. 1 (not Linn.?); Mont. T. B. 48-56; Suppl. 25; Brown, Ill. Conch. t. 13. f. 2, ed. 2. 112. t. 47. f. 2; Lovèn, I. M. 49. 337; Turton, Dict. 159; Bivalves, 79. t. 6. f. 4; Brit. Faun. 148. no. 191; Flem. B. A. 458; Thorpe, Mar. Conch. 34; Wood, Gen. Conch. 119. t. 27. f. 1; Cat. t. 3. f. 3; Dillw. R. S. i. 57; Lamk. Hist. vi. 53; Desh. Elem. t. 6. f. 4, 6; Exped. Alger. 179. t. 10; Philippi, Sicil. i. 4, ii. 4; Neu Conch. Solen, t. 1. f. 4; Chenu, Ill. Conch. t. 1. f. 1.

Solen marginata, Leach, Ann. & Mag. N. H. xx. 272.

Solen marginatus, Pulten. Dors. 28; Don. B. S. iv. t. 110; Forbes & Hanley, Brit. Moll. i. 242. t. 14. f. 1, t. I. f. 3.

Hypogæa tentaculata and Hypogæoderma vagina, Poli, i. t. 10.

f. 5, 6, ii. 251, 257.

a-d. Dublin Bay. Presented by T. Warren, Esq. e-q. Britain.

h, i. New Romney.

j-m. Britain. From Coll. Col. Montagu.

n-q. Ditto.

r— \bar{t} , jun. Ditto.

2. Ensis.

Ensis (Ensis), Schum. N. Syst. 143, 1817; Gray, Proc. Zool. Soc. 1848, 189.

Ensatella (Ensis), Swainson, Malac. 365, 1840.

Solen, part., Linn.; Lamk. Hist.; Leach, MSS. 1818.

1. ENSIS FALCATA.

Lister, Conch. t. 409. f. 253.

Solen Ensis, Linn. S. N. i. 1113; Chemn. C. Cab. vi. t. 47. f. 29, 30; Penn. B. Z. ed. 4. iv. 71. t. 45. f. 22, ed. 1812. iv. 172. t. 48. f. 2; Don. B. S. t. 50; Mont. T. B. 48; Brown, Ill. C. t. 13. f. 10, ed. 2. 113. t. 47. f. 10; Lovèn, I. M. 49. 336; Forbes, M. G. S. i. 407. 5; Wood, Gen. Conch. 122. t. 28. f. 1, 2; Cat. t. 3. f. 6; Lamk. Hist. vi. 55; Encyc. Meth. t. 223. f. 2; Desh. Exp. Alger. 184. t. 11. f. 1, 4; Philippi, Sicil. i. 4, ii. 5; Sow. Man. f. 60; Chenu, Elem. 41. f. 126. t. 1. f. 1; Leach, Ann. & Mag. N. H. xx. 272; Da Costa, B. Conch. 237; Linn. Trans. viii. 44; Turton, Dict. 160. f. 61; Bivalves, 82; Brit. Faun. 148. no. 190; Macgilliv. Moll. Aberd. 282; Fleming, B. A. 459; Thorpe, Mar. Conch. 35; Dillw. R. S. i. 59; Burrows, Elem. t. 4. f. 3, 4; Forbes & Hanley, Brit. Moll. i. 250. t. 14. f. 2.

Hypogæa falcata and Hypogæoderma ensis, Poli, ii. 251, 257.

i. t. 10. f. 7, 11.

a—*c*, var. magna. Scotland. *d*, *e*. Liverpool.

f—l. British Isles.

2. Ensis siliqua.

Lister, Conch. t. 409. f. 255.

Solen siliqua, Linn. S. N. i. 1113; Penn. B. Z. ed. 4. iv. 70. t. 45.
f. 20, ed. 1812. iv. 171. t. 48. f. 1; Don. B. S. t. 46; Chemn. Conch. f. 29; Mont. T. B. 46; Brown, Ill. C. t. 13. f. 33, ed. 2.
112. t. 47. f. 33; Forbes, M. G. S. i. 407. 4; Wood, Gen. Conch. 118. t. 26. f. 1, 2; Cat. t. 3. f. 1; Dillw. R. S. i. 59; Lamk. Hist. vi. 55; Desh. Elem. t. 6. f. 1, 2, 3; Exped. Sci. Alger. 181; Philippi, Moll. Sicil. i. 4, ii. 5; Da Costa, B. Conch. 236. t. 17. f. 5; Linn. Trans. viii. 43; Turton, Dict. 158; Bivalves, 80. t. 6. f. 5; Brit. Faun. 147. no. 188; Flem. B. A. 459; Macgill. Moll. Aberd. 282; Thorpe, Mar. Conch. 35; Forbes & Hanley, Brit. Moll. i. 246. t. 14. f. 3; animal, t. I. f. 1.
Solen ligula, Turt. Biv. 81. t. 6. f. 6; Brown, Ill. C. ed. 2. 112. t. 47. f. 2*.

Hypogæa crinita and Hypogæoderma siliqua, Poli, ii. 251, 257.

t. 10. f. 7, 11, t. 11. f. 12, 13.

Teeth destroyed.

Solen Novacula, Mont. T. B. 47; Linn. Trans. viii. 44; Turt. Dict. 159; Bivalves, 80; Flem. B. A. 439; Penn. B. Z. ed. 1812. iv. 172; Thorpe, Mar. Conch. 35; Wood, Conch. 119; Dillw. R. S. i. 58.

Solen siliqua \beta, Leach, Ann. & Mag. N. H. xx. 272.

a. Ayrshire.

b-d. Scarborough. Presented by Mrs. Robinson.

3. Ensis pellucidus.

Solen pellucidus, Penn. B. Z. ed. 4. iv. 71. t. 46. f. 23, ed. 1812. iv. 173. t. 49. f. 2 (not Spengler); Mont. T. B. 49, 565; Thorpe, M. C. 35. f. 106; Brown, Ill. Conch. 113. t. 47. f. 4; Lovèn, I.M. 49, 339; Wood, Conch. 123. t. 28. f. 3; Cat. t. 3, Solen, f. 7; Dillw. R. S. i. 60; Leach, Ann. & Mag. N. H. xx. 272; Don. B. S. ii. t. 153; Linn. Trans. viii. 44; Turton, Dict. 160; Bivalves, 83; Brit. Faun. 148. no. 192; Fleming, B. A. 459; Macgilliv. Moll. Aberd. 283; Forbes & Hanley, Brit. Moll. i. 252. t. 13. f. 3; animal, t. I. f. 2.

Sol. pygmeus, Lamk. H. ed. 2. vi. 56. ? Sol. tenuis, Philippi, Sicil. i. 6. t. 1. f. 2.

Inhab. Dorsetshire and Devonshire coasts, &c., &c.

3. Pharus.

Pharus (legumen), Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847, 272; Gray, Ann. & Mag. N. H. 1848; Gray, Syn. B. M. 1840; 1842, 77, 91; P. Z. S. 1848, 189 (not R. Brown).

Ceratisolen (legumen), Forbes, Brit. Moll. i. 255, 1848.

Cyrtosolen (legumen, part.), Herrmannsen, Ind. 468.

Solecurtus, § C. (legumen), Blainv. Malac.

Solecurtoides (legumen), Desmoul. Act. Soc. Linn. Bord. 1832.

Solen, part., Linn.; Lamk. Hist. A. s. V.

Psammobia, part., Turton, Bivalves. Hypogæa, part., Poli, Test. Sicil.

1. PHARUS LEGUMEN.

Lister, Conch. t. 420, f. 264.

Solen legumen, Linn. S. N. i. 1114; Chemn. vi. 49. t. 3. f. 32, 33, 34; Born, Mus. Cæs. t. 2. f. 1, 2; Lamk. H. vi. 57; Ency. Meth. t. 226. f. 3; Penn. B. Z. ed. 4. iv. 71. t. 46. f. 24; Don. B. S. ii. t. 53; Mont. T. B. 50; Linn. Trans. viii. 45; Philippi, Sicil. i. 4, ii. 5; Brown, Ill. Conch. t. 13. f. 8, 9; Desh. Elem. t. 6. f. 8-10; Chenu, Illust. t. 2. f. 1; Elem. 42. f. 132; Da. Costa, B. Conch. 238; Turton, Dict. 162; Brit. Faun. 148. no. 193; Flem. B. A. 459; Thorpe, Mar. Conch. 36; Wood, Conch. 124. t. 23. f. 4; Cat. t. 3. f. 6; Dillw. R. S. i. 60.

Psammobia legumen, Turt. Biv. 90.

Solenocurtus legumen, Blainv.; Brown, Ill. C. ed. 2. 113. t. 47, f. 8, 9, 9*.

Pharus legumen, "Leach MSS.," Brown; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272.

Hypogæá hirundo=Hypogæoderma legumen, Poli, ii. 251-257. i. t. 11. f. 15.

Ceratisolen legumen, Forbes & Hanley, Brit. Moll. i. 256. t. 13. f. 2; animal, t. I. f. 4.

a-i. Tenby.

Presented by T. Warren, Esq. j-o. Dublin Bay. p, q. Liverpool.

4. MACHA.

Macha (strigilatus), Oken, Lehrb. Naturg. iii. 1815; Gray, P. Z. S. 1848, 189.

Siliquaria, part., Schum. Essai, 129, 1817.

Solecurtus (strigilatus, part.), Desh. in Lamk. Hist. vi. 61, 1835; Trait. Elem. 113.

Solecurtus (strigilatus, part.), Blainv. Mal. 568.

Cyrtosolen (strigilatus, part.), Herrmann. Ind. 468.

Psammosolen (strigilatus), Risso, Eur. Mérid. iv. 375 (misprint for Psammobia?), Bronn, Ital. Tert. 87, 1831.

Solenocurtus, part., Sow. Man. 99, ed. 2. 262. Solenocurtis, part., Swainson, Malac. 366, 1840 (misprint). Hypogæa, part., Poli, Test. Sicil.

Solen, § A. (Cultellus), Blainv. Man.

Psammobia, part. (scopulosa), Turton, Bivalves, 182.

1. Macha strigilata.

Solen strigilatus, Linn. S. N. 1115; Turton, Conch. Dict. f. 53 only (not description); Chemn. Conch. vi. t. 6. f. 41, 42; Wood, Conch. 127. t. 30. f. 1; Cat. t. 3. f. 12; Lamk. Hist. 2nd ed. vi. 60; Ency. Meth. t. 224. f. 3; Philippi, Sicil. i. 5; Reeve, Conch. Syst. i. t. 26. f. 3, 4; Chenu, Ill. Conch. t. 4. f. l, t. 6. f. 1; Poli, Test. Sicil. t. 12; Cuvier, R. A. ed. Croch. t. 111. f. 2. Solecurte rose, Chenu, Elem. 42. f. 135. t. 1. f. 8.

Solecurtus strigilatus, Philippi, Moll. Sicil. ii. 5; Desh. Exp.

Alger. 207.

? Psammobia strigilata, Jeffreys, Ann. & Mag. N. H. xix. 1847, 314. Hypogæa variegata=Hypogæoderma strigilata, Poli, Test. Sicil. ii. 251, 257; t. 12, animal.

Inhab. Guernsey; abundant in sand on coast. W. Poole Mauger,

Esq.

2. Macha candida.

Soleni strigilati varietas, Chemn. Conch. vi. 60. t. 6. f. 43. Solen candidus, Renieri, Tavola Alph. Adriat.; Thorpe, M. C. 38; Hanley, R. Shell. 14; Supp. t. 11. f. 31.

Solen strigilatus, Turton, Conch. Dict. 161 (description, not figure)

(not Linn.).

S. strigilatus \(\beta \), Philippi, Moll. Sicil. i. 5.

Solecurtus candidus, Philippi, Moll. Sicil. ii. 5; Desh. Elem. 122. t. 6. f. 11, 12 (var.?); Exped. Alger. 208. t. 10. f. 1-5, shell and animal; Forbes & Hanley, Brit. Moll. i. 263. t. 15. f. 1, 2. Psammobia strigilata, Turton, Biv. 97. t. 6. f. 13; Flem. B. A. 439.

JUNIOR. Psammobia scopula, Turton, Biv. 98. 259. t. 6. f. 11, 12; Flem. B. A. 439; Thorpe, Mar. Conch. 38.

Solen scopula, Chenu, Ill. Conch. t. 6. f.7.

a-c. Bantry Bay.

5. Azor.

Azor (antiquatus), Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847, 272; Brown, Ill. Conch. ed. 2. 118; Gray, Ann. & Mag. N. H. 1848; Proc. Zool. Soc. 1848, 189.

Solecurtus, part. (antiquatus), Desh. Elem. Conch.; Forbes &

Hanley, Brit. Moll. i. 259.

Psammobia, part. (antiquatus), Turton, Bivalves, 91. Solen, part., Linn., &c.

1. Azor coarctatus.

Lister, Conch. t. 421. f. 265.

Solen angustior constrictus, &c., Chemn. Conch. vi. 62. t. 6. f. 45. Solen coarctatus, Gmel. S. N. 3224 (1788); Lamk. A.s. V. 2nd ed. vi. 59. no. 17; Lovèn. I. M. 49. 338; Schroter, Fluss. Conch. t. 9. f. 17; Brocchi, Conch. ii. 497. no. 3 (fossil); Dillw. R. S. i. 64; Thorpe, Mar. Conch. 36; Philippi, Moll. Sic. i. 6, ii. 5; Hanley, R. S. 14.

Solen antiquatus, Pult. Dors. 28, 1799; Don. B. S. iv. t. 114; Mont. T. B. 52. 565; Brown, Ill. Conch. t. 13. f. 6, 7; Lamk. Hist. vi. 59. n. 15; Linn. Trans. viii. 46; Dorset Cat. 29; Turton, Dict. 162; Brit. Faun. 148. no. 194; Flem. B. A. 460; Wood, Conch. i. 125. t. 29. f. 3; Cat. t. 3. f. 10; Chenu, Illust. t. 6. f. 8.

Sol. Cultellus, Penn. B. Z. ed. 4. iv. 72. t. 46. f. 25 (not Linn.).

Sol. centralis, Say (fide Jay).

Psammobia antiquata, Turt. Biv. 91.

Chama solen, Da Costa, Brit. Conch. 238.

Solecurtus antiquatus, Desh. Elem. Conch. t. 5. f. 8; Exp. Sci. Alger. 210.

Solecurtus coarctatus, Forbes & Hanley, Brit. Moll. i. 259. t. 15.

f. 3; animal, t. I. f. 5. Solen emarginatus, Spengler, Skriv. Nat. Sels. iii. 105.

Azor antiquatus, Leach, MSS. 1818; Ann. & Mag. N. H. xx. 1847, 272; Brown, Ill. Conch. ed. 2.118. t. 47. f. 6, 7.

Inhab. Ireland.

6. GLYCIMERIS.

Glycimeris, Klein, Ostrac. 170, 1753; Humph. Mus. Calonne. Glycymeris (Glycimeris), Lamk. Prod. 1799; Syst. 126, 1800 (not Hist.); Roissy, Moll. vi. 422.

Panopæa, Menard de la Groye, Ann. du Mus. ix. 1807 (Myadæ,

part.), Forbes & Hanley, Brit. Moll. i. 173.

1. GLYCIMERIS NORVEGICA.

Mya Norvegica, Spengler, Skrivt. Naturh. Selskab. iii. 46. t. 2. f. 18 (not Chemn. nor Gmelin).

Panopæa Norvegica, Lovèn, I. M. 49. 335; Sow. Min. Conch.

; Forbes & Hanley, Brit. Moll. i. 174. t. 11.

Panopæa arctica, Desh.; Gould, Invert. Mass. 37. f. 27; Forbes, M. G. S. i. 407. 6; Hanley, Rec. Shells, 18; Supp. 10. f. 43: Dekay, N. York Moll. 246; Thorpe, B. Mar. Conch. 38.

Glycimeris arctica, Lamk. H. ed. 2. vi. 70; King, Ann. N. H.

xviii. 243.

Panopæa glycimeris, Bean, Mag. N. Hist. viii. 263. f. 50, 51. P. Bivonæ, Philippi, Sicil. 8. t. 2. f. 1; Smith, Wern. Mem. viii. 107. t. 2. f. 4.

Panopæa Spengleri, Valenc. Arch. de Mus. i. 15. t. 5. f. 3 (not exact); Chenu, Ill. Conch. t. 4. f. 4.

P. Aldrovandi, Bean? (not Lamk.)

a. Coast of Northumberland.

Fam. 4. Nuculidæ.

Nuculidæ, D'Orb. Pal. Franç. Ter. Cret. iii. 1844; Geinitz, Grund. der Verst. 444, 1846; Gray, Proc. Zool. Soc. 1848, 190. Les Arcacées, part., Lamk. Cour. 106, 1812; Hist. vi. 57, ed. 2.

v. 502.

Arcacés, Féruss. Prod. 42; Rang, Man. M. 288.

Nuculina, Agassiz, Nomenclat. 1847.

Leptopoda, part., Gray, Med. Repos. 1821, 237.

Arcadæ, part., Gray, Syn. B. M. 1840; 1842, 81, 91.

Arcacea, part., Lamk. Phil. Zool. 318, 1809; Alton, Verz. Conch.

Arcina, part., Macgilliv. Moll. Aberd. 207.

Polydonta, part., Blainv. Dict. Sci. Nat. xxxii. 320, 1824; Malac. 534.

Arcadæ, part., Fleming, Brit. Anim. 382, 1828; Swainson, Malac. 382, 1840; Forbes & Hanley, Brit. Moll. ii. 214.

Arcaria, part., Gravenhorst, Thier. 33, 1845.

Arcaceæ, part., Menke, Syn. 60, 1828.

Polybranchiata, part., Sow. Man. ed. 2. 233, misprint?

Mactraadæ, part., Leach, 1818; Ann. & Mag. N. H. xx. 1847, 272. Mactridæ, part., Gray, in Sow. Gen. xvii. tab.

1. Nucula.

Nucula (nucleus), Lamk. Prod. 1799; Syst. A. s. V. 115, 1801; Hist. vi. 57, ed. 2. vi. 502; Leach, MSS. Ann. & Mag. N. H. xx. 272; Sow. Gen. ; Man. ed. 2. 204; Conch. Illust. xiv.-xvi.; Forbes & Hanley, Brit. Moll. ii. 214; Möller, Kroyer, Tidsskr. iv. 90, 91; Ind. Moll. Gran. 16, 1842.

Lembulus (margaritacea), Sow. Conch. Man. ed. 2.170 (not Leach). Glycimeris, part., Da Costa, Brit. Shells.

Polydonta (nucleus), Muhlf. Entw. 48, 1811 (not Renieri nor

Fischer nor Blainv.).

Pectunculus, part., Schum. Nouv. Ess.

Arca, sp., Linn.

Tellina, sp., and Donax, sp., Gmelin.

1. Nucula nucleus.

Arca nucleus, Linn. S. N. i. 1143 (part.); Penn. B. Z. ed. 4. iv. 84. n. 59 (not fig.); Don. B. S. ii. t. 63, side figs.; Mat. & Rack. Linn. Trans. viii. 95; Mont. T. B. 141; Wood, Linn. Trans. vi. t. 18. f. 3, 6; Turton, Brit. Faun. 161. no. 287.

Nucula nucleus, Forbes & Hanley, Brit. Moll. ii. 215. t. 47. f. 7, 8; t. P. f. 4, animal.

Nucula nucleus, var. β , Lovèn, I. M. 34. 256; Forbes, M.G. S. i. 416. 65.

Glycimeris argentea, Da Costa, 170. t. 15. f. 6, right.

? Nucula argentea, Brown, Ill. C. G. B. t. 25. f. 14, 15.

Nucula margaritacea, *Lamk. H.* vi. 6, 2nd ed. vi. 506; *Leach, MSS. Ann. & Mag. N. H.* xx. 272; *Brown, Ill. C. G. B.* 85. t. 33. f. 12; *Philippi, Moll. Sic.* i. 64, ii. 45.

? N. erosa, Jeffreys, Conch. Mag. (not described).

a-d. Scarborough.

e—i. Britain. Presented by Mrs. Robinson.

2. Nucula tenuis.

Nucula tenuis, Turt. Biv. 177; Flem. B. An. 402 (not Philippi); Lovèn, I. M. 34. 259; Forbes, M. G. S. i. 417, 671, 418. f. 3; Forbes & Hanley, Brit. Moll. ii. 223. t. 47. f. 6; t. P. f. 5 (animal); Macgilliv. Moll. Aberd. 244; Thorpe, Brit. Mar. Conch. 105; "Möller?" Lovèn; Hanley, Rec. Shells, i. 171. t. 10, Arca, f. 45; Brown, Ill. Conch. G. B. 85. t. 33. f. 13; Gould, Invert. Mass. 105.

Arca tenuis, Mont. T.B. Supp. 56. t. 29. f. 1; Turt. Conch. Dict. 11; Dillw. Rec. Shells, i. 246; Ind. Test. t. 10, Arca, f. 45.

Nucula tenera (foss.), S. Wood, Mag. N. Hist. 1840, t. 14. f. 2.

a—f. Inverary.

g—i. Britain. Presented by J. Alder, Esq.

j-l. Britain.

3. Nucula nitida.

Nucula nitida, Sow. Conch. Ill. Nucula, f. 29. f. 31; Thorpe, M. Conch. 248. f. 31; Hanley, Rec. Shells, i. 171. t. 19. f. 44; Lovèn, I. M. 34. 258; Forbes & Hanley, Brit. Moll. ii. 218. t. 47. f. 9.

Arca nucleus, Mont. T. B. 14; Dillw. Rec. Shells, i. 244 (part.).

a-q. Britain.

h-o. Near Edinburgh. Presented by Miss Greville.

4. Nucula radiata.

Arca nucleus, Pulteney, Hutch. Dors. 35; Mat. & Rack. Dors. Cat. 37; Turt. Conch. Dict. t. 8. f. 1, 2.

Nucula nucleus, Turton, Bivalves, 176. t. 13. f. 4; Thorpe, Brit. Mar. Conch. 105. f. 74; Macgilliv. Moll. Aberd. 243.

Nucula nuclea, Flem. B. An. 401.

N. margaritacea, Blainv. Man. Malac. t. 65. f. 5; Sow. Conch. Man. f. 137.

Nucula radiata, Hanley; Forbes & Hanley, Brit. Moll. ii. 220.

t. 47. f. 4, 5; t. 48. f. 7.

a-d. Britain. Presented by R. M'Andrew, Esq. e-j. Teignmouth. Presented by J. B. Harvey, Esq. k-x. Britain.

y-ii, old and young. Britain.

5. Nucula decussata.

Nucula decussata, Sow. Conch. Ill. Nucula, n. 27. f. 18; Thompson, Ann. & Mag. N. H. xx. 174; Hanley, Rec. Shells, i. Supp. t. 20. f. 8; Forbes & Hanley, Brit. Moll. ii. 221. t. 47. f. 1–3.

Nucula sulcata, Bronn, Ital. Tert. geb. 109; Philippi, Moll. Sic. ii. 45; Wiegmann's Archiv. Nat. 1845, 192. t. 7. f. 24, 25.

Nucula Polii, Philippi, Moll. Sic. i. 63. t. 5. f. 10; Jeffreys, Ann. Nat. Hist. xix. 313.

a-f. Scotland.

q?. Dublin Bay. Presented by J. G. Jeffreys, Esq.

2. Leda.

Leda (rostrata), Schumacher, N. Essai, 172. t. 19. f. 4, 1817; Möller, in Kroyer's Naturh. Tidsskr. iv. 91; Ind. Moll. Gran. 17, 1842; Loven, Ind. Moll.

Lembulus (minutus), Leach, MSS. 1818; Ann. & Mag. N. H. 1847, 272.

Lembulus (rostrata), Leach, MSS. 1819, in Ann. & Mag. N. H. 1848; in Risso, Eur. Merid. iv. 319, 1826.

Nuculana (rostrata), Licht. Mus. Berl. 1818.

Dacryomya (lacryma), Agassiz, Mem. moules Moll. i. 34; in Sow. Min. Conch. ed. Germ. 500, 578, 1839.

Nucula, sp., Lamk. Hist.

1. Leda Montagui.

Nucula Montagui, Gray, Ann. Phil. 1825, 138.

Leda Montagui, Gray; Forbes & Hanley, Brit. Moll. ii. 232. Nucula rostrata, Turt. B. 178 (not Lamk.); Flem. B. An. 402; Thorpe, Brit. Mar. Conch. 106; Brown, Ill. C. G. B. 84. t. 33.

f. 16; Hanley, Rec. Shells, i. 168; Supp. t. 20. f. 1.

Arca rostrata, Mont. T.B. Supp. 55. t. 27. f. 7 (not Chemn., Dillw., nor Brug.); Turt. Conch. Dict. 11.

Nuc. curvirostra, Sow. Conch. Ill. Nucula, f. 5; Reeve, Conch. Syst. t. 85, f. 5.

Nuc. recurva, Conrad, Journ. Acad. N. S. Philad. vi. pt. ii. 262. t. 11. f. 21; Hanley, Rec. Shells, i. 170.

Hab. Off St. Abb's Head?

2. LEDA CAUDATA.

Arca caudata, Donov. B. S. iii. t. 78.

Leda caudata, Lovèn, I. M. 34. 261; Forbes & Hanley, Brit. Moll.

ii. 226. t. 47. f. 11-13; t. P. f. 2, animal.

Nucula minuta, Turt. Biv. 178; Flem. B. An. 402; Macgilliv.
Moll. Aberd. 245; Thorpe, Brit. Mar. Conch. 106; Brown, Ill.
C. G. B. 84. t. 33. f. 18; Hanley, Rec. Shells, i. 168. t. 10,
Arca, f. 44 (not Philippi, Moll. Sic.; scarcely Gould, Inv. Mass.).

? Leda minuta, King, Ann. N. H. xviii. 240; Forbes, M. G. S.

418. 69. f. 11.

Leda minuta and complanata, Möller, Ind. Moll. Græn. 17?

Arca minuta, O. Fabr. F. Græn. 414?; Dorset Cat. 36. t. 1. f. 16; Mont. T. B. 140; Mat. & Rack. Linn. Trans. viii. 92; Turt. Conch. Dict. 11. f. 98; Brit. Faun. 161. no. 286; Dillw. Rec. Shells, i. 245; Ind. Test. t. 10, Arca, f. 44.

Arca modiolus, Walker, Min. Shells, f. 81, not Linn.

Lembulus minutus, Leach, Ann. & Mag. N. H. xx. 272.

N. rostrata, Brown, Ill. C. G. B. t. 25. f. 16; Macgilliv. Moll. Aberd. 245 (not Mont.).

N. tenuisulcata, Couthouy, fide Gould.

VAR. a. Ventricose, short.

N. minuta, O. Fab.

Var. β , compressa. Leda intermedia, $\ddot{O}rst$.

L. complanata, Möller, fide Lovèn, 34.

a-f. Firth of Forth.

g-k. Inversry.

l—q. Britain. Presented by R. M'Andrew, Esq.

r-w. Scotland.

x, var.? Northumberland. Presented by J. Alder, Esq. y-g g. British. Presented by R. M'Andrew, Esq.

3. LEDA PERNULA.

Leda pernula, Lovèn, I. M. 34.

Arca pernula, Müller, Berl. Naturf. iv. (1779), 57.

A. rostrata, Gmelin, S. N. (fide Lovèn); Macgilliv. Moll. Aberd. Nucula fluviatilis, Sow.

VAR. 2. Leda pernula β, Lovèn, I. M. 34.

N. oblonga, Brown, Ill. C. G. B. t. 25. f. 17.

Leda rostrata, Forbes, M. G. S. i. 419.70.

Inhab. North Sea.

3. YOLDIA.

Yoldia (limatula), Möller, in Kroyer, Naturh. Tidsskr. iv. 91, 1832; Ind. Moll. Gren. 18; Loven, Ind. Moll. Skand. 34,1846.

Nucula, part. (limatula), Say; Philippi.

Leda, sp., Forbes; Jeffreys.
Moldia, Gray, in Stokes, Voy. Austral. (misprint).

1. YOLDIA PYGMÆA.

Yoldia pygmea, Lovèn, I. M. 35. 263.

Nucula pygmea, Münst. Goldf. Pet. Germ. t. 125. f. 17 (fossil); Philippi, Moll. Sic. ii. 45 (fossil); S. Wood, Mag. N. Hist. New Ser. iv. 298. t. 14. f. 7 (fossil).

Leda pygmæa, Forbes, M. G. S. i. 419. fig. 2. 411. 71; Forbes & Hanley, Brit. Moll. ii. 230. t. 47. f. 10; t. P. f. 3, animal. Nucula lenticula, Möller, Moll. Græn. 17.

Leda tenuis, Jeffreys, Ann. & Mag. N. H. xix. 313.

Nucula tenuis, Philippi, Moll. Sic. i. 65. t. 5. f. 9 (fossil).

N. gibbosa, Smith, Wern. Mem. viii. t. 2. f. 10 (fossil). a—c. Hebrides. Presented by R. M'Andrew, Esq.

d-i. Isle of Skye. Ditto.

j-n. Isle of Skye.

Fam. 5. Myadæ.

Myadæ, Gray, Syn. B. M. 1840; 1842, 78, 91; Proc. Zool. Soc. 1848, 190.

Myadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847,
272; Fleming, B. A.410, 1828; Swains. Malac. 256, 365, 1840;
Forbes & Hanley, Brit. Moll. i. 160, 1848.

Les Myaires (Myaria), Lamk. Cour. 107, 1812; Hist. v. 459, ed. 2. vi. 70; Féruss. Prod. 44; Latr. Fam. Nat.; Desh. E. M.

iii. 589.

Myacæa, Menke, Syn. 72.

Myacea, Menke, Syn. ed. 2. 119; Alton, Verz. Conch. 12.

Myariæ, Berthold.

Pyloridés, part., Blainv. Man.; Rang, Man. Moll. 322.

Myina, part., Macgilliv. Moll. Aberd. 219.

Myacidæ, part., D'Orb. Pal. Franç. iii. 1845. Myidæ, Recluz, Rev. Zool. 1849, 396. Myarina, Rafin. Anal. Nat. 1815.

1. Mya.

Mya (truncata), Retz, N. Gen. 1788; Spengler, Skrivt. Naturh. Selsk. iii. 27, 53; Lamk. Syst. 1801; Hist. v. 459. ed. 2. vi. 71; Schum. N. Essai, 116, 1817; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272; Gray, Syn. B. M. 1840; 1842, 78?; Forbes & Hanley, Brit. Moll. i. 162.

Mya, part., Linn. Westg. Res. 187, 1747; Syst. Nat. ed. 10. 670,

ed. 12. 1112 (not Humph.); Gmelin, S. N. i. 3217.

Mya (arenaria), Megerle, Entw. 1811.

Mya β. (arenaria), Blainv. Man.

Sphænia (arenaria), part., Turton, Bivalves.

Chama glycymeris, Rondel.

Peloris, part., Poli.

Chama, part., Lister.

Chamepholas, Lister.

Glycimeris, part., Klein.

1. Mya truncata.

Lister, Ang. t. 5. f. 36; Conch. t. 428. f. 269; Enc. Méth. Vers, t. 229. f. 2.

Mya truncata, Linn. S. N. i. 1112; Chemn. C. C. vi. 8. t. 1. f. 1, 2; Penn. B. Z. ed. 4. iv. 66. t. 41. f. 14; Donov. B. S. iii. t. 92; Dorset Cat. 27. t. 3. f. 1; Dekay, New York Moll. 240. t. 29. f. 289; Mont. T. B. 32; Linn. Trans. viii. 35; Dillw. R. S. 42; Pulteney, Hist. of Dorset, 27; Brown, Ill. C. t. 10. f. 2, 2nd ed. 111. t. 45. f. 2; Hanley, Rec. Shells, 19. t. 2, Mya, f. 2; Forbes, M. G. S. i. 407. 7; Spengler, S. Nat. Selsk. iii. 28; O. Fab. Faun. Græn. 404; Gould, Invert. Mass. 42; Wood, Gen. Conch. 90. t. 17. f. 1, 2; Cat. t. 2. f. 2; Turton, Dict. 97; Bivalves, 31; Brit. Faun. 146. no. 176; Flem. B. A. 462; Thorpe, B. Mar. Conch. 40; Burrows, Elem. t. 4. f. 1, 2; Crouch, Introd. Conch. t. 3. f. 6, 7; Macgilliv. Moll. Aberd. 298; Lamk. Hist. ed. 2. vi. 73; Sow. Gen. f.; Conch. Man. f. 71; Chenu, Elem. 48. f. 152; Desh. Elem. Conch. t. 8. f. 2. Chama truncata, Da Costa, 233. t. 16. f. 1.

Var. (deep water) Mya pelagica, King, Ann. N. H. xviii. 242.

Young. Mya ovalis, Turton, Brit. Faun. 146. no. 180; Biv. 33. t. 3. f. 1, 2, from Turt. spec. fide Forbes & Hanley, 166.

FRY. Sphænia Swainsonii, Turton, Biv. 37. t. 19. f. 2; Fleming, B. A. 466; Thorpe, Mar. Conch. 57, from Turton's specimens fide Forbes & Hanley, 166.

Animal. Baster. Opusc. Subsec. iii. 69, 1765; Recluz, Rev. Zool. 1849, 397.

a-h. Britain.

i. Ditto. Presented by Mrs. Robinson.
 i—k (Mya ovalis). Scarborough.

2. Mya arenaria.

Mya arenaria, Linn. S. N. 1112; Spengler (Old Maids), Skrivt. Nat. Selsk. iii. 30; Chemn. Conch. vi. 10. t. 1. f. 3, 4; Linn. Trans. viii. 35; Flem. B. Anim. 463; Turton, Dict. 98; Bivalves, 32; Brit. Faun. 146. no. 177; Macgill. Moll. Aberd. 298; Thorpe, Mar. Conch. 40; O. Fab. Fauna Græn. 405; Wood, G. Conch. 91. t. 17. f. 3; Cat. t. 2. f. 2; Dillw. R. S. i. 42; Blainv. Man. Malac. t. 77. f. 1; Penn. B. Z. ed. 4. iv. 67. t. 42. f. 16; Don. B. S. iii. t. 85; Mont. T. B. 30; Dorset Cat. 28. t. 4. f. 2; Dekay, New York Moll. 240. t. 30. f. 290; Reeve, Conch. Syst. t. 33; Brown, Ill. C. t. 10. f. 1, 2nd ed. t. 45. f. 1; Forbes, M. G. S. i. 408. 8; Hanley, Rec. Shells, 19; Lamk. Hist. ed. 2. vi. 74; Mawe, Conch. t. 4. f. 1; Sow. Gen. f. Conrad, Amer. Mar. Conch. 42. t. 9. f. 1; Gould, Invert. Mass. 40; Chemn. Traité élément. 48. f. 148, 150 (hinge); Forbes & Hanley, Brit. Moll. i. 168. t. 10. f. 4, 5, 6.

Chama arenaria, Da Costa, B. C. 232.

Mya acuta, Say, Journ. Acad. N. S. Phil. ii. 313.

M. mercenaria, Say, Journ. Acad. N. S. Phil. ii. 313. a—k. Britain.

Aberdour, Fifeshire. Presented by Dr. Baird.
 m—p. Scarborough.

Fam. 6. ANATINIDÆ.

Anatinidæ, Gray, Syn. B. M. 1840; 1842, 77, 91; Proc. Zool. Soc. 1848, 190; D'Orb. Pal. Franç. 1845; Geinitz, Grund. 409, 1846; Forbes & Hanley, Brit. Moll. i. 219; Recluz, Rev. Zool. 407, 1845, very incorrect.

Anatenidæ, Conrad, Journ. Acad. N. S. Philad. 1849, 155.

Les Myaires, part., Lamk. Cour. 107, 1812; Hist. v. 459, ed. 2. vi. 70; Féruss. Prod. 44.

Myacæa, part., Menke, Syn. 72, 1828.

Myacea, part., Menke, Syn. ed. 2. 119; Alton, Verz. Conch. 12. Pyloridés, part., Blainv. Man.; Rang, Man. Moll. 322.

Myina and Mactrina, part., Macgilliv. Moll. Aberd. 217, 219.

Myadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272; Flem. B. Anim. 410, 1828.

Pandoridæ, part., Forbes & Hanley, Brit. Moll. i. 213.

Anatina, Gray, Ann. Phil. 1825.

Osteodesma, Desh. in Lamk. Hist. ed. 2. vi.

Corbulacea, part., Philippi, Moll. Sicil. i. 16, ii. 12.

Amphidesmitæ, part., Latr. Fam. Nat. 221, 1825.

Lithophagidæ, part., Broderip, Penny Mag.; Sow. Man. 206, 1839.

Saxicavidæ, part., Swainson, Elem. Conch. 1835; Malac. 375, 1840 (not Gray).

Saxicavina, part., Agassiz, Nomencl.

Myina, part., Milne-Edw. Elem. Zool. 1843; Macgillivray, Moll. Aberd.

1. Bontæa.

Cochlodesma (Leana), Couthouy, Boston Journ. N. H. ii. 170, 1839; Gray, Ann. Nat. Hist. ii. 25, 1840; Wiegm. Arch. 1840, 216; Gould, Rep. Inv. Mass. 48; Forbes & Hanley, Brit. Moll. i. 235.

Bontæa, Leach, MSS. Brit. Mus. 1819, in Brown, Illust. Conch.

G. B. 1844.

Thracia, sp., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272; Gray, Ann. & Mag. N. H. 1848; Loven, Ind. Skand. Ligula, sp., Montagu, Test. Brit. Supp. 1808, not Humph. 1797. Anatina, sp., Turton, Bivalves; Conrad, Journ. Acad. Philad. Mya, sp., Montagu, T. Brit.

Amphidesma, sp., Fleming, B. A.

Spoonhinge or Chama, sp., Petiver. Gazoph.

1. Bontæa prætenuis.

Mya prætenuis, Pulteney, Dorset, 28; Dorset Cat. t. 4. f. 7; Mont. T. B. 41. t. 1. f. 2; Linn. Trans. viii. 37; Donov. B. S. v. t. 176; Wood, G. Conch. 94. t. 24. f. 7, 8, 9; Cat. t. 2. f. 5; Turton, Dict. 101; Brit. Faun. 147. no. 185; Dillw. R. S. i. 43. Amphidesma prætenue, Flem. B. A. 432; Thompson, Rep. Brit.

Assoc. 1843, 263.

Anatina prætenuis, Férussac, Dict. Class. H. N.; Gray, Ann. Phil. 1825; Turt. Biv. 48. t. 4. f. 4; Macgilliv. Moll. Aberd. 294; Thorpe, Mar. Conch. 43; Hanley, Rec. Shells, 23.

Ligula prætenuis, Mont. Test. Brit. Supp.; Brown, Ill. Conch. 106. t. 42. f. 1; Recluz, Zool. Soc. Cuvier. 1845, 416.

Cochlodesma prætenue, Couthouy, Boston Journ. N. H. 1839, ii. 171; Forbes & Hanley, Brit. Moll. i. 235. t. 15. f. 4.

Thracia pretenuis, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Lovèn, I. M. 46. 323.

Bontæa pretenuis, Leach, MSS. "Brown."

Anatina Leana, Conrad, Journ. Acad. N. S. Philad. vi. 263.

Cochlodesma Leana, Couthouy, Boston Journ. N. H. ii. 170.

a. Scarborough.

2. THRACIA.

Thracia (pubescens), Leach, MSS. B. M. 1819 (not Westwood), in Blainv. D. S. N. xxxii. 347, 1824; Malac. 564, 1825; Rang, Man. 324, 1038, 1829; Desh. E. M. iii. 1830, in Lamk. Hist. ed. 2. vi. 82, 1835; Philippi, Moll. Sic. 18. 1836, ii. 16. 1844.

Thracia, sp., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847,

272; Forbes & Hanley, Brit. Moll. i. 220.

Anatina, sp., Gray, Ann. Philos. 1825; Férussac, D. Class. Hist. Nat.

Thracia (corbuloides), Blainv. Man. Malac.

Odontocineta (pubescens), Agassiz, Nomencl. Index, 255, 1847.

Odoncineta, Agassiz, Nomencl. Mollusca, 60; Ind. 255.

Cinetodonta, Herrmann. Index, 138, 1847.

Odoncinetus, Costa, Catal. Sistem. 23, 1829 (see Philippi, Moll. Sicil. 19).

Osteodesma, sp., Blainv. Malac.

Tellina, sp., Poli, Test. Sicil.

Amphidesma, sp., Lamk. Hist. A. s. V. 1812.

Anatina, sp., Lamk. Hist. A. s. V. 1835; Turton, Bivalves. Ligula, sp., Montagu, Test. Brit. 1808, not Humph.

1. THRACIA PHASEOLINA.

Tellina fragilis?, Penn. Brit. Zool. ed. 4. iv. 73. t. 47. f. 26. ? Mya pretenuis, Penn. Brit. Zool. ed. 1812, iv. 160. no. 4. t. 50. f.1. Tellina papyracea, Poli, Sicil. t. 15. f. 18.

Mya declivis, Turton, Dict. 98; ? Brit. Faun. 147. no. 184; Wood,

Cat. t. 2. f. 4.

M. declivis (junior), Wood, Gen. Conch. t. 18. f. 3.

Amphidesma declivis, Flem. B. A. 432.

Anatina declivis, Turton, Biv. 47; Thorpe, Mar. Conch. 42. Thracia declivis, Leach, MSS 1818, Ann. & Mag. N. H. xx, 272;

Thomps. R. Brit. Assoc. 1843, 263; Thorpe, M. C. 24. f. 70.

Amph. oblonga, Philippi, Sic. 8. t. 1. f. 4. Mya pubescens (junior), Turton, Biv. t. 4. f. 3.

Amphidesma phaseolina, Lamk. Hist. v. 492, ed. 2. vi. 129.

Thracia phascolina, Kiener, Coq. Viv. t. 2. f. 4; Desh. Elem. t. 9. f. 4, 5; Couthouy, Bost. Journ. N. H. ii. 147; Hanley, Rec. Shells, 22; Supp. t. 10. f. 35; Philippi, Sicil. ii. 16; Forbes & Hanley, Brit. Moll. i. 221. t. 17. f. 5, 6, & t. H. f. 4 (animal); Lovèn, Ind. Moll. Skand. 46. 321.

Odoncineta papyracea, Costa, Test. Sicil. 23. t. 2. f. 1-4, animal. Thracia pubescens, Macqilliv. Moll. Aberd. 296; Brown, Ill.

Conch. 110. t. 44. f. 6. a—e. Devonshire.

f--k. Saltcoats.

1. Dublin Bay. Presented by T. Warren, Esq.

2. Thracia villosiusculla.

Anatina villosiuscula, Macgilliv. Edin. Phil. Journ. 1827, 370.

t. 11. f. 6; Brown, Ill. C. t. 44. f. 4.

? Anatina intermedia, Jeffreys, Conch. Mag. 45 (not described); Clark, MSS.

Thracia ovata, Brown, Ill. Conch. ed. 2.110. t. 44. f. 4.

Thracia villosiuscula, Forbes & Hanley, Brit. Moll. i. 224. t. 17. f. 4, 7.

a, b. Dublin Bay. Presented by T. Warren, Esq.

c, d. Scotland.

e-h. Devonshire.

i. Scarborough.

3. Thracia pubescens.

Anatina pubescens, Turt. Biv. 45. t. 4. f. 3; Thorpe, Mar. Conch. 41. Amphidesma pubescens, Flem. B. A. 431.

Mya pubescens, Pulteney, Dorset, 27; Mont. T. B. 40; Supp. 166

(chiefly); Turt. Dict. 99. f. 35.

Mya declivis, Donov. B. S. iii. t. 82; Maton & Racket, Linn. Trans. viii. 36; Dorset Cat. 28. t. 4. f. 6; Wood, Gen. Conch. 93. t. 18. f. 3; Dillw. R. S. i. 43 (not var.); ? Penn. Brit. Zool. iv. 66. no. 15, ed. 1812, 160. no. 3.

Anatina declivis, Brown, Ill. C. t. 11. f. 5.

Anatina myalis, Lamk. Hist. n. 9, ed. 2. vi. 80; Deless. Rec. Coq.

t. 3. f. 3; Thomps. Rep. Brit. Assoc. 1843, 263.

Thracia pubescens, Leach; Kiener, Coq. Viv. t. 2. f. 2; Thorpe, M. C. xxiv.; Couthouy, Boston Journ. N. H. ii. 135; Desh. Ency. Méth. ii. 1039; Exped. Morée, Zool. 87. t. 18. f. 12; Hanley, Rec. Shells, 21; Forbes & Hanley, Brit. Moll. i. 226. t. 16. f. 2, 3.

Thracia declivis, Brown, Ill. Conch. 109, t. 44, f. 5.

Thracia Beaniana, Recluz, Rev. Zool. 1845, 407.

Thracia Montagui, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272.

a—d. Britain.

e. Ditto. Presented by Mrs. Robinson.

f—i. Devonshire.

j. Falmouth. Presented by W. P. Cocks, Esq.

k, l, junior. Scotland.

4. Thracia convexa.

Anatina convexa, Turt. Biv. 45. t. 4. f. 1, 2; Brown, Ill. C. t. 11. f. 3; Thorpe, Mar. Conch. 41.

Mya convexa, Wood, Gen. Conch. 92. t. 18. f. 1; Cat. t. 2. f. 3; Turt. Dict. 100.

Inti. Dict. 100.

Amphidesma convexum, Flem. B. A. 431.

Thracia convexa, Couthouy, Boston Journ. N. H. ii. 140; Thorpe, M. C. 24 = Loven, 46, 320; Thomp. Rep. Brit. Assoc. 1843. 263; Brown, Ill. Conch. ed. 2. 110. t. 44. f. 3; Hanley, Rec. Shells, 22; Forbes & Hanley, Brit. Moll. i. 229. t. 16. f. 1, 4. Ligula distorta, Mont. Test. Brit. Supp. 166 (not original species); Férussac, Dict. Class. H. N.; Gray, Ann. Phil. 1825.

? Mva declivis, Don. B. S. t. 82.

Thracia declivis, Macgilliv. Moll. Aberd. 296: Forbes, M. G. S. i. 409. 17.

a—c. Salcombe Bay and Plymouth Sound.

d. Belfast Bay. Presented by R. Hyndman, Esq.

e. Lyme Regis. Presented by Mrs. Corrie. f. Britain. Presented by Mrs. Robinson.

5. Thracia distorta.

Mya distorta, Mont. T. B. 42. t. 1. f. 1 (not Supp.); Linn. Trans. viii. 37; Turton, Dict. 101; Brit. Faun. 147. no. 186; Wood, Conch. 98; Cat. t. 2. f. 15; Dillw. R. S. i. 45; Penn. Brit. Zool. ed. 1812, iv. 161. no. 5.

Amphidesma distortum, Flem. B. A. 432; Férussac, Dict. Class.

Ĥ. N.

Anatina distorta, Gray, Ann. Phil. 1825; Turt. Biv. 48. t. 4. f. 5; Thorpe, Mar. Conch. 43; Hanley, Rec. Shells, 23; Brown, Ill.

Conch. ed. 1. t. 11. f. 7.

Thracia distorta, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272; Lovèn, I. M. 46. 322; Brown, Ill. Conch. ed. 2. 110. t. 44. f. 7; Thomps. Rep. Brit. Assoc. 1843, 263; Forbes & Hanley, Brit. Moll. i. 231. t. 17. f. 1, 2, 3, 8, & t. H. f. 5 (animal).

Anatina ovalis, Brown, Ill. C. t. 11. f. 4 (regular). Anatina rupicola Lamk. Hist. ed. 2. vi. 80; Deless. Rec. Cog.

t. 3. f. 4; Blainv. Man. 564.

Osteodesma rupicola, Blainv. Man. 661.

Rupicola, Fleur. de Bellev.

Thracia Turtoniana, Recluz, Rev. Zool. 1845, 414.

a-s. Britain. Mus. Mont.?

VAR.

Anatina truncata, Turt. Biv. 46. t. 4. f. 6 (var.); Thorpe, Mar. Conch. 41; Hanley, Rec. Shells, i. 48.

Amphidesma truncatum, Flem. B. A. 431.

Thracia truncata, Brown, Ill. Conch. ed. 2. 110. t. 42. f. 28.

Thracia distorta, var., Forbes & Hanley, Brit. Moll. i. 231.

3. MAGDALA.

Magdala (striata), Leach, MSS. B. M. 1818, Ann. & Mag. N. H. xx. 1847, 272; Brown, Ill. Conch. G. B. 1827.

Lyonsia (striata), Turton, Brit. Bivalves, 35, 1822; Latr. Fam. Nat. 1825; Sow. Proc. Z. Soc. 1834, 88; Conch. Man. ed. 2. 65; Müller, Syn. 231; Gray, Ann. & Mag. N. H. iv.; Forbes & Hanley, Brit. Moll. i. 213.

Tetragonoste=Tetragonostea (striata), Desh. Ency. Méth. iii. 590, 1830.

Hiatella (striata), Brown, Ill. Conch. G. B. 1827, not Daudin. Myatella (striata), Brown, Ill. Conch. G. B. ed. 2. 1833, 1844.

Osteodesma (norvegica), Desh. in Lamk. Hist. vi. 84, 1838, not

Blainville; Couthouy, Boston Journ. N. H.

Pandorina (coruscans), Scacchi, Catalog. 6 (not Bory St. Vincent), (see Philippi, Moll. Sicil. ii. 15); Philippi, Wiegm. Arch. 1839, i. 122; Möller, Ind. Moll. Grænl. 20; Kroyer, Naturh. Tidsskr. iv. 93.

Pandora, part., Philippi, Moll. Sicil. i. 18, 1838.

Mya, part., Chemn. Conch. Cab.; Montagu, B. S.; Fleming, B. A.

Amphidesma, sp., Lamk. Hist. A. s. V.

Anatina, part., Gray, Ann. Phil. 1825; Sow. Gen. f. Tellina (coruscans), Scacchi, Osserv. Zool. 14, 1833.

Gresslya, Agassiz, Nomenclat.

Ceromya, sp., Agassiz, Nomenclat.

Mactromya, sp., Agassiz, Nomenclat.

1. Magdala Norvegica.

Mya Norvegica, Chemn. Conch. x. 345. t. 170. f. 1647, 1648 (1788);
Turton, Dict. 100. f. 100; Flem. B. A. 466; Dillw. R. S. i. 48;
Wood, Conch. 98. t. 18. f. 4, 5; Cat. t. 2 (Mya). f. 13; Thorpe,
Mar. Conch. 40.

Mya nitida, O. Fab. Skriv. Natur. Selsk. iv. t. 10. f. 10, 1798. Mya striata, Mont. Linn. Trans. xi. 188. t. 1. f. 13; Turton,

Dict. 105.

Magdala striata, Leach (Brit. Mus. 1817), MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272; Brown, Ill. Conch. iii. t. 44. f. 1, 2, 10.

Amphidesma corbuloides, *Lamk. Hist. A. s. V.* 1st ed. v. 492. no. 12, ed. 2, vi. 129.

Mya pellucida, Brown, Mem. Wern. Soc. ii. 505. t. 24. f. 1.

Lyonsia striata, Turton, Bivalves, 35. t. 3. f. 6, 7.

Anatina Norvegica, Gray, Ann. Phil. 1825; Sow. Gen. f. 2; Reeve, Conch. Syst. t. 34. f. 2.

Osteodesma corbuloides, Desh. in Lamk. Hist. ed. 2. vi. 85; Elem. Conch. t. 8. f. 12-14; Chenu, Elem. 51. f. 164, 165, 166.

Lyonsia Norvegica, Sow. Conch. Man. ed. 2. f. 491, 492; Macgilliv. Moll. Aberd. 300; Lovèn, Moll. Suec. 47. 324; Thomp. Rep. Brit. Assoc. 1843, 263; Forbes & Hanley, Brit. Moll. i. 214. t. 8. f. 6-9; animal, t. H. f. 3. Myatella Montagui, Brown, Ill. Conch. ed. 2. iii. t. 40. f. 26, 27. Hyatella striata, Brown, Ill. Conch. ed. 1. t. 16. f. 26, 27. Anatina striata, Jeffreys, Mal. & Conch. Mag. 45.

Pandora equivalvis (!), Philippi, Sicil. 18. t. 1. f. 11.

Tellina coruscans, Scacchi, Osserv. Zool. 14.

Pandorina coruscans, Scacchi, Cat. 6; Ann. Nat. Hist. iv. 294. t. 14. f. 1-4.

Osteodesma coruscans, Philippi, Moll. Sic. ii. 15. t. 14. f. 1. Anatina truncata, Lamk. A. s. V. ed. 2. vi. 77 (part.); Desh. Enc. Méth. ii. 40 (not Deless. nor Hanley). Lyonsia elongata, Gray, MSS. Brit. Mus.; Hanley, Rec. Shells,

25, Supp. t. 13. f. 27.

Lyonsia coruscans, Desh. Exp. Sc. Alger. Moll. t. 25 A.

a, b. England.c, d. Britain. e. Weymouth.

f. Dublin Bay. Presented by T. Warren, Esq.

Fam. 7. Corbulidæ.

Corbulidæ, Gray, Syn. B. M. 1840; 1842, 78, 91; Proc. Zool. Soc. 1848, 191; D'Orb. Paléont. Franc. 1845; Forbes & Hanley, Brit. Moll. i. 179, 1848.

Corbulidæ, part., Broderip, Penny Cyclop. xiv. 1839.

Corbuladæ, Fleming, B. Anim. 409, 1828.

Les Camacées **, Lamk. Cour. 106, 1812.

Les Corbulées (Corbulea), part., Lamk. Hist. v. 493, ed. 2. vi. 134.

Corbulæa, Latr. Fam. Nat. 1825.

Myacea, part., Alton, Verz. Conch. 12.

Pylorides, part., Blainv. Man. Mal.; Rang, Man. Moll. 322.

Lithophages, part., Féruss. Prod. 44. Lithophaga, part., Menke, Syn. 118.

Myina, part., Macgilliv. Moll. Aberd. 219.

Corbulacea, part., Philippi, Moll. Sicil. i. 16. 1836, ii. 12. 1844; G. Sow. Man. ed. 2. 1842; Hanley, Ill. Cat. i. 45, 1844.

Corbulacæa, Hinds, Zool. Sulph. 67, 1844. Myina, part., Macgilliv. Moll. Aberd. 221.

1. Corbula.

Corbula (sulcata), Bruguière, Ency. Méth. t. 230, 1792; Lamk. Syst. A. s. V. 137, 1801; Ann. Mus. viii. 465; Hist. A. s. V. v. 494, ed. 2. vi. 135; Philippi, Moll. Sicil. i. 16, ii. 12; Hinds, Zool. Sulph. 67; Forbes & Hanley, Brit. Moll. i. 179. Aloidis (Guinensis), Muhlf. Entwurf, 67, 1811.

p 2

Agina (purpurea), Turton, Bivalves, 1822.

Psammolea (Angina), Latr. Fam. Nat. 1825 (misprint).

Lentidium (mediterranea), Cristof. & Jans. Cat. 8, 1832, Mantissa 4; Villa, Dispos. Syst. 45, 1841.

Mya, sp., Montagu, T. B. Tellina, sp., Olivi, Zool. Ad.

Saxicava, sp., Sow. Man. ed. 2. 60.

1. Corbula gibba.

Tellina gibba, Olivi, Zool. Adriat. 101; Brocchi, Conch. Subap. ii. 517 (foss.).

Mya inequivalvis, Mont. T. B. 38. t. 26. f. 7; M. & R. Linn. Trans. viii. 10. t. 1. f. 6; Turton, Dict. 107; Brit. Faun. 147. no. 182; Wood, Conch. 113, Cat. t. 3. f. 40; Dillw. R. S. 55;

Leach, Ann. & Mag. N. H. xx. 1847, 273.

Corbula nucleus, Lamk. H. ed. 2. vi. 139. no. 6; Turt. Biv. 39. t. 3. f. 8-10; Philippi, Moll. Sicil. i. 16, ii. 12; Sow. Conch. Man. f. 89, Gen. f. 1; Reeve, Conch. Icon. t. 2, f. 10, and Conch. Syst. t. 36. f. 1; Thorpe, Mar. Conch. 56; Forbes, M. G. S. i. 409. 22; Brown, Ill. Conch. 105. t. 42. f. 7-9; Forbes & Hanley, Brit. Moll. i. 181. t. 9. f. 7-12; t. G. f. 3, animal; Desh. Elem. Conch. t. 8. f. 7-9; Hanley, Rec. Shells, 46.

Corbula gibba, Lovèn, I. M. 49. 330.

Corbula striata, Flem. B. A. 425; Desh. Exp. Sc. Alger. Moll. 231.

Cardium striatum, &c., Walk. M. S. f. 35.

Corbula Olympica, Costa, Test. Sicil. 27. C. inequivalvis, Macgilliv. Moll. Aberd. 303.

C. rotundata, Sow. Min. Conch. t. 572.

C. rugosa, Lamk. Hist. vi. 141.

Enc. Méth. Vers, t. 230. f. 4, a, b, c, d.

Jun.

Mya purpurea, Mont. Supp. T. B. 21.

Solen purpurea, Flem. B. A. 459.

Agina purpurea, Turt. Biv. 54. t. 4. f. 9.

a—f. Britain.

g—j. Ditto.

k-c c. Firth of Forth.

d d. Falmouth. Mus. Leach.

 $e \, e - j \, j$, jun. Near Edinburgh. Presented by Miss Greville.

2. Corbula Rosea.

Corbula rosea, "Leach," Brown, Ill. Conch. 105. t. 42. f. 6; Loven, I. M. 49. 331; Hanley, Rec. Shells, Supp. t. 12. f. 33; Forbes & Hanley, Brit. Moll. i. 185. t. 9. f. 13, 14. Inhab. Falmouth, Leach.

3. CORBULA OVATA.

Corbula ovata, Forbes, Malac. Mon. 53. t. 2. f. 8, 9; Brown, Ill. Conch. 105. t. 42. f. 32, 33; Forbes & Hanley, Brit. Moll. i. 187. t. 9, f. 15; Reeve, Conch. Icon. t. 3, f. 18.

? Corbula (Potamomya) ustulata, jun., Forbes, l. c. 189.

Inhab. Isle of Man.

2. Sphænia.

Sphenia (Binghami), Leach, MSS. 1819; Turton, Bivalves, 36, 1822; Flem. B. An. 410, 465; Gray, Proc. Zool. Soc. 1848, 190; Forbes & Hanley, Brit. Moll. i. 189.

Corbula, sp., Hanley, Rec. Shells, 47.

Sphæna, Defrance, Tabl. 105, 1824 (misprint); Blainville, Malac. 561; Menke, Syn. ed. 2.120, 1830; Swainson, Malac. 1840. Sphænia, Conrad, Journ. Acad. Phil.; Gray; Sow. Man. ed. 2.176, 262.

Sphena, Desh. Enc. Méth. iii. 965, 1832; Lamk. Hist. ed. 2. vi. 137.

Mya, sp., Gray, Ann. Phil. 1825. ? Arcinella (lævis), Philippi, Sicil. ii. 53, 1844, not Oken nor Schum.

1. SPHÆNIA BINGHAMI.

Sphænia Binghami, Turt. Biv. 36. t. 3. f. 3, 4, 5. t. 19. f. 3; Flem. B. A. 465; Thorpe, M. Conch. 57. f. 32, 33; Sow. Conch. Man. f. 96; Forbes & Hanley, Brit. Moll. i. 190. t. 9. f. 1-3.

Mya Binghami, Gray, Ann. Phil. 1825.

Spenia Binghami, Brown, Ill. C. G. B. t. 14. f. 22, 23, 24. Corbula Binghami, Hanley, Rec. Shells, 47, Supp. t. 12. f. 4.

2. Doubtful sp.

Sphænia costulata, Macgill. Moll. Aberd. 301; Thorpe, M. C. 245. Inhab. ——? "Only a single valve yet found."

3. Neæra.

Neæra (rostrata), Gray, Griffith, A. K. 1834; Syn. Brit. Mus. 1840; Lovèn, Ind. Moll. Suec. 48; Forbes, Proc. Z. S. 1843, 75; Rep. Brit. Assoc. 1844; Recluz, Rev. Zool. 1844; Hinds, Zool. Sulph. 1844; Forbes & Hanley, Brit. Moll. i. 194.

Anatina, sp., Lamk. Hist. vi. 78.

Erycina (cuspidata), Risso, Eur. Merid. iv. Cuspidaria (cuspidata), Nardo, Rev. Zool. 30, 1840.

Thracia, sp., Brown, Ill. Conch. G. B. Corbula, sp., Brown, Ill. Conch. G. B.

Mya, sp., Spengler; Chemn.; Dillw.

Naera, Sow. Man. ed. 2. 65 (misprint).

Næara, Sow. Man. ed. 2. 198, 310 (misprint). Neræa, "Gray," Herrmannsen (misprint).

1. NEÆRA CUSPIDATA.

Tellina cuspidata, Olivi, Zool. Adriat. 101. t. 4. f. 3, a, b, c. Neæra brevirostris, Lovèn, Ind. Moll. Suec. 48. 327.

Thracia brevirostra, Brown, Ill. C. ed. 2. 110. t. 44. f. 11-14.

Erycina cuspidata, Risso, Eur. Merid. iv. 366. t. 12. f. 170.

Anatina brevirostris, Brown, Edinb. Journ. Nat. & Geograph. Sc. i. 11. t. 1. f. 1-4 (1829).

Neæra cuspidata, Forbes & Hanley, Brit. Moll. i. 195. t. 7. f. 4, 5, 6; animal, t. G. f. 4-7.

Cuspidaria typus, Nardo, Rev. Zool. 1840, 30.

a—e. Inverary.

f. Loch Fyne. Presented by R. M'Andrew, Esq.

2. Neæra costellata.

Neæra costellata, Hinds, Proc. Zool. Soc. 1843, 77; Forbes, Rep. Brit. Assoc. 1843; Jeffreys, Ann. N. H. xx. 19; Forbes & Hanley, Brit. Moll. 1. 199. t. 7. f. 8, 9; animal, t. G. f. 8, 9.

Corbula costellata, Desh. Exped. Morée, Moll. 86. t. 24. f. 1, 2, 3.

Neæra sulcata, Lovèn, Moll. Suec. 48.

? Cuspidaria radiata, Nardo, Rev. Zool. 1840, 30. a—c. Scotland.

3. Neæra abbreviata.

Neæra abbreviata, Forbes, Proc. Zool. Soc. 1843, 75; Jeffreys, Ann. & Mag. N. H. xix. 1847, 314; Forbes & Hanley, Brit. Moll. i. 201. t. 7. f. 7 (magnified).

Neæra vitrea, Lovèn, Moll. Skand. 48; Jeffreys, Ann. N. H. xx. 18.

a-f. Inversor.

4. Poromya.

Poromya (anatinoides), Forbes, Rep. Brit. Assoc. 1843, 191; Brit. Moll. i. 203.

Corbula, sp., Nyst, Nouv. Rech.; Jeffreys, Ann. & Mag., N. H. xx. 19.

1. Poromya granulata.

Corbula? granulata, Nyst & Westendorp, Nouv. Rech. Coq. Foss. d'Anvers, 6. n. 10. t. 3. f. 3, 1839; Nyst, Desc. Coq. Foss. Belgique, 1843, 71. t. 1. f. 6; Jeffreys, Ann. Nat. Hist. xx. 19.

Tellina polygona?, Jeffreys, Ann. Nat. Hist. xix. 314.

Poromya anatinoides, Forbes, Rep. Brit. Assoc. 1843, 191; Forbes & Hanley, Brit. Moll. i. 204.

Poromya granulata, Forbes & Hanley, l. c. i. 204. t. 9. f. 4-6. Inhab. Isle of Skye, Jeffreys.

Fam. 8. PANDORIDÆ.

Pandoridæ, Gray, Syn. B. M. 1840; 1842, 78.91; Proc. Zool. Soc. 1848, 192.

Pandoridæ, part., Forbes & Hanley, Brit. Moll. i. 206.

Pandoroidæ, Agassiz, Nom. 1847.

Les Camacées, part., Lamk. Cour. 106, 1812.

Les Corbulées (Corbulea), part., Lamk. Hist. v. 497, ed. 2. vi. 134. Corbulæa, part., Latr. Fam. Nat. 1825.

Pandoracea, Rafin. Anal. Nat. 1815.

Solenacea, part., Menke, Syn. 119. Myacea, part., Alton, Verz. Conch. 12.

Pylorides, part., Blainv. Man. Mal.; Rang, Man. Moll. 322. Solen, part., Féruss. Prod.44; Leach, MSS. 1818, Ann. & Mag. N.H. xx. 273.

Hypogæa, part., Poli, Test. Sicil.

Corbulacea, part., Philippi, Moll. Sicil. i. 16. 1836, ii. 12. 1844; Sow. Man. ed. 2. 122, 310, 1842; Hanley, Ill. Cat. i. 45.

Corbulidæ, part., Brod. Penny Cyclop. xiv. 1839.

Myadæ?, part., Leach, Ross's Voy. Baffin's Bay, 174, 1819.

1. PANDORA.

Pandora (inequivalvis), Solander, MSS. (not Muhlf. nor Oken, nor Eschscholtz, nor Haliday, nor Noronh.); Brug. Ency. Méth. 250, 1792; Lamk. Syst. 136, 1801; Hist. v. 498, ed. 2. vi. 143; Schum. Essai, 114, 1817; Leach, Ross's Voy. Baffin's Bay, 174, 1819; Flem. B. A. 410, 466; Quoy & Gaim. Voy. Astrol. iii. 537; Philippi, Moll. Sicil. i. 18, ii. 13; Forbes & Hanley, Brit. Moll. i. 206.

Calopodium (inequivalvis), Bolten, Mus. 1798, ed. 2.116, 1819.

Trutina, Brown, Ill. Conch. G. B. t. 13. f. 5.

Placuna, sp., Humph. Mus. Calonn.

Tellina, sp., Linn. S. N.

Anomia, sp., Gronov.

Solen, sp., Montag. T. B.

1. PANDORA INÆQUIVALVIS.

Tellina inequivalvis, Linn. S. N. ed. 12. 1118 = Chemn. Conch. vi. 115. t. 11. f. 106; Donov. B. S. t. 41. f. 1; Mont. T. B. 75, & Supp. 27; Linn. Trans. viii. 50; Spengler, Besch. Berl. Gesch. Nat. iii. t. 7. f. 25-28; Turt. Conch. Dict. 172; Brit. Faun. 151. no. 217; Wood, Gen. Conch. 201. t. 47. f. 2-4; Cat. t. 5. f. 97; Dillw. R. S. i. 86.

Pandora inequivalvis, Flem. B. A. 466; Poli, Test. Sicil. t. 15.

f. 5, 6, 9.

Pandora rostrata, Lamk. Hist. vi. 145. no. 1; Sow. Gen. f. 1, 2, 3; Spec. Conch. t. 2. f. 7, 8, 9; Conch. Man. f. 90; Reeve, Conch. Syst. t. 37, f. 1-3; Thorpe, Mar. Conch. 58; Brown, Ill. Conch. 104. t. 47. f. 5, 12, 13; Desh. Elem. t. 8. f. 10, 11; Exp. Sci. Alger. Moll. t. 24, animal; Chenu, Elem. 58. f. 194, 195; Hanley, Rec. Shells, 48; Forbes & Hanley, Brit. Moll. i. 207. t. 8. f. 1-4.

P. margaritacea, Turt. Biv. 40. t. 3. f. 11–14. Calopodium, Bolten, Mus. ed. 2. 116, 1819. Inhab. Guernsey and Jersey; abundant.

2. Pandora obtusa.

Solen Pinna, Mont. T. B. 567. t. 15. f. 3; Linn. Trans. viii. 48;
Turton, Brit. Faun. 149. no. 198; Penn. B. Z. ed. 1812, iv. 175.
t. 67. f. 3; Wood, Conch. 141; Cat. t. 3. f. 35.

Pandora obtusa, Leach, Ross's Voy. Baffin's Bay, 174, 1819; Ann. & Mag. N. H. xx. 1847, 273; Lamk. Hist. ed. 2. vi. 145. no. 2; Forbes & Hanley, Brit. Moll. i. 210. t. 8. f. 5, & t. G. f. 10, animal; Thorpe, Mar. Conch. 57. f. 15; Sow. Spec. Conch. t. 2. f. 1, 2, 3; Deless. Rec. Coq. t. 4. f. 8; Philippi, Moll. Sicil. ii. 14. t. 13. f. 13; Hanley, Rec. Shells, 48. t. 3. f. 35; Penn. B. Z. ed. 4. iv. t. 64, figures at bottom of plate without numbers; no description.

Trutina solenoidea, Brown, Ill. C. t. 13. f. 5.

a-p. Plymouth Sound.

q—v. Oban.

Fam. 9. GALEOMMIDÆ.

Galeommidæ, Gray, Syn. B. M. 1840; 1842, 78, 91; Proc. Zool. Soc. 1848, 192.

Corbulacea, part., *Philippi*, *Moll. Sicil.* i. 16, 1836, ii. 12, 1844. Myadæ, part., *Fleming*, *B. A.* 410, 466, 1828.

Saxicavidæ, part., Swainson, Malac. 376.

Pholadaria, part., Sow. Conch. Man. ed. 2. 151.

1. GALEOMMA.

Galeomma (Turtoni), Turton, Zool. Journ. ii. 361. t. 13. f. 1, 1825; Fleming, B. A. 410, 466; Sow. Gen. Shell, t. ; Desh. in Lamk. Hist. ed. 2. vi. 179, 1835; Philippi, Wiegm. Arch. i. 117. Galeomna, Hanley, Ill. Cat. i. 59 (misprint).

Parthenope (formosa), Scacchi, Osserv. Zool. 19, not Fabric. Psammobia (aurantia and vitrea), Lamk. Hist. vi.; Quoy& Gaim.

Voy. Astrol.

Hiatella (Polii), Costa, Ann. Sci. Nat. viii. 169; Delle Chiaje, Test. Sicil. t. 80. 1. GALEOMMA TURTONI.

Galeomma, Turton, Zool. Journ. ii. 361; Ann. Nat. Hist. iv. 92.

t. 3. f. 4.

Galeomma Turtoni, Sow. Zool. Journ. ii. 361. t. 13. f. 1; Flem. Brit. An. 466; Sow. Gen. Galeom. f. 1, 2, 3; Conch. Man. f. 58, 59; Brown, Ill. Conch. G.B. 114. t. 23. f. 15, 16; Thorpe, M. C. 33. f. 72; Philippi, Sicil. ii. 18. t. 14. f. 4, animal; Lamk. Hist. 2nd ed. vi. 180; Desh. Elem. Conch. t. 11. f. 13-17; Reeve, Conch. Syst. i. 54. f. 1-3; Desh. Exp. Sci. Alger. Moll. t. 82 (anatomy), &t. 81. f. 11-15; Mittre, Ann. Sc. Nat. 3rd ser. vii. 169. t. 5. f. 1-8; Forbes & Hanley, Brit. Moll. ii. 105. t. 36. f. 11, and t. O. f. 5.

Hiatella Polii, Costa, Ann. Sci. Nat. 1st ser. xv. 100.

H. striata, Chiaje, t. 80. f. 9, ined.

Parthenope formosa, Scacchi, Cat. 4, Oss. Zool. 8. t. 19, fide Philippi.

Galeomna Turtoni, Hanley, Ill. Cat. i. 59. t. 9. f. 42. a—d. Guernsey.

Fam. 10. LASIADÆ.

Lasiadæ, Gray, Syn. B. M. 1840; 1842, 79, 91; Proc. Zool. Soc. 1848, 192.

Kelliadæ, Forbes & Hanley, Brit. Moll. ii. 71.

Myina, part., M.-Edw. Elem. Zool. 1843; Macgilliv. Moll. Aberd. 219.

Tellinina, part., Macgilliv. Moll. Aberd. 219, 276, 1843.

Mactracea, part., Gould, Invert. Massach. 60, 1841; Lea, Proc. Phil. Soc. iii. 164; Philippi, Sicil. i. 9, ii. 7.

Mactradæ, part., Flem. B. Å. 409, 1828. Petricola, sp., Gray, Ann. Phil. 1825.

Front of mantle often enlarged and produced so as to give the appearance of a tube.

1. LASEA.

Lasea (rubra), Leach, MSS. B. M. 1819; see Gray, Ann. & Mag. N. H. 1848.

Kellia, part. (rubra), Turton, Bivalves, 57; Fleming, B. A. 430;
Forbes, Malac. Mon. 49; Forbes & Hanley, Brit. Moll. ii. 94.
Lasæa, "Leach," fide Brown, Ill. Conch. G. B. 1827; Conch.

Text-Book, 1833; Herrmann. Ind. 377.

Lesæa, "Leach," Möller, Nat. Tidsskr. iv. 93, 1842; Index Moll. Græn. 20; Philippi, Wiegm. Arch. i. 51, 1845.

Petricola, sp., Gray, Ann. Philos. 1825.

Bornia, sp., Philippi, 1836; Desh. Exp. Alger.

Erycina (violacea), Scacchi, Cat. 6.

? Amphidesma, sp., Lamk. 1818.

Poronia (rubra), Hanley (Thorpe) Brit. Mar. Conch. 80.

Cycladina (Adansonii), Cantraine, 1830.

Poronia (Adansonia), Recluz, 1846.

Chama (Poron), Adanson, Senea.

1. Lasea Rubra.

Cardium rubrum, Mont. (not Reeve) T. B. 83. t. 27. f. 4; Linn. Trans. viii. 66; Wood, Gen. Conch. 213; Walker, T. M. rar. t. 3. f. 86; Dillw. Rec. Shells, i. 131; Turton, Brit. Faun. 153. no. 231.

Tellina rubra, Turt. Conch. Dict. 168.

Kellia rubra, Turt. Biv. 57 & 258. t. 11. f. 7, 8; Flem. Brit. An. 430; Thorpe, Brit. Mar. Conch. 51; Macgilliv. Moll. Aberd. 277; Hanley, Rec. Shells, 43; Supp. t. 9. f. 49; Forbes & Hanley, Brit. Moll. ii. 94. t. 36. f. 5-7, & t. O. f. 3 (animal). Poronia rubra, Recluz, Rev. Zool. 1843, 175; Thorpe, M. C. 25;

Chenu, Ill. Conch. Poronia, 3.

Lasæa rubra, Leach, MSS.; Brown, Ill. Conch. (1827), t. 20. f. 17-19.

Lesæa rubra, Brown, Ill. Conch. ed. 2. 93. t. 36. f. 17, 18.

Petricola rubra, Gray, Ann. Phil. 1825.

Bornia seminulum, Philippi, Sic. i. 14. t. 1. f. 16, ii. 11; Desh. Exp. Scien. Alger. Moll. t. 43. f. 8-11, & t. 43. A. f. 6-8, anatomy.

Erycina violacea, Scacchi, Cat. 6.

? Amphidesma nucleola, Lamk. v. 493.

Cycladina Adansonii, Cantr. Bull. Acad. Brux.

Cyclas australis, Lamk. Hist.

a-s. Ilfracombe. Presented by J. E. Gray, Esq.

t-x. Tynemouth.

y-a a. Whitby, Northumberland.

bb-ll. Mount Batten rocks.

2. Kellia.

Kellia (suborbicularis), Turt. Biv. 57, 1822; Flem. B. A. 409, 430. Chironia (Leperousii), Desh. Rev. Zool. 1839, 356; Wiegm. Arch. ii. 1840, 216; 1841, 280; Guérin, Mag. Zool. 1840, t. 12.

Tellimya, sp., Brown, Ill. Conch. G. B.

Bornia, sp. (inflata), Philippi, Sicil. i. 14. Mya, sp., Montagu, T. B.

Petricola, sp., Gray, Ann. Phil.

Erycina, sp. Recluz; Payrand. Moll. Cors.

Amphidesma, sp., Lamk. Hist.

Tellina, sp., Turton, Conch. Dict.

1. KELLIA SUBOREICULARIS.

Mya suborbicularis, Mont. T. B. 39. 564. t. 26. f. 6; Linn. Trans. viii. 41; Dillw. Rec. Shells, i. 55; Turton, Brit. Faun. 147.

no. 183.

Kellia suborbicularis, Turton, Biv. 57. t. 11. f. 5, 6; Flem. Brit. An. 430; Macgilliv. Moll. Aberd. 276; Lovèn, I. M. 44. 309; Thorpe, Brit. Mar. Conch. 51; Alder, Cat. North. Moll. 93; Ind. Test. t. 3. f. 37; Forbes & Hanley, Brit. Moll. ii. 87. t. 18. f. 9, 9 a & 9 b; t. O. f. 4, animal.

Petricola suborbicularis, Gray, Ann. Phil. 1825. Erycina suborbicularis, Recluz, Rev. Zool. 1844. Erycina Geoffroyii, Payr. Cors. 30. t. 1. f. 3-5.

Amphidesma physodes, Lam. fide Cab.

Tellina suborbicularis, Turt. Conch. Dict. 179.

Tellimya suborbicularis, Brown, Ill. C. t. 14. f. 14, 15, 2nd ed. 106, t. 42, f. 14, 15.

Tellimya tenuis, Brown, Ill. C. t. 14. f. 12, 13. Bornia inflata, Philippi, Moll. Sic. i. 14, ii. 11.

a-d. Northumberland.

e—h. Scotland.

2. KELLIA LACTEA.

Tellimya lactea, Brown, Ill. C. t. 14. f. 10, 11. Kellia lactea, Lovèn, I. M. 44. 310. ? Bornia inflata, Philippi, Sicil. 14. Hab. Devonshire coast, "Dr. Leach," fide Brown.

3. Cyamium.

Cyamium (antarcticum), Philippi, in Arch. Naturg. i. 50, 1845, and in Erichson, Arch. 1847, t. 3. f. 8; Herrmann. Ind. 336. Cyamium (minutum), Lovèn, Ind. Moll. 42, 306.

Lesæa (minuta), Möller, Ind. Moll. Græn. 20.

Montacuta (purpurea), Hanley, Thorpe's Brit. Mar. Conch.
Turtonia (minuta), Alder, Cat. Moll. North.; Forbes & Hanley,
Brit. Moll.

Mya, sp., Montagu, T. B.

Solen, sp., Fleming, B. A. Erycina, sp., Recluz, Rev. Zool.

Saxicava, sp., Brown, Ill. B. Conch.

1. Cyamium minutum.

Venus minuta, O. Fab. F. G. 412.

Mya purpurea, Montag. T. B. Supp. 21; Turt. Conch. Dict. 102; Wood, Gen. Conch. 100; Dillw. Rec. Shells, i. 46.

Erycina purpurea, Recluz, Rev. Zool. 1844, 329.

Solen purpurea, Fleming, Brit. An. 459.

Saxicava purpurea, Brown, Ill. C. ed. 2. 103 (not figures).

Turtonia minuta, Alder, Cat. North. Moll. 95; Forbes & Hanley, Brit. Moll. ii. 81. t. 18. f. 7, 7 a; t. O. f. 1 (animal).

Lesæa minutum, Möller, Ind. Moll. Gr. 20.

Montacuta? purpurea, Hanley, in Thorpe's Mar. Conch. 25. f.14 (note).

Cyamium minutum, Loven, I. M. 42. 306.

4. Montacuta.

Montacuta (substriata), Turton, Conch. Dict. 102, 1819; Bivalves,
 59, 1822; Lovèn, Ind. Moll. Skand. 43, 1846 (not Fleming,
 B. A. 285, 1828, nor Leach, 1825).

Tellimya (substriata), sp., Brown, Ill. Conch. G. B.

Ligula, part., Montagu, T. B.

Erycina, part., Recluz, Rev. Zool. 1844.

Petricola, part., Gray, Ann. Phil. 1825.

1. Montacuta substriata.

Montacuta substriata, Turt. Biv. 59. t. 11. f. 9, 10; Flem. Brit. An. 465; Forbes & Hanley, Brit. Moll. ii. 77. t. 18. f. 8, 8 a; t. O. f. 2, animal; Lovèn, I. M. 43. 308; Alder, Cat. North. & Durh. Moll. 96; Macgilliv. Moll. Aberd. 303; Thorpe, Brit. Mar. Conch. 51.

Ligula substriata, Mont. T. B. Supp. 25.

Mya substriata, Mont. T. B. 47; Turt. Conch. Dict. 103; Wood, Gen. Conch. 102; Dillw. Rec. Shells, i. 47.

Tellimya substriata, Brown, Ill. C. t. 16. f. 23. ed. 2. 107. t. 40. f. 23.

Erycina substriata, Recluz, Rev. Zool. 1844, 330.

? Sphænia costulata, Macgilliv. Moll. Aberd. 301; Thorpe, Brit. Mar. Conch. 245; Brown, Ill. Conch. G. B. 133.

a—i. Northumberland. Adheres to the spines of the oral surface of Spatangi.

2. Montacuta bidentata.

Mya bidentata, Mont. T. B. 44. t. 26. f. 5; Linn. Trans. viii. 41; Turt. Conch. Dict. 102; Brit. Faun. 147. no. 187; Wood, Gen. Conch. 99; Dillw. Rec. Shells, 45; Leach, Ann. & Mag. N. H. xx. 1847, 273.

Montacuta bidentata, Turt. Biv. 60; Flem. Brit. An. 465; Macgilliv. Moll. Aberd. 302; Thorpe, M. Conch. 52. f. 58; Forbes, M. G. S. i. 409. 21; Alder, Cat. North. & Durh. Moll. 95; Forbes & Hanley, Brit. Moll. ii. 75. t. 18. f. 6 & 6 a.

Petricola bidentata, Gray, Ann. Phil. 1825; Hanley, Rec. Shells, 54.

Erycina bidentata, Recluz, Rev. Zool. 1844, 331.

Tellimya bidentata, Brown, Ill. Conch. G. B. 107. t. 44. f. 8, 9. Anatina bidentata, Brown, Ill. C. t. 11. f. 8, 9.

3. Montacuta ferruginosa.

Mya ferruginosa, Mont. T. B. Supp. 22 & 126. t. 26. f. 2; Dorset Cat. 28; Turt. Conch. Dict. 102; Wood, Gen. Conch. 100; Dillw. Rec. Shells, i. 46; Ind. Test. t. 2. Mya, f. 19.

Mya ferruginea, Leach, Ann. & Mag. N. H. xx. 1847, 273. Montacuta ferruginosa, Turt. Biv. 60; Fleming, Brit. An. 465; Hanley, Rec. Shells, 40; Thorpe, Mar. Conch. 52. f. 16; Forbes & Hanley, Brit. Moll. ii. 72. t. 18. f. 5, 5 a & 5 b (as ferruginea).

& Hanley, Brit. Moll. ii. 72. t. 18. f. 5, 5 a & 5 b (as ferruginea). Poronia? ferruginosa, Jeffreys, Ann. & Mag. N. H. xix. 313. Tellimya elliptica, Brown, Ill. C. t. 14. f. 16–18. 2nd ed. t. 42. f. 19.

Tellimya elliptica, Brown, Ill. C. t. 14, f. 16–18. 2nd ed. t. 42, f. 19. ? Tell. glabra (var.), Brown, Ill. C. t. 14, f. 19. 2nd ed. 107. t. 42. f. 20, 21.

Tell. ovata, Brown, Ill. C. t. 14. f. 20, 21 (not 2nd edit.). Montacuta ovata, Thomp. Rep. Brit. Assoc. 1843, 262.

Erveina ferruginosa, Recluz, Rev. Zool. 1844, 332.

Montacuta oblonga (young), Turt. Brit. Biv. 61. t. 11. f. 11, 12; Flem. Brit. An. 465; Thorpe, Brit. Mar. Conch. 52; Macgilliv. Moll. Aberd. 302.

Montacuta glabra, Macgilliv. Moll. Aberd. 303; Thorpe, Brit. Mar. Conch. 245.

a-c. Plymouth Sound. Mus. Mont.

Fam. 11. LEPTONIDÆ.

Leptonidæ, Gray, Proc. Zool. Soc. 1848, 193. Lasiadæ, part., Gray, Syn. B. M. 1842, 79, 91. Kelliadæ, part., Forbes & Hanley, Brit. Moll. ii. 1849. Tellinina, part., Macgilliv. Moll. Aberd. 214.

1. LEPTON.

Lepton (squamosus), Turton, Bivalves, 62, 1822 (not Plin.); Flem. B. A. 409, 429; Swains. Malac. 366; Conrad, Foss. Tert. Form. 19, 1840; Forbes & Hanley, Brit. Moll. ii. 97. Mactra, sp., Montagu, T. B.

1. LEPTON SQUAMOSUM.

Solen squamosus, Mont. T. B. 565; Turt. Dict. 164; Brit. Faun. 149. no. 197; Linn. Trans. viii. 48; Wood, Gen. Conch. 140; Dillw. Rec. Shells, i. 70; Leach, Ann. & Mag. N. H. xx. 1847, 273.

Lepton squamosum, Turt. Biv. 62. t. 6. f. 1-3; Flem. Brit. An. 429; Thorpe, Brit. Mar. Conch. 49; Brown, Ill. Conch. G. B. 111. t. 40. f. 7; Sow. Conch. Man. f. 62; Forbes & Hanley, Brit. Moll. ii. 98. t. 36. f. 8, 9; t. O. f. 6, animal.

Mactra squamosa, Gray, Ann. Phil. 1825.

Psammobia punctura, Brown, Ill. C. G. B. t. 16. f. 7.

Lutraria squamosa, Hanley, Rec. Shells, i. 28, Supp. t. 9. f. 47. Lepton squammeux, Chenu, Traité Elém. 47. f. 148.

a. Weymouth.

2. LEPTON NITIDUM.

Lepton nitidum, Turton, Biv. 63; Flem. Brit. An. 429; Thorpe, Brit. Mar. Conch. 49; Macgilliv. Moll. Aberd. 278; Brown, Ill. Conch. G. B. 111.

Lepton squamosum jun.?, Jeffreys, Ann. N. H. xx. 19.

Kellia nitida, Forbes & Hanley, Brit. Moll. ii. 92. t. 36. f. 3, 4.
Inhab. Torbay, Turton. Bantry Bay, Lyons. Island of Skye, Jeffreys.

3. LEPTON CONVEXUM.

Lepton convexum, Alder, Cat. North. & Durh. Moll. 93; Forbes & Hanley, Brit. Moll. ii. 102. t. 36. f. 10.

Inhab. Cullercoats, Alder. Bantry Bay, M'Andrew.

Fam. 12. SAXICAVIDÆ.

Saxicavidæ, Gray, Syn. B. M. 1840; 1842, 79, 91; Proc. Zool. Soc. 1848, 193; Rev. Zool. 1844, 408.

Saxicavidæ, part., Swainson, Elem. Conch. 1835; Malac. 375, 1840.

Les Lithophages and Les Cardiacées, part., Lamk. Cour. 106, 1812.

Les Lithophages, part., and Les Cardiacées, part., Lamk. Hist. v. 501, vi. 29, ed. 2. vi. 147, 385.

Pyloridea, part., Blainv. Dict. Sc. Nat.; Rang, Man. Moll. 322. Gastrochænidæ, part., Forbes & Hanley, Brit. Moll. i. 136, 1848.

Solenaceæ, part., Lamk. Phil. Zool. 1809.

Pholadiadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272. Pholidaria, part., Rafin. Anal. Nat. 1815.

Solenacea, part., Alton, Verz. Conch. 12.

Pholades, part., Féruss. Prod. 45.

Lithophaga, part., Menke, Syn. 118.

Solenina, part., Macgilliv. Moll. Aberd. 217.

Saxicavina, part., Agassiz, Nomencl.

Pholadidæ?, part., *Leach*, *Ross's Voy. Baffin's Bay*, 174, 1819. Biapholus, *Leach*, *MSS*. 1818, *Ann. & Mag. N. H.* xx. 1847, 272.

1. Saxicava.

Saxicava, Fleuriau de Bellevue, Bull. Soc. Philom. no. 62, 1802; Journ. Phys. liv.; Schweiger, Naturg. 700, 1820; Blainv. Malac. 571; Sow. Gen.; Lamk. Phil. Zool. 1809; Ext. du Cour. 1812; Hist. A. s. V. v. 501, ed. 2. vi. 150; Rang, Man. Moll. 333; Forbes & Hanley, Brit. Moll. i. 137.

Rhombus, Blainv. Dict. Sci. Nat. x. 1818 (not Montf. &c.).

Rhomboides, Blainv. Dict. Sci. Nat. xxxii. 355, 1824; Man. Malac. 573, 1825; Rang, Man. Moll. 335; Menke, Syn. ed. 2.118. Pholeobia (rugosa), Leach, Journ. Phys. 1819, lxxxviii.; Ross, Voy. Arctic Reg. 174; Isis, 1820, 130.

Pholeobius, Sow. Man. ed. 2. 225 (misprint).

Byssomya (Pholadis), Cuvier, R. A. iii. 1817, ed. 2. 1830; Rang, Man. Moll. 334.

Byssomia, Desh. Enc. Méth. iii. 553 (misprint). Byssomia, Blainv. D. S. Nat. v. 158 (misprint).

? Clotho (), Faujas St. Fond, Ann. Mus. xi. 384, 1807; Defrance, Dict. Sci. Nat. ix. 421; Blainv. Malac. 561; united to Saxicava, Desh. E. M. ii. 247, 1830.

Glycymeris, Schum. N. Syst. 1817 (not Lamk.).

Chamæpholas, Lister, Conch.

Hypogæa and Hypogæoderma (barbata), part., Poli, Test. Sicil.

Cardita, part., Brug. E. M. 1791.

Biapholus, sp., Leuch, MSS. 1818, Ann. & Mag. N. H. xx. 272. Corbula, part., Bolten. Mus.

Cyrtodaire, part., Daudin, Bull. Soc. Phil. 1798.

Irus, part., Oken, Lehrb. iii. 1815. Mya, sp., Fab. Faun. Græn.

1. Saxicava rugosa.

Mytilus rugosus, Penn. B. Z. ed. l. iv. 94. t. 63. f. 72, ed. 1812. t. 66. f. l; Pult. Hutch. Dors. 37; Dors. Cat. 39. t. 13. f. 5; M. & R. Linn. Trans. viii. 105. 270. t. 6. f. 3, 4; Mont. T. B. 164; Dillu. R. S. i. 304; Wood, Cat. t. 12. f. 9; Donov. B. S. iv. 141; Turt. Conch. Dict. 113; Brit. Faun. 164. no. 311.

Mytilus Pholadis, Linn. Mantissa?, 548; Müller, Zool. Dan.

t. 87. f. 1, 2, 3.

Saxicava rugosa, Lamk. Hist. ed. 2. vi. 152; Turt. Biv. 20. t. 2.
f. 10; Sow. Gen. f. 2, 3, 4; Forbes & Hanley, Brit. Moll. i.
146. t. 6. f. 7, 8. t. F. f. 6; Rang, Man. Moll. 333 (animal);
Macgilliv. Moll. Aberd. 285; Brown, Ill. C. G. B. 103. t. 47.
f. 14-16; Crouch, Int. Conch. t. 5. f. 3; Reeve, Conch. Icon. i.
t. 50. f. 2, 3, 4; Hanley, Rec. Shells, 50.

Hyatella rugosa, Flem. B. A. 461; Thorpe, Brit. Mar. Conch. 58. Rhomboides rugosus, Blainv. Man. 573.

Mya byssifera, O. Fab. Faun. Græn. 408.

Pholeobia rugosa, Leach, Ross's Voy. Baffin's Bay, 174, 1819; Journ. Phys. 1819, lxxxviii. 465; Brown, Ill. C. G. B. t. 9. f. 15. Biapholus rugosus, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

Sax. gallicana, Lamk. Hist. ed. 2. vi. 152; Deless. Rec. t. 4. f. 9; Desh. Elem. Conch. t. 12. f. 1-3; Hanley, Rec. Shells, Supp. t. 9. f. 5.

Sax. Pholadis, Lamk. Hist. ed. 2. vi. 152; Turton, Dithyra Brit. 21. t. 2. f. 11; Hanley, Rec. Shells, 50.

Mya rustica, *Brocchi*. Sax. rustica, *Bronn*.

Saxicava distorta, Say; Gould, Invert. Mass. 61. f. 40.

Byssomya pholadis, Bowdich, Bivalves, f. 43.

Byssomia (), Cuvier, R. A.; Rang, Man. Moll. 334. Hiatella oblonga, jun., Turton, Dithyra Brit. 25. t. 2. f. 13.

Rhomboides (rugosus), Blainv. Man. Malac.; Rang, Man. Moll. 335.

Saxicave ridée, Chenu, Trait. Elem. 58. f. 197, 198. List. Ang. t. 4. f. 21; Conch. t. 426. f. 267.

a—s. Britain.

t-v. Ditto. Presented by Mrs. Robinson.

w, group in situ. Falmouth. Presented by W. P. Cocks, Esq. x, jun. Ilfracombe. Presented by J. E. Gray, Esq.

VAR.

Saxicava, n. s.?, Forbes & Hanley, Brit. Moll. i. 149. t. 6. f. 1-3. Inhab. Isle of Wight, Hanley.

2. HIATELLA.

Hiatella, Daudin, Rec. Mem. Moll. Paris, 1800, & in Bosc, Hist. Nat. Coq. iii. 120, 1802; Roissy, Moll. vi. 385, 1805; Lamk. Extr. Cour. 1812; Hist. v. 29, ed. 2. vi. 442; Cuvier, R. A. iii. 1817; Blainv. Malac. 573; Rang, Man. 335, 1829; Gray, Rev. Zool. 1846, 419; Turton, Bivalves, 24.

Hyatella, Féruss. Prod. 45; D'Orb.; Desh. E. M. iii. 271, 552. Didonta, Schum. Essai, 125, 1817.

Diodonta, Herrmannsen, Ind. 388.

Pholeobia, sp., Brown, Ill. Conch. G. B.

Biapholus, sp., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272. Solen, sp., Linn. S. N. 1114; Lamk. Hist. v. 453, ed. 2. vi. 57;

Spengler, Skrivt. N. S. Cardita, sp., Brug. Ency. Méth.

Donax, sp., Poli, Test. Sicil. Anatina, sp., Turton, Bivalves.

Rhomboides, part., Blainv. Malac. 573.

Biapholus (minutus), Leach, Ross's Arctic Voy.

Biapholius (spinosus), "Leach," in Lamk. Hist. v. 453, 1818, ed. 2. vi. 57; Blainv. Malac. 574, 1825.

Biopholeus, Herrmannsen, Index, 111.

1. HIATELLA MINUTA.

Solen minutus, Linn. S. N.1114; Chemn. Conch. Cab. vi. 67. t. 6. f. 51, 52; M. & R. Linn. Trans. viii. 47; Turton, Conch. Dict. 161; Brit. Faun. 148. no. 195; Lamk. A. s. V. ed. 2. vi. 57; Mont. T. B. 53. t. 1. f. 4; Spengler, Skrivt. N. S. iii. part 2.113; Wood, G. Conch. 139. t. 34. f. 5, 6; Cat. t. 3. f. 33; Dillw. R. S. i. 69; Brown, Ill. C. t. 13. f. 1.

Hiatella minuta, Turt. Biv. 24. t. 2. f.12; Brown, Ill. Conch. 103.

t. 47. f. 1-16.

Mya arctica, Linn. S. N. 1113; Müller, Prod.; O. Fab. F. G. 407; Turton, Conch. Dict. 184.

Cardita arctica, Brug. Enc. Méth.

Hiatella arctica, Daud. Rec. Mem. Moll. Paris; Thorpe, Brit. M. Conch. 59; Bowdich, Conch. Biv. f. 40; Crouch, Int. Conch. t. 8. f. 6; Cuv. R. A. ed. Croch. t. 110. f. 1; Lamk. Hist. ed. 2. vi. 443; Flem. B. A. 461; Hanley, Rec. Shells, 150.

Anatina arctica, Turton, Biv. 49. t. 4. f. 7, 8; Brit. Mar. Conch.

42.

Chama aculeata, Ström.

Donax rhomboides, Poli, Test. Sicil. t. 15. f. 12, 15.

Saxicava rhomboides, Desh. in Lamk. H. A. s. V. ed. 2. vi. 153. Biapholus spinosus, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Lamk. Hist. ed. 2. vi. 57.

Mytilus præcisus, Mont. T. B. 165. t. 4. f. 2; Linn. Tr. viii. 112;

Dillw. Rec. Shells, 305.

Pholeobia præcisus, Brown, Ill. C. t. 9. f. 16.

Saxicava arctica, Philippi, Sic. i. 20. t. 3. f. 3, & ii. 19; Desh. Elem. Conch. t. 12. f. 8, 9; Lovèn, Moll. Suec. 40; Forbes & Hanley, Brit. Moll. 141. t. 6. f. 4-6.

Agina purpurea, Turt. Biv. 54. t. 4. f. 9; Brit. Mar. Conch. 60. Solen purpureus, Fleming, Brit. An. 459.

Saxicava purpurea, Brown, Ill. Conch. t. 42. f. 30, 31.

Saxicava purputea, Brown, 16. Concell to 12. 1. 60, 91.
2 Saxicava sulcata, Smith, Mem. Wern. viii.; Forbes, M. G. S. i.
410. 24.

Hiatelle, Chenu, Traité élément. 58. f. 206.

Saxicava rubra, Desh. Exp. Algérie, Moll. t. 66. f. 18, 19.

Saxicava rhomboides, Desh. Lamk. Hist. ed. 2. vi. 153.

Hypogæa gibba and Hypogæoderma rhomboidea, *Poli*, ii. 251, 257.

a-o. Firth of Forth.

p-t. Scotland.

u (Mytilus precisus). Britain. (Mus. Mont.?)

Order III. GONIOPODA.

Goniopoda, Gray, Syn. B. M. 1840; 1842, 79, 91; Proc. Zool. Soc. 1848, 193.

Phyllopoda, part., Gray, Med. Repos. 1821, 237.

Ostracés (Arcacés), Féruss. Prod. 42.

Mytilacés, Cuvier, R. A.; Féruss. Prod. 39.

Cardiacés, part., Cuv. R. A.; Féruss. Prod. 39.

Cardia, part., Eichw. Zool. Spec. i. 280.

Mytilacea, Menke, Syn. 104.

Cardiacea, Menke, Syn. 109.

Fam. 1. ASTARTIDÆ.

Astartidæ, Gray, Proc. Zool. Soc. 1848, 194.

Astartidæ, part., D'Orb. Pal. Franç. 1845; Geinitz, Grund. 427,

1846.

Carditacea, part., Roemer, de Astarte, 1842; Leonh. Jahrb. 1843, 58.

Crassinidæ, Gray, Syn. B. M. 1840; 1842, 80, 91.

Les Nymphacées, part., Lamk. Hist. v. 509, ed. 2. vi. 165.

Veneracea, part., Alton, Verz. Conch. 12.

Conchacés, § 2, part., Rang, Man. Moll. 302.

Crassatellæ or Crassatelles, part., Féruss. Prod. 42, 1821.

Mytilacés, part., Goldfuss; Schweiger.

Venerina, part., Macgilliv. Moll. Aberd. 210.

Veneridæ, Leach, in Ross's Voy.

Psammobiadæ, part., Flem. B. A. 439, 1828.

Crassatellaceæ, part., Menke, Syn. 65, 1828.

Crassatellacea, part., Menke, Syn. ed. 2. 108, 1830.

? Mactradæ, part., Fleming, B. A. 409.

Mactrina, part., Macgilliv. Moll. Aberd. 218.

Cycladea, part., Möller, Isis, 1832, 135.

Veneriadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272, 1847.

Cyprinidæ, part., Forbes & Hanley, Brit. Moll.

1. ASTARTE.

Astarte (Danmoniensis), J. Sow. Min. Conch. t. 137, 1816; Lajonkaire, Monog. 1823; Scacchi, Osserv. Zool. 1833; Flem.
B. A. 409, 439; Rang, Man. 314; Philippi, Moll. Sicil. i. 38,
ii. 29; Wiegm. Arch. 1839, i. 125; Abbild. ii. 55, 60; D'Orb.
Pal. Franç. 1845; Forbes & Hanley, Brit. Moll. i. 450.

Crassina (Danmoniensis), Lamk. Hist. Nat. v. 554, 1818, ed. 2.
vi. 255; Féruss. Tabl. Syst. 42, 1821; Blainv. Mal. 557;

Cuvier, R. A. iii.; Swainson, Mal. 372.

Goodallia (triangularis), Turton, Bivalves, 77, 1822; Flem. B. A. 409, 429, 1828; Recluz, Rev. Zool. 1844, 246.

Mactrina (triangularis), Brown, Ill. Conch. G. B. 1827 (not Milne-

Edwards, &c.).

Nicania (Banksii), Leach, Journ. Phys. 1819, lxxxviii. 465, in Ross's Voy. Baffin's Bay, ii. 176, 1819; Isis, 1820, 130; Gray, Parry's Voy.; Blainv. Malac. 558.

Venus, § 2, Blainv. Malac. 558, 1825.

Maetra, sp., Montagu, T. B.; Leach, MSS. 1818. Venus, sp., Montagu, T. B.; Leach, MSS. 1818.

Tellina, sp. (), Poli, Test. Sicil.

Cypricardia, sp. (modiolaris), Lamk. Hist. 1819.

Peronea, sp., Poli, Test. Sicil.

1. ASTARTE SULCATA.

Pectunculus sulcatus, Da Costa, Brit. Conch. 192 (1778).

Pectunculus truncatus, Da Costa, B. C. 195?

Venus borealis, part., Chemn. vii. 26. t. 39. f. 413.

Venus Danmonia, Mont. T. B. Supp. 45. t. 29. f. 4 (1808); Dillw.
 Rec. Shells, i. 167; Ind. Test. t. 7. f. 21; Leach, Ann. & Mag.
 N. H. xx. 272.

Crassina danmoniensis, Lamk. Hist. ed. 2. vi. 257; Crouch, Intr. Conch. t. 6. f. 7; Thorpe, M. C. 80; Brown, Ill. Conch. G. B.

95. t. 38. f. 1; Delessert, Rec. Coq. t. 7. f. 1.

Astarte Danmoniensis, Sow. Gen. Shells, Astarte, f. 1-3; Lovèn, I. M. 36, 272; Flem. Brit. An. 440; Macgilliv. Moll. Aberd. 258; Forbes, M. G. S. i. 412. 39; Reeve, Conch. Syst. t. 66. f. 1-3; Sow. Conch. Man. f. 110.

Venus sulcata, Turt. Conch. Dict. 235.

Crassina sulcata, Turt. Biv. 131. t. 11. f. 1, 2; Hanley, Recent

Shells, i. 87.

Astarte sulcata, Flem. B. A. 439; Macgilliv. Moll. Aberd. 250; Thorpe, Brit. Mar. Conch. 247; Philippi, Abbild. und Bes. ii. 56, Astarte, t. 1. f. 4; Forbes & Hanley, Brit. Moll. i. 452. t. 30. f. 6; t. M. f. 5, animal.

Astarte vulgaris, Jeffreys, Conch. Mag. 44.

Crassine crassatellée, Chenu, Traité Elem. f. 232, 233.

a-p. British.

q. Dublin Bay. Presented by T. Warren, Esq.
r. Falmouth. Presented by W. P. Cocks, Esq.

s-x. Northumberland.

VAR. 1. Margin quite entire.

Venus Scotica, M. & R. Linn. Trans. (1807) viii. 81. t. 2. f. 3; Mont. T. B. Supp. 44; Turt. Conch. Dict. 236; Brit. Faun. 159. no. 278; Lamk. Hist. 2nd ed. vi. 360; Dillw. Rec. Shells, i. 167; Ind. Test. t. 7. f. 20; Leach, Ann. & Mag. N.H. xx. 272. Astarte Scotica, Flem. Brit. An. 440; Lovèn, I. M. Skand. 36. no. 273; Macgilliv. Moll. Aberd. 258; Philippi, Abbild. und Bes. ii. 56, Astarte, t. 1, f. 3.

Crassina Scotica, Leach, Ross's Voy. 175; Turt. Biv. 130. t. 11. f. 3, 4; Thorpe, Brit. M. Conch. 79; Brown, Ill. C. t. 18. f. 9, 2nd ed. 95. t. 38. f. 9; Hanley, Rec. Shells, i. 87.

Astarte pallida, Jeffreys, Conch. Mag. 44.

Ast. Danmoniensis, junior var., Forbes, M. G. S. i. 412. 39.

a-l. British.

m-p. Scotland (under name of A. semisulcata). $q-\bar{v}$. Scotland.

2. ASTARTE CREBRICOSTATA.

Astarte crebricostata, M'Andrew & Forbes, Ann. N. H. 1847, xix. 98. t. 9. f. 4; Jeffreys, Ann. & Mag. N. H. xix. 314; Forbes & Hanley, Brit. Moll. i. 456. t. 30, f. 9.

Inhab. Isle of Skye. Messrs. M'Andrew & Jeffreys.

3. ASTARTE ELLIPTICA.

Crassina elliptica, Brown, Ill. Conch. 96. t. 38. f. 3; Thorpe, Brit. Mar. Conch. 246. f. 107 (not well); Hanley, Rec. Shells, Supp. t. 14. f. 36; Forbes, M. G. S. i. 412, 38.

Astarte elliptica, Macgilliv. Moll. Aberd. 259; Forbes & Hanley,

Brit. Moll. i. 459. t. 30. f. 8.

Crassina ovata, Brown (not Smith), Edinb. Journ. N. & G. Sc. i. 12. t. 1. f. 8, 9; Ill. Conch. G. B. 96, t. 35, f. 12, 13.

Crass. depressa, Brown, Ill. Conch. t. 18. f. 2; Macgilliv. Moll.

Aberd. 260.

? C. semisulcata, Jeffreys, MSS. Conch. Mag. 44 (not Leach, Ross's Voy.); Loven, Ind. Moll. Skand. 37 (from type); Möller, Ind. Moll. Gran. (from type); Philippi, Abbild, and Bes. ii. 57, Astarte, t. 1. f. 10.

C. Gairensis, Nichol, MSS.

C. sulcata, Nilsson (not Maton, Turton, nor Lamk.), Nov. Act. Holm. 1822, 187. t. 2. f. 1, 2.

Astarte semisulcata, Lovèn, 37. 274.

a (Crassina Gairensis, Nichol). Loch Gair. Presented by W. Nichol, Esq.

4. ASTARTE SEMISULCATA.

Crassina semisulcata, Leach, in Ross's Voy. App. 175, not Lovèn. C. arctica, Gray, Append. Parry's Voy. (from types); Hanley, Rec. Shells, i. 88.

Astarte borealis, Philippi, Abbild. und Bes. ii. 58, Astarte, t. 1. f. 11; M'Andrew & Forbes, Ann. N. H. 1847, xix. 98; Forbes, M. G. S. i. 412, 37.

Venus borealis, Chemn. (not Linn.) Conch. Cab. vii. t. 39. f. 412 (fide Loven).

Venus compressa, Mont. Test. Brit. Supp. (not descr.) t. 26,

lower f. 1, 1.

Crassina borealis, Nilsson, Nov. Act. Holm. 1822, 188. t. 2. f. 3, 4; Philippi, Abbild. Astarte cyprinoides, Duval, Rev. Zool. 1841, 278; Hanley, Rec.

Shells, Supp. t. 14. f. 40.

A. plana, Sow. M. C. t. 179. f. 2.

Astarte compressa, Macgilliv. Moll. Aberd. 261; Thorpe, Brit. Mar. Conch. 247.

Crassina Withami, Brown & Smith, Wern. Mem. viii. t. 1. f. 24,

Crassina compressa, Brown, Ill. Conch. G. B. 96. t. 38. f. 4, 5.

Crassina corrugata, Brown, l. c. 96. t. 40. f. 24.

Astarte corrugata, Lovèn, Ind. Moll. Skand. 37 (from type). Astarte arctica, Forbes & Hanley, Brit. Moll. i. 461. t. 30. f. 7. a (single dead valve). Scotland. Dr. Fleming.

5. ASTARTE COMPRESSA.

Venus compressa, Mont. T. B. Supp. 43. t. 26. f. 1. Cyprina compressa, Turt. Biv. 137. t. 11. f. 22, 23.

Astarte compressa, Flem. B. A. 440 (not Macgilliv.); Forbes, M. G. S. i. 413. 41; Forbes & Hanley, Brit. Moll. i. 464. t. 30. f. 1-3.

Crassina compressa, Thorpe, Brit. Mar. Conch. 80.

Venus Montagui, Dillw. R. S. i. 167; Turt. Conch. Dict. 243: Ind. Testac. t. 7. f. 19.

Crassina Montagui, Gray, Ann. Phil. 1825, 136; Hanley, Rec. Shells, i. 88.

Venus montacuta, Turt. C. Dict. 243.

Astarte multicostata, Macgilliv. Aberd. 260 (not Smith, Wern. M.); Philippi, Abbild. und Besch. ii. 59, Astarte, t. 1. f. 8.

Crassina obliqua, Brown, Ill. C. t. 18. f. 6. Crassina convexiuscula, Brown, Ill. C. t. 18. f. 7.

Astarte striata, Brown, Ill. C. t. 18. f. 8, ed. 2.96. t. 38. f. 6-8; Lovèn, Ind. Moll. Skand. 37.

A. angulata, Woodward, Geol. Norf.

Astarte Banksii, Lovèn (not Leach nor Hanley), Ind. Moll. Skand. 38 (from specimens).

a—e. Oban and Inverary. f—h. Scotland.

i (Crassina obliqua, Brown). Firth of Forth. j(Crassina convexiuscula, Brown). Firth of Forth.

k-a. Coast of Northumberland.

r, s. Cullercoats, Northumberland. Presented by J. Fryer, Esq.

t. Firth of Forth (Astarte striata, Brown).

u-z, var. Oban.

 $a\ a,\ b\ b$. Berwick on Tweed. Presented by Dr. George Johnston.

cc-n n. Firth of Forth.

o o—r r, var.? Hebrides. Presented by R. M'Andrew, Esq. s s—w w (Crassina triangularis). Britain.

6. ASTARTE STRIATA.

Nicania striata, Leach, Ross's Voy. App. 170 (1819).

Crassina striata, Gray, Zool. Beechey's Voy. t. 44. f. 9 (fide spec.). (? Astarte) striata, Möller (not Sowerby, 1822); Lovèn, I. M. 37. 276.

Astarte multicostata, Smith, Wern. Mem.; Macgilliv. Moll. Aberd. 260; Philippi, Abbild. ii. 59. t. 1. f. 8.

Cyprina compressa, Turton, Biv. 137 (not Montagu).

Astarte pulchella, Jon. Inhab. ——?

7. Astarte triangularis.

Mactra triangularis, Mont. T. B. 99. t. 3. f. 5; Ind. Test. t. 6, Mactra, f. 28; Leach, Ann. & Mag. N. H. xx. 273; Mat. & Rack. Linn. Trans. viii. 72; Turt. Conch. Dict. 82; Brit. Faun. 155. no. 245; Dillw. Rec. Shells, i. 143.

Goodallia triangularis, Turt. Biv. 77. t. 6. f. 14; Flem. B. A. 429; Macgilliv. Moll. Aberd. 290; Thorpe, Brit. Mar. Conch. 49.

Crassina triangularis, Gray, Ann. Phil. 1825.

Mactrina triangularis, Brown, Ill. C. t. 16. f. 25, ed. 2. 108. t. 40. f. 25.
Astarte triangularis, Jeffreys, Ann. N. H. viii. 166; Forbes &

Hanley, Brit. Moll. i. 467. t. 30. f. 4, 5.
Mactra minutissima, Mont. T. B. Supp. 37; Turt. Conch. Dict.

83; Dillw. Rec. Shells, i. 143.

Goodallia minutissima, Turt. Biv. 77. t. 6. f. 15; Flem. B. A. 429; Macgilliv. Moll. Aberd. 290; Thorpe, Brit. Mar. Conch. 50. Crassina minutissima, Gray, Ann. Phil. 1825.

Mactrina minutissima, Brown, Ill. C. ed. 2.108. t. 42. f. 25, 26.

a—d (Mactra triangularis). Britain. Mus. Mont.?

e-m. Scotland.

n—*t*. Britain.

u-z. Hebrides. Presented by R. M'Andrew, Esq.

Fam. 2. GLOSSIDÆ.

Glossidæ, Gray, Proc. Zool. Soc. 1848, 195.

Glossus or Glossoderma, Poli, Test. Sicil.

Isocardiadæ, Gray, Syn. B. M. 1840; 1842, 80, 91.

Les Cardiacées, part., Lamk. Cours, 106, 1812; Hist. vi. 30, ed. 2. vi. 385.

Bucardes ou Cardiacés, part., Féruss. Prod. 43.

Cardiacea, part., Menke, Syn. 109; Alton, Verz. Conch. 12.

Camacés, § 2, Rang, Man. Moll. 300.

Veneridia Isoperia, Rafin. 1815.

Veneriadæ, part., *Leach, MSS.* 1818, *Ann. & Mag. N. H.* 1847, xx. 272.

1. Glossus.

Glossus or Glossoderma (Cor), Poli, Test. Sicil.ii. 114, 253, 1795;
Oken, Zool. 1815; Blainv. D. S. N. xix. 74; Gray, P. Z. S. 1848, 195.

Isocardía (Cor), Lamk. Prod. 1799 (not Klein, 1753), Syst. 118, 1801; Phil. Zool. 1809; Hist. vi. 30. 1819, ed. 2. vi. 443; Cuvier, Anat. Comp. 1800; Règn. Anim.; Roissy, Moll. vi. 381; Desh. E. M. iii. 321; Flem. B. A. 408, 419; Swains. Malac. 374; Leach, Ann. & Mag. N. H. xx. 272; Forbes & Hanley, Brit. Moll. i. 472.

Isocardium, Risso, Eur. Merid. iv. 331; Blainv. Malac. 545. Bucardium (Cor), Muhlf. Entw. 52. 1811, not D'Argenv. 1757. Bucardia, Lister, Coch. Ang. 1678.

Concha cordiformis, Gualter.

Cardita, sp. (Cor), Brug. E. M. i. 403. Trapezium, sp., Humph. Mus. Calonn.

1. GLOSSUS COR.

Cardium humanum, Linn. S. N. ed. 10. 682.

Chama Cor, Linn. S. N. ed. 12, 1137; Mus. Ulric. 516; Chemn. Conch. Cab. vii. t. 48. f. 483; Mont. T. B. 134, 578, Supp. 50; Dillw. Rec. Shells, i. 212; Don. B. Shells, iv. t. 134; Laskey, Mem. Wern. Soc. i. t. 8. f. 7; Turt. Conch. Dict. 32. t. 17; Brit. Faun. 160. no. 281; Brown, Mem. Wern. Soc. ii. 511 & 535; Ind. Test. t. 9, Chama, f. 1; Born, Mus. Cæs. 80; Poli, Test. Sic. ii. 213. t. 23. f. 1-3.

Isocardia Cor, E. M. t. 232. f. 1; Lamk. Hist. A. s. V. v. 2nd ed. vi. 445; Turton, Biv. 193. t. 14; Desh. Enc. Méth. Vers, ii. 321, & Elem. Conch. t. 23. f. 10, 11; Reeve, Conch. Syst. t. 78. f. 1, 2; Hanley, Rec. Shells, i. 150. t. 9, Chama, f. 1; Thorpe, Brit. Mar. Conch. 100; Blainv. Man. Malac. t. 69. f. 2; Crouch. Introd. Conch. t. 8. f. 7; Flem. Brit. An. 419; Bulwer, Zool. Journ.

ii. 258; Supp. t. 15 (animal); Sow. Gen. Shells, Isocard. f. 1, 2; Philippi, Moll. Sic. i. 56 & ii. 41; Brown, Ill. C. G. B. t. 23, 24, 2nd ed. 86. t. 30. f. 9, t. 30*. f. 5; Leach, Ann. & Mag. N. H. xx. 1847, 272; Lovèn, I. M. 36; Forbes & Hanley, Brit. Moll. i. 472. t. 34. f. 2; t. N. f. 6 (animal).

Cardita Cor, Bruguière, Enc. Méth. Vers, i. 403.

Glossus rubicundus=Glossoderma Cor, Poli, ii. 253, 258.

Isocardia Hibernica, Bulwer, Zool. Journ.; Reeve, Conch. Icon. Isocard. t. 1. f. 4.

Lister, Hist. Conch. t. 275; Gualtieri, Ind. Test. t. 71. f. E; Ginanni, Op. post. ii. t. 19. f. 129; Knorr, Delic. des Yeux, pt. vi. t. 8. f. 1.

a. Bantry Bay. Presented by S. Drummond, Esq. b, c. Falmouth. Presented by W. P. Cocks, Esq.

d. Cork. Presented by Miss Elliot.

e. Dublin Bay. Presented by J. Warren, Esq.

f. North Foreland. Mus. Mont.

Fam. 3. LUCINIDÆ.

Lucinidæ, Gray, Syn. B. M. 1840; 1842, 80, 91; Proc. Zool. Soc. 1848, 195; Rev. Zool. 1844, 449; D'Orb. Moll. Canar. 1837; Pat. Franç. 1845; Forbes & Hanley, Brit. Moll. ii. 41.

Lucinadæ, Fleming, B. A. 409, 441, 1828.

Loripes or Loripoderma, Poli, Test. Sicil.

Les Mactracées, part., and Les Conques, part., Lamk. Cours, 107, 1812.

Les Nymphacées, part., Lamk. Hist.v. 509, ed. 2. vi. 165; Féruss. Prod. 43.

Conchacés, § 2, part., Rang, Man. Moll. 302.

Nymphacea, part., Menke, Syn. 111.

Lucinacea, part., Alton, Verz. Conch. 12, 1839.

Tellinina, part., Macgilliv. Moll. Aberd. 215.

Lucineæ (Les Lucines), Desh. Ency. Méth. iii. 1830; Herrmannsen, Ind. 630.

Veneriadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

1. LUCINA.

Lucina (Jamaicensis), Brug. E. Méth. t. 284, 1792 (not Meigen);
Lamk. Prod. 1799; Syst. A. s. V. 124, 1801; Ann. Mus. vii.
236; Phil. Zool. 1809; Hist. A. s. V. v. 538, ed. 2. vi. 219;
Cuvier, R. A. 1817; Sow. Gen.; Flem. B. A. 441, 1828; Blaino.
Malac. 550, 1825; Rang, Man. 308; Desh. E. M. iii. 371;
D'Orb. Moll. Canar.; Swainson, Malac. 371; Valenc. Comptes
Rendus, xx. 23, 1845; Ann. & Mag. N. H. xvi. 41; Forbes &
Hanley, Brit. Moll. ii. 43.

Phacoides (Jamaicensis), Blainv. Malac. 1825.

Lucina (Pensylvanica), Schum. Essai, 164, 1817.

Tridonta (borealis), Schumach. Essai, 146, 1817; Schmidt. Mus. Goth.; Möller, Isis, 1822, 135.

Triodonta (borealis), Agassiz, Nomenclat.

Thyatira (lactea), Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 372.

Thiatira (spuria), Leach, MSS. 1819.

Thiatyra (spuria), G. Sow. Man. Moll.

Strigilla (divaricata), Turton, Bivalves, 117.

Strigella divaricata, Gray, Syn. B. M. 1842, 91; Proc. Z. S. 1847, 195 (misprint).

Cyrachæa (spinifera), Leach, MSS. 1818, Ann. & Mag. N. H.

xx. 1847, 272.

Cyrachnæa (spinifera), Leach, MSS. 1819; Gray, Ann. & Mag.

N. H. 1848; Proc. Z. Soc. 1847, 195 (misprint).

Myrtea (spinifera), Turton, Bivalves, 133, 1822; Flem. B. A. 443; Philippi, Moll. Sicil. ii. 25; G. Sow. Man. ed. 2. 197. Ortygia, sp. (spinifera), Brown, Ill. Conch. G. B.

* TRIODONTA.

1. LUCINA BOREALIS.

Venus borealis, Linn. S. N. ed. 12. 1134. no. 143 (not Syn.); Donov. B. S. iv. t. 130.

Tellina radula, Mont. T. B. 68. t. 2. f. 1, 2-567; Wood, Gen. Conch. 183. t. 42. f. 4, 5; Linn. Trans. viii. 84; Turt. Conch. Dict. 175; Brit. Faun. 151. no. 211; Ind. Test. t. 4. f. 71.

Lucina radula, Lamk. Hist. ed. 2. vi. 225; Flem. Brit. An. 441; Turton, Biv. 116; Hanley, Rec. Shells, 75; Thorpe, Brit. Mar. Conch. 73; Brown, Ill. Con. G. B. 98. t. 39. f. 8, 9; Philippi, Moll. Sic. i. 35. t. 3. f. 17, ii. 25; Gould, Invert. Mass. 69; Macgill. Moll. Aberd. 255; Forbes, M. G. S. i. 412. 34.

Lucina alba (young), Turt. Brit. Biv. 114. t. 7. f. 6, 7; Thorpe,

Brit. Mar. Conch. 72.

Venus spuria, Gmel. S. N.; Chemn. vii. f. 399; Dillw. R. S. 194. Lucina antiquata, Sow. M. C. t. 557. f. 2.

Lucina borealis, Forbes & Hanley, Brit. Moll. ii. 46. t. 35. f. 5; t. M. f. 6, animal.

Thyatira (Loripes) radula, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272.

a-h. } Britain.

u. Bantry Bay. Presented by Miss Warne.

v. Ireland.

w. Teignmouth. Presented by J. B. Harvey, Esq. x-z? Northumberland.

** STRIGILLA.

2. Lucina divaricata.

Tellina divaricata, Linn. ed. 12. 1120; Chemn. f. 129; Wood, G. Conch. 195. t. 46. f. 6 (not Turt. Conch. Dict. 178); Spengler, Skrivt. Nat. Selsk. iv. pt. 2. 117 (not vars.).

Lucina divaricata, Thorpe, Brit. Mar. Conch. 76; Forbes & Han-

_ ley, Brit. Moll. ii. 52. t. 35. f. 3.

L. arcuata, Flem. Brit. An. 442.

Cardium arcuatum, Mont. (not Reeve) T. B. 85. t. 3. f. 2; Linn. Trans. viii. 67; Wood, Gen. Conch. 213.

Lucina commutata, Philippi, i. 32. t. 3. f. 15, ii. 25.

Loripes? divaricatus, Scacchi, Cat. i. 5. Inhab. Falmouth Harbour; sand.

*** MYRTEA.

3. LUCINA SPINIFERA.

Venus spinifera, Mont. T. B. 577. t. 17. f. 1; Linn. Trans. viii. 78; Turt. Conch. Dict. 231; Brit. Faun. 160. no. 279; Dillw. Rec. Shells, i. 163; Ind. Test. t. 7. f. 11.

Lucina spinifera, Jeffreys, Conch. Mag. 43; Ann. Nat. Hist. xix. 313; Thorpe, M. C. 74. f. 23; Macgilliv. Moll. Aberd. 255; Hanley, Rec. Shells, i. 78; Philippi, Moll. Sic. ii. 25; Lovèn, I. M. 38. 280; Forbes & Hanley, Brit. Moll. ii. 49. t. 35. f. 1.

Myrtea spinifera, Turt. Biv. 133.

Ortygia spinifera, Brown, Ill. C. t. 20. f. 15, 16.

Lucina hiatelloides, Philippi, Sic. i. 32; Basterot.
Venus myrtea, Turt. Brit. Biv. 133; Flem. Brit. An. 433; Brown, Ill. Conch. G. B. 98. t. 36. f. 15, 16, & t. 39. f. 14.

Cyrachæa spinifera, Leach, MSS. 1818, Ann. & Mag. N. H. 1847, xx. 272; Gray, P. Z. Soc. 1847.

a, b. Bantry.

c. Dublin Bay. Presented by T. Warren, Esq.

**** CLAUSINA.

4. Lucina ferruginosa.

Kellia ferruginosa, Forbes, Brit. Assoc. Rep. 1843, 192.

Clausina ferruginosa, Jeffreys (not Brown), Ann. N. H. xx. 18, 1847.

Clausina abyssicola, Jeffreys (not Forbes), Ann. Nat. Hist. xx. 18. Clausina Croulinensis, Jeffreys, Ann. N. H. xx. 19.

Cryptodon ferruginea, Alder, MSS.

Artemis? ferruginosa, Jeffreys, Ann. & Mag. N. H. xix.1847, 313. Lucina ferruginosa, Forbes & Hanley, Brit. Moll. ii. 60. t. 34. f. 1 (magnified).

a-s. Inverary.

2. DIPLODONTA.

Mysia, part. (rotundata), Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Brown, Ill. Conch. G. B. 1827; Conrad, Tert. Foss. 30, 1838; Gray, Syn. B. M. 1840; P. Z. S. 1847, 195; Menke, Syn. ed. 2. 112, 1830; Desh. E. M. iii. 593.

Psammobia, sp., Fleming, B. A. 438.

Diplodonta, sp. (rotundata), Philippi, Sicil. i. 31, 1836, ii. 24, 1844; Forbes & Hanley, Brit. Moll. ii. 66.

? Egeria, sp., Lea, Contrib. Geol. 49, 1833.

Loripes, sp., Cuvier, R. A.

Diplodonta (Lupinus), Bronn, Ital. Tertiargeb. 9, 1831; Leth. 962, 1838; Nyst, Coq. Foss. Belg. 138, 1846. ? Sphærella (subreflexa), Conrad, Tert. Foss. 1838.

1. DIPLODONTA ROTUNDATA.

Tellina rotundata, Mont. T. B. 71. t. 2. f. 3; Linn. Trans. viii. 56;
Dorset Cat. 30. t. 5. f. 8; Turt. Conch. Dict. 176; Brit. Faun.
151. no. 214; Wood, Gen. Conch. 187; Dillw. Rec. Shells, i.
99; Ind. Test. t. 4. f. 77.

Psammobia rotundata, Flem. B. A. 438.

Lucina lactea?, Desh. E. M. Vers, ii. 374.

Lucina rotundata, Turt. Biv. 104. t. 7. f. 3; Thorpe, Brit. Mar. Conch. 73; Desh. Exp. Morée; Brown, Ill. Conch. G. B. 98. t. 40. f. 11; Hanley, Rec. Shells, i. 76.

Tellina undata, Pulteney, Dorset, 30.

Mysia undata, Leach, MSS. 1818.

M. rotundata, Brown, Ill. C. t. 16. f. 11.

M. Montagui, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272.

Diplodonta rotundata, Philippi, Sic. ii. 24; Forbes & Hanley, Brit. Moll. ii. 66. t. 35. f. 6; t. M. f. 7, animal.

D. dilatata, Philippi, i. 31. t. 4. f. 7.

Loripes rotundata, Cuv. Reg. An. ed. Croch. t. 103. f. 4. Venus fragilis (fossil), Nyst & West, Bull. Brux. vi. 401. t. 3. f. 11.

a-e. Tenby.

f-j. Dublin Bay. Presented by T. Warren, Esq.

k, l. Bantry Bay.

m. Ditto. Presented by Miss Warne.

n-t. Tenby.

3. THYATIRA.

Thyatira, part. (flexuosa), Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272; Jeffreys, Conch. Mag.
Thyasira (flexuosa), "Leach," fide Lamk. Hist. vi. 492, 1818,

ed. 2. vi. 228; Gray, P. Z. S. 1847, 195.

Thyaseira (flexuosa), "Leach," fide Blainv. Dict. Sci. Nat. liv. 333.

Thiatyra (flexuosa), Sow. Conch. Man. ed. 2. 274. 1842.

Bequania (flexuosa), Leach, fide Brown, Ill. Conch. G. B.

Cryptodon (flexuosa), Turton, Bivalves, 121, 1822 (not Conrad, 1837); Flem. B. A. 442, 1828; Möller, Ind. Moll. Gran. 20, 1842; Macgilliv. Moll. Aberd. 215.

"Ptychina (flexuosus), Philippi, Moll. Sicil. i. 15, 1836.

Ptychine (flexuosus), Agassiz, Nomenclat. Zool. 1846 (misprint).

Axinus (sp.), J. Sow. Min. Conch. t. 314, 1823.

Axinus (flexuosus), King, Ann. & Mag. N. H. xiv. 1844, xviii. 242; Loven, Ind. Moll. 38; G. Sow. Man. Moll. ed. 2. 78.

Tellina, sp., Mont. T.B.

Amphidesma, sp., Lamk. Hist. Lucina, sp., Fleming, B. A.; Lamk. Hist.

1. THYATIRA FLEXUOSA.

Tellina flexuosa, Mont. T. B. 72; Dillw. R. S. i. 100; Wood, G.
 Conch. 188. t. 47. f. 7, 8; Linn. Trans. viii. 56; Turt. Conch.
 Dict. 177; Ind. Test. t. 4, f. 78.

Venus sinuosa, Donov. (not Penn.), Brit. Shells, ii. t. 42. f. 2.
Lucina sinuata, Lamk. H. N. 16. ed. 2. vi. 230; Hanley, Rec. Shells, i. 77.

L. sinuosa, Thorpe, Brit. Mar. Conch. 74.

Lucina flexuosa, Flem. B. A. 442; Gould, Inv. Mass. 71. f. 52;
 Forbes, M. G. S. i. 411. 32; Forbes & Hanley, Brit. Moll. ii.
 54. t. 35. f. 4.

Cryptodon flexuosa, Turt. Biv. 121. t. 7. f. 9, 10; Macgill. Moll. Aberd. 278; Brown, Ill. Conch. G. B. 99. t. 39. f. 4, 5.

Amphidesma flexuosa, Lamk. Hist. 2nd ed. vi. 128.

Thyasira flexuosa, "Leach," Lamk. Hist.

Thyatira flexuosa, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Jeffreys, Conch. Mag. 42.

Ptychina biplicata, Philippi, Sic. i. 15. t. 2. f. 4, ii. 11.

Axinus flexuosus, Lovèn, T.M. 38. 281; King, Ann. N. H. xviii. 242.

"Bequania flexuosa, Leach," Brown, Ill. Conch.

a-i. Britain. j-m. Ditto.

n-v. Dublin Bay. Presented by T. Warren, Esq.

4. Loripes.

Loripes or Loripoderma (lactea), Poli, Test. Sicil. i. 31, 1791,
ii. 253, 1795; Cuvier, R. A. iii.; Féruss. Tabl. Syst. 43, 1821;
Blainv. Man. 551; Flem. B. A. 409, 430; Swains. Malac. 371;
Gray, Proc. Z. S. 1847, 195.

Ligula (lactea), Menke, Syn. ed. 2. 121, 1830, not Montagu, 1808, nor Leach, 1818.

Tellina A. (lactea), Megerle, Entw. 1811.

Thyatira, sp., Leach, MSS. 1818, Ann. & Mag. N. H. 1847, xx. 272.

Taras (antiquatus), Risso, Eur. Merid. iv.

Ungulina (oblonga), Daudin, in Bosc. Hist. Conch. iii. 76, 1802; Roissy, Moll. vi. 374; Lamk. Phil. Zool. 1809; Hist. A. s. V. v. 488, 1818, ed. 2. vi. 120; Sow. Gen.; Blainv. Man. 562; Desh. Ency. Méth. iii. 1830, t. 664, 1832; Ann. Sci. Nat. 1842; Ann. & Mag. N. H. 1843; Swainson, Malac. 371, 1840; Duvernoy, L'Instit. 1841, 381, in Wiegm. Arch. 1842, ii. 404; Gray, Syn. B. M. 1842, 80, 91; Proc. Zool. Soc. 1847, 195.

1. Loripes leucoma.

Tellina lactea, Mont. T. B. 70. t. 2. f. 4 (not Linn. S. N. 1119); Linn. Trans. viii. 56; Chemn. Conch. Cab. f. 125; Dillw. Rec. Shells, i. 99; Ind. Test. t. 4. f. 76; Pulteney Hutchins' Dorset, 30; Dorset Cat. 30. t. 5. f. 9; Poli, t. 15. f. 28, 29; Turt. Conch. Dict. 176; Brit. Faun. 151. no. 213; Wood, Gen. Conch. 187.

Lucina lactea, Lamk. (not Philippi) Hist. 2nd ed. vi. 229; Hanley, Rec. Shells, i. 76; Turton, Biv. 112. t. 7. f. 4, 5; Thorpe, Brit. Mar. Conch. 71; Thomps. Ann. N. H. xviii. 385; Brown,

Ill. Conch. G. B. 98. t. 39. f. 3.

Loripes lactea, Flem. B. A. 430; Menke, Cat.; Macgilliv. Moll. Aberd. 256?; Brown, Ill. Con. G. B. 98. t. 39. f. 29; Blainv. Man. Malac. t. 72. f. 1.

Amphidesma lucinalis, Lamk. 491, ed. 2. vi. 127 (fide Philippi). Lucina Desmarestii, Payr. 44. t. 1. f. 19, 20.

Lucina Amphidesmoides, Desh. E. M. Vers, ii. 375.

Loripes orbiculatus=Loripoderma lactea, Poli, ii. 253, 258.

Ligula lactea, Menke, Cat.

Lucina leucoma, Turton, Brit. Biv. 113. t. 7. f. 8; Thorpe, Brit. Mar. Conch. 72; Forbes & Hanley, Brit. Moll. ii. 57. t. 35. f. 2 (as L. lactea).

Thyatira (loripes) lactea, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 1847, 272.

a-j. Tenby?

Fam. 4. Unionidæ.

Unionidæ, Leach, MSS. 1818, Ann. & Mag. N. H. 1847, xx. 272; Flem. B. A. 408, 1828; Gray, in Turton's Man. ed. 2. 288, 1840; Syn. B. M. 1840; 1842, 80, 91; Proc. Zool. Soc. 1847, 196; Swains. Malac. 259, 377.

Limnæa (Limnæoderma), Poli, Test. Sicil.

(A. lamellipedes, Lamk.) = Les Navades (and Les Trigonées. part.), Lamk. Cour. 106, 1812; Hist. v. 67, ed. 2, vi. 524. Navades, Féruss. Prod. 42.

Byssiferia Limaridia, Rafin.

Pediferia, Rafin. Mon. Biv. Ohio, ed. Chenu; Goldfuss.

Pedifera, Herrmanns. Ind. ii. 225.

Naiadea, Menke, Syn. 105; Anton, Verz. Conch. 12, 1839.

Submytilacés, part., Blainv. Man.; Rang, Man. Moll. 293. Mytilacés, part., Goldfuss.

Unionina, Macgilliv. Moll. Aberd. 207; Agassiz, Nomencl. Uniodia, Rafin. Mon. Biv. Ohio, 1820, ed. Chenu; Féruss. Tab. Syst. 42, 1821.

Unioninæ, Anodontinæ and Alasmodontinæ, Swains, Malac, 377. Unionidæ, part., D'Orb. Pal. Franc. Tert. Cret. iii. 124, 1844. Limnoconchæ (Les Lymnoconques), part., Blainv. Dict. Sci.

Nat. xxxii. 323, 1824; Malac. 538, 1825.

Anodontidia and Alasmidia, Rafin. Mon. Biv. Ohio, 1820, ed. Chenu.

1. Anodonta.

Anodonta (anatinus), Cuvier, Tab. Elem. 1798; Reg. Anim. 1817; Lamk. Prod. 1799; Syst. 114, 1801; Hist. v. 1818, ed. 2. vi. 525, 562; Drap. Hist. 27, 20, 133, 1805; Leach, MSS, 1818, Ann. & Mag. N. H. 1847, xx. 272.

Anodontites (anatinus), Brug. Journ. H. Nat. i. 1792; Ency. Méthod. t. 201-205; Duvernoy, Dict. Sci. Nat. ii. 183, 1804.

Anodon (anatinus), Oken, Lehrb. d. Zool. i. 238, 1815 (not Klein); Sow. Gen. t. ; Spix, Test. Bras. 17; Fleming, B. A. 408, 415, 1828; Turton, Bivalves, 240; Gray, Turton's Man. ed. 2. 289; Swains. Malac. 381.

Limella (anatinus), Rafin. Anal. Nat. 1815.

Limnæa and Lymnæoderma, part., Poli, Test. Sicil.

Mytilus, § a. (anatinus), Schum. Essai, 1817.

Glochidium (anatinus, very young), Rathke.

Strophitus (sp.), Rafinesque, Mon. Biv. Ohio.

Lastena (sp.), Rafinesque, l. c.

Patularia (ovata), Swains. Malac. 1840.

1. Anodonta cygnea.

Mytilus cygneus, Linn. Syst. Nat. ed. 12, 1158. &c. &c.; Montagu, Test. Brit. 170; Turt. Conch. Dict. 115.

Anodonta cygnea, Drap. Moll. France, t. 11. f. 6, t. 12. f. 1; Thompson, Ann. N. H. vi. 197; Forbes & Hanley, Brit. Moll. ii. 155.

Anodon anatinus, Macgilliv. Moll. Aberd. 241.

Lymnæa fusca, Poli, Test. Sicil. ii. 253–259.

Symphonota cygnea, Lea, Obs. on Unio, i. 70.

VAR. 1. Cellensis, Gray, Turt. Man. ed. 2. 289.

Mytilus Cellensis, Schroeter, Flussconch. t. 2. f. 1.

Mytilus Zellensis, Gmel. S. N. 3362, from Schroet.

Mytilus anatinus, Penn. B. Zool. ed. 4. iv. 97. t. 68. f. 79; Mat. & Rack. Linn. Trans. viii. t. 3 A. f. 1; Sheppard, Linn. Trans. xiii. t. 5. f. 5; Flem. Edin. Encyclop. vii. t. 204. f. 4; Wood, Ind. Test. t. 12, Mytilus, f. 33.

Anodonta sulcata, Lamk. Hist. A. s. V. v. 85, ed. 2. vi. 566; Nils-

son, Moll. Suec. 113.

Anodon Cygneus, Turton, Man. ed. 1. f. 8, ed. 2, Gray, t. 1. f. 8; Drap. Moll. i. 12. f. 1?; Brown, Ill. C. G. B. t. 28. (erroneously 27) f. 1.

Anodonta cygnea, Forbes & Hanley, l. c. t. 41.

Anodonta Cellensis, Pfeiff. Deutsch. Land & Sussw. Moll. i. 110. t. 6. f. l, ii. t. 6. f. 1-6; Rossmas. Icon. iv. 22. t. 19. f. 280; Kuster, Chemn. Naiadea, 16. t. A. f. l, 2 (female), t. 4. f. 3, t. 5. f. 1-4, t. 6. f. l (male); Sturm, Deutsch. Faun. vi. abth. i. t. 5. f. 5, 6.

? Anodon paludosus, Turton, Biv. 240. t. 15. f. 6.

Distorted Mytilus dentatus, Turton, Dict.

VAR. 2. Stagnalis, Gray, Turt. Man. ed. 2. 290.

Mytilus stagnalis, Sow. Brit. Miscell. t. 16, & Brit. Mus.; Turton, Brit. Faun. 165. no. 317; Conch. Dict. 115; ? Dillw. R. S. i. 316.

Anodonta cygnea, var. β. stagnalis, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

VAR. 3. Cygnea, Gray, Turt. Man. ed. 2. 290, fig. p. 288; Forbes

& Hanley, l. c. t. 40. f. 2. & t. Q. f. 3, 3 a, animal.

Mytilus cygneus, Schroeter, Flussconch. t. 3. f. 1; Penn. B. Z. ed. 4. iv. 96. t. 67. f. 78; Donov. B. S. ii. 55; Mat. & Rack. Linn. Trans. viii. t. 3 A. f. 2; Sheppard, Linn. Trans. xiii. t. 5. f. 3; Wood, Ind. Test. t. 12, Mytilus, f. 32; Dillw. R. S. 315; Flem. Ed. Encyc. vii. t. 205. f. 16.

Anodonta cygnea, Pfeiff. Deutsch. Land & Sussw. Moll. i. 111. t. 6. f. 4, ii. t. 6; Rossmas. Icon. i. 111. t. 3. f. 67, v. t. 25. f. 342; Brard, Coq. de Paris, t. 10; Brown, Ill. C. G. B. t. 28.

f. 1; ? Lamk. Hist. vi. 564.

Mytilus stagnalis, Schroeter, Flussconch. t. 1. f. 1; Gmel. S. N. 3362 (from Schroeter).

Mytilus anatinus, var. \(\beta \), Sturm, Deutsch. Faun. i.

VAR. 4. Piscinalis, Gray, Turt. Man. ed. 2. 290.

Mytilus macula, young, Sheppard, Linn. Trans. xiii. t. 5. f. 6. Anodonta piscinalis, Nilsson, Moll. Suec. 113. no. 3; Schroeter,

Flussconch. t. 3. f. 1?; Drap. Moll. terr. et fluv. t. 12. f. 2;

Rossmas. Icon. t. 19. f. 281, t. 30. f. 416 var. Kuster, Chemn. Naiadea, t. 3. f. 4, 5.

Anodonta ventricosa, Pfeiff. Land & Sussw. Moll. ii. 30. t. 3. f. 1-6; Kickx, Moll. Brab. 80.

VAR. 5. Rostrata, Gray, Turt. Man. ed. 2. 291.

Anodonta rostrata, Kokeil, MSS. Rossmas. Icon. iv. t. 20. f. 284, xi. t. 54. f. 737; Held, Isis, 1836, heft iv. 280; Kuster, Chemn. Naiadea, 14. t. 4. f. 2.

Anodonta cygnea, var. rostrata, Brown, Ill. C. G. B. 81. Anodonta Confervigera, Schlüter, Museum (fide Kuster).

VAR. 6. Complanata, Gray, Turt. Man. ed. 2. 291, fig.

Anodonta complanata, Ziegler, MSS. Rossmas. Icon. i. 112. t. 3. f. 68, iv. 24. t. 20. f. 283; Kuster, Chemn. Naiadea, 12. t. 3. f. 2, 3.

Anodonta compressa, Menke, Syn. ed. 2. 106. An. rhomboidea, Schlüter, Mus. (fide Kuster).

An. intermedia, Lamk. Hist. ed. 2. vi. 568; Pfeiff. Land & Sussw. Moll. i. 113. t. 6. f. 3, ii. t. 5. f. 1, 6; Kenyon, Mag. Nat. Hist. i. f. 188; ? Nilsson. Moll. Suec. 117.

Var. 7. Avonensis, Gray, Turt. Man. ed. 2. 291; Forbes & Hanley, l. c. t. 40. f. 3.

Anodonta ponderosa, Pfeiffer, Land & Sussw. Moll. ii. 31. t. 4. f. 1-6; Rossmas. Icon. iv. t. 20. f. 282; Kickx, Moll. Brabant, 81; Kuster, Chemn. Naiadea, 13. t. 4. f. 1.

Mytilus cygneus, var. β, Mat. & Rack. Linn. Trans. viii. t. 3 A.

f. 3.

Mytilus incrassatus, Sheppard, Linn. Trans. xiii. t. 5. f. 4.

Mytilus Avonensis, Mont. T. B. 172; Turt. Conch. Dict. 116; Brit. Faun. 163. no. 319; Wood, Ind. Test. t. 12, Mytilus, f. 34.

Mytilus anatinus, var. Avonensis, Mat. & Rack. Linn. Trans. viii. t. 3 A. f. 4.

Anodon Avonensis, Turt. Brit. Biv. 241.

Anodonta cygnea, var. δ. Avonensis, Leach, MSS. Ann. & Mag. N. H. xx. 272.

Anodon cygneus, var. Avonensis, Brown, Ill. C. G. B. t. 29. f. 2. Anodonta crassa, Marks, MSS. in Turt. Man. ed. 2. 202.

VAR. 8. Gray, Turt. Man. ed. 2. 292.

Anodonta anatina, Pfeiffer, Land & Sussw. Moll. i. 112. t. 6. f. 2; Schroeter, Flussconch. t. 1. f. 3; Rossmas. Icon. t. 30. f. 417-420; Lamk. Hist. ed. 2. vi. 565; Flem. B. A. 415; Sow. Gen. fig.; Reeve, Conch. Syst. 1-91; Hanley, Rec. Shells, i. 216; Kuster, Chemn. Naiadea, t. 3. f. 6.

Anodonta cygnea, var. γ. anatina, Leach, MSS. 1818, Ann. & Mag.

N. H. xx. 272.

Mytilus anatinus, Da Costa, Brit. Conch. 215. t. 15. f. 2; Mont. T. B. 171; Chemn. Conch. Cab. viii. t. 86. f. 763; Dillw. R. S. i. 317.

Grand moule des étangs, Geoff. Coq. Paris, t. 3.

a-e (A. Cellensis). New River, near London.

f (A. stagnalis). England. From Mr. Sowerby's Collection.
g. (?) Warwickshire. Presented by Mrs. Corrie.
h—j (A. cygnea). New River, London, and Wiltshire.
k—q (A. piscinalis). Near Yarmouth, and River Bure, Norfolk.

r-w (A. complanata). England. x-b b (A. rostrata). Liverpool.

dd, ee (ditto). Wiltshire. Presented by Miss Benett.

ff (ditto). Surrey Canal Docks.

g g—mm (?). River Brent, at Hendon, Middlesex. nn (?). Tisbury, Wiltshire. Presented by Miss Benett.

 $o\ o$ — $s\ s\ (A.$ Avonensis). Ditto. Ditto. Ditto. Ditto.

2. MARGARITANA.

Margaritana (margaritifera), Schum. Essai, 123, 1817; Lea, Trans.
Amer. Soc. vi. 1838; Observ. ii. 118, 134; Swains. Malac. 288, 382, 1840; Troschel, Wiegm. Handb. Zool. ed. 2. 587; Gray, P. Z. S. 1847, 196.

Unionidium (margaritifera), Mus. Berl. 1818.

Baphia, sp., Meuschen, Mus. Gevers. 1787.

Damalis (margaritifera), Leach, MSS. 1818, Ann. & Mag. N. H. 1847, xx. 273; Swainson, Malac.; Gray, P. Z. S. 1847, 196. Damaris (margaritifera), Leach, MSS. 1818, in Gray, Turton,

Man. ed. 2. 293 (misprint?).

Unio (margaritifera), Oken, Zool. 387, 1815; Isis, 1817, 1167; Turton, Bivalves, 249, 1822.

Unio, sp., Lamk. Hist. vi. 1818.

Mya, sp., Linn. S. N.

Unio (littoralis), Lamk. Syst. A. s. V. 114, 1801.

Potamida (sinuata), Swains. Malac. 1840. Complanaria (gigas), Swains. Malac. 1840.

Uniopsis (mytiloides), Swains. Malac. 1840.

Alasmodonta (undulatus), Say, Nicholson's Encyclopedia; Trans. Amer. Phil. Soc. i. 459, 1820; Desh. Ency. Meth. ii. 14; Férussac, Tab. Syst. 1819.

Alasmidonta, Rafin. Monog. Biv. Ohio, 1829; Blainv. Malac.

630, 1825.

Anelasmodonta, Herrmannsen, Ind. 27.

Alasmodon (margaritifera), Flem. Brit. Anim. 417, 1828; Gray,

in Turton, Man. ed. 2. 293; Sow. Man. ed. 2. 61; Swainson. Malac. 382, 1840.

Alasmedonta, Gray.

Alasmesodonta, Blainv. Man. 1825.

Monodonta, Say, Nicholson's Encyc., Article Conchology, 1817 (not Lamk, nor Brown).

Symphonota (alata), sp., Lea, Amer. Phil. Trans.

Lymnadea (alata), Swainson, Malac. 1840.

1. Margaritana margaritifera.

Mya margaritifera, Linn. Faun. Suec. ed. 2. 516; Syst. Nat. ed. 10. 671, & ed. 12. 1112; List. Conch. 149, f. 4; Schroet. Flussc. 168. t. 4. f. 1; Penn. Brit. Zool. ed. 4. iv. 67. t. 43. f. 18; Da Costa, Brit. Conch. 225. t. 15. f. 3; Donov. Brit. Sh. iii. 73; Mont. Test. Brit. 33. 561; Mat. & Rack. Linn. Trans. viii. 40; Müller, Verm. 210; Turt. Conch. Dict. 106. f. 47; Brit. Faun. 146. no. 178; Chemn. Conch. Cab. vi. 15. t. 1. f. 5; Dillw. Rec. Shells, i. 52; Ind. Test. t. 2, Mya, f. 30.

Damalis margaritifera, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 273.

Unio margaritiferus, Retz. Nov. Gen. 16; Nilsson, 103. n. 1; Turton, Biv. 242. t. 16. f. 1; Man. ed. 1. 19. t. 2. f. 9; Forbes, Malac. Monens. 44; Spengler, Skrivt. Nat. Selsk. Kiöb. iii. pt. 1. 52; Hanley, Rec. Shells, i. 213; Forbes & Hanley, Brit. Moll. ii. 146. t. 38 (as Alasmodonta margaritifera).

Unio margaritifera, Drap. 132. t. 10. f. 17-19, t. 11? f. 5?; Pfeiffer, i. 116. t. 5. f. 11; Nilsson, Moll. Suec. T. et Fl. 103; Kickx, Moll. Brab. 82; Rossmas. Icon. pt. i. 120. t. 4. f. 71-74,

& pt. ii. t. 8. f. 129.

Unio sinuata, Lamk. H. vi. 70; Pfeiffer, ii. 33. t. 7. f. 4.

Alasmodonta arcuata, Barnes, Silliman's Journal, vi. 277. t. 12.

f. 20; Gould, Inv. Mass. 113. f. 75.

Margaritana margaritifera, Lea, Trans. Amer. Phil. Soc. vi. 135. Unio elongatus, Nilsson, 106. n. 2; Lamk. Hist. 2nd ed. vi. 531. Unio elongata, Mich. Compl. 113. t. 16. f. 29; Gras, Moll. T. et Fl. France, App. 22.

Unio Roissyi, Mich. Compl. 112. t. 16. f. 28; Rep. Brit. Assoc.

for 1838.

Unio margaritifera, forma Roissyi, Forbes, Malac. Mon. 44.

Alasmodon margaritiferum, Fleming, B. A. 417.

Alasmodon margaritiferus, Gray, Man. L. & F. W. Shells, 293. t. 2. f. 9; Thompson, Ann. Nat. Hist. vi. 197; Macgilliv. Moll. Aberd. 242; Brown, Ill. Con. G. B. 83. t. 30. f. 1-4, t. 31. f. 1, 2, t. 32, f. 13-15.

Young. With small, posterior, lateral teeth like Unio.

Unio riparia, *Pfeiffer*, ii. t. 5. f. 13? Unio margaritifera, *Pfeiffer*, ii. t. 7. f. 1.

a—d. River Conway, North Wales. Presented by Richard Williams. Esc.

e. Thornton Craven, Yorkshire. Presented by W. Gilbertson, Esq.

f, q. River Reed, Northumberland.

h, i. Aberdeen.

j, k. Aveton, Gifford River.

l. Loch Tay.m. River Bann.

n. Shetland. Presented by R. T. C. Scott, Esq.

o. Britain, with pearls. p—r (jun.). Britain.

3. Unio.

Unio (pictorum), Retz. Diss. Phys. 16, 1788; Brug. Journ. H. N. i. 1792; Encyc. Méth. t. 247; Spengler, Skrivt. N. Selsk. iii. 53, 1783; Schumacher, Essai, 137, 1817; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

Mya (pictorum), Humph. Mus. Calonn. 1797.

Unionea (), Rafin. 1815.

Mysca (pictorum), Turton, Bivalves, 244, 1822; Swains. Malac. 276, 378.

Mysia (pictorum), Gray, Proc. Z. S. 1847, misprint (not Leach). Baphia, § 1. (pictorum), Meuschen, Mus. Gevers. 1787.

Limnæa and Limnæoderma (pictorum), Poli, Test. Sicil.

Limnium or Lymnium (pictorum), Oken, Lehrb. Naturg. 1815.

Luticola (pictorum), Goldfuss, in Agass. Nomen. 1846.

Unio (mytiloides), Swainson, Malac. 267, 1840. Cunicula (planulata), Swains. Malac. 267, 1840.

Curricula (planulata), Gray, P. Z. S. 1847 (misprint).

Ligumia (recta), Swains. Malac. 267, 1840.

Theliderma (metanera), Swains. Malac. 267, 1840.

Megadomus (gigas), Swains. Malac. 267, 1840.

Æglia (ovata), Šwains. Malac. 267, 1840. Calceola (calceolus), Swains. Malac. 267, 1840.

Hemiodon (undulatus), Swains. Malac. 267, 1840.

Niaa (ater), Swainson, Elem. 1837.

Naidea (ater), Swainson, Malac. 267, 1840.

Canthyria (spinosus), Swains. Malac. 267, 1840.

Iridea (granosus), Swains. Malac. 267, 1840.

Naia (corrugata), Swains. Malac. 267, 1840. Hyridella (australis), Swains. Malac. 267, 1840.

Proptera, Eurynia, Elliptio, Plagiola, Obovaria, Truncilla, Am-

blema, and Pleurobema, Rafinesque, Journ. Phys. lxxxviii, 426,

Unio, Lampsilis, Metaptera, Truncilla, Obliquaria, Elliptio, Leptodea, Aximedia, and Eurynia, Rafin. Monog. Biv. Ohio, 1820. ed. Chenu. 9.

1. Unio pictorum.

Lister, Hist. Conch. t. 147. f. 3; Enc. Méth. Vers, t. 248. f. 4. Mya pictorum, Linn. S. Nat. ed. 12. 1112; Faun. Suec. ed. 2. 516; Sturm, Fauna, vi. 2. f. a; Wood, Conch. 104. t. 19. f. 3, 4; Schroet. Flussc. t. 4. f. 6; Penn. Brit. Zool. ed. 4. iv. 67. t. 43. f. 17; Da Costa, Brit. Con. 228. t. 15. upper f. 4; Mat. & Rack. Linn. Trans. viii. 38; Dorset Cat. t. 12. upper f. 4; Turt. Conch. Dict. 106; Brit. Faun. 146. no. 179; Dillw. Rec.

Shells, i. 49; Ind. Test. t. 2, Mya, f. 26.

Unio pictorum, Lamk. Hist. v. 77, ed. 2. vi. 541; Encyc. Meth. t. 248. f. 4; Drap. Moll. t. 11. f. 4; Rossm. Icon. t. 3. f. 71 a, b, 196, 409, 587-590, 741, 762-780; Pfeiffer, i. 115. t. 5. f. 9, 10, t. 1. f. 17 (animal), & ii. t. 2. f. 24 (young); Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Crouch, Intr. Conch. t. 9. f. 4: Kickx, Moll. Brab. 84; Hanley, Rec. Shells, i. 205. t. 2, Mya, f. 26; Flem. Brit. An. 416; Gray, in Turt. Man. L. & F. W. Shells, 295. t. 2. f. 11; Brown, Ill. Con. G. B. 81. t. 31. f. 7, 9-11; Nilsson, Moll. Suec. T. et Fl. 111; Blainv. Man. Malac. 67. f. 2; Forbes & Hanley, Brit. Moll. ii. 142. t. 39. f. 1; t. Q. f. 2 (animal).

Unio rostratus, Pfeiffer, i. 114. t. 5. f. 8; Alder, Mag. Nat. Hist. ii.; Lamk. Hist. 2nd ed. vi. 540; Brown, Ill. Conch. G. B. 82. t. 32. f. 9, 10; Kickx, Moll. Brab. 83; Michaud, Comp. Moll. T. et Fl. France, 108. t. 16. f. 55; Gras, Moll. T. et Fl. France.

71. t. 5. f. 21.

Limnæa fusca, Poli, Test. Sicil. ii. 253, 259.

Mysca pictorum, Turton, Bivalves, 245; Man. ed. 1. 20. f. 11.

Unio elongatula, Pfeiffer, ii. 35. t. 8. f. 5, 6.

Mya ovalis, Donov. B. S. iv. 89; Mont. Test. Brit. 34.

Unio limosus, Nilsson, Moll. Suec. T. et Fl. 110; Rossmas. Icon.

pt. iii. 24. t. 13. f. 199.

U. Deshayesii, Michaud, Moll. T. et Fl. France, 107. t. 16. f. 30; Brown, Ill. Conch. G. B. 81. t. 32. f. 1-4; Rossmas. Icon. pt. iii. 23. t. 13. f. 197; Gras, Moll. Ter. et Fl. France, App. Unio longirostris, Ziegler, in Rossmas. Icon. pt. iii. 26, t. 14.

f. 200, & pt. xii. 13. t. 54. f. 38.

a-c. Newberry.

d-l. River Bure, Norfolk. Presented by the Rev. J. Bulwer. m-t. Wednesbury, Warwickshire. Presented by Mrs. Corrie.

u. Castle Cary. Presented by Miss Benett.

v, w. Yorkshire. Presented by W. Sewell, Esq.

x-z, var. (U. rostrata, *Pfeiffer*). Erpingham, Norfolk. Presented by the Rev. J. Bulwer.

a a—c c, var. (ditto). River Bure, Norfolk. Presented by the Rev. J. Bulwer.

 $d\,d$ — $g\,g$, var. (U. elongatula?). River Bure, Norfolk. Presented by the Rev. J. Bulwer.

h h (ditto). New River, London.

2. Unio tumidus.

Unio tumidus, Retzius, Nov. Gen. 17. n. 3; Gray, Man. L. & F. W. Shells, 297. t. 2. f. 13; Brown, Ill. Conch. G. B. 82. t. 32. f. 5-8; Spengler, Skrivt. Nat. Selsk. Kiob. iii. pt. i. 57; Kickx, Moll. Brab. 83; Hanley, Rec. Shells, i. 205. t. 2, Mya, f. 27; Forbes & Hanley, Brit. Moll. ii. 140. t. 40. f. 1.

U. tumida, Pfeiffer, ii. 34. t. 7. f. 2, 3; t. 8. f. 1, 2; t. 2. f. 25, young; Rossm. Icon. i. 117. t. 3. f. 70 a, b, ii. 27. t. 14. f. 202–204, vii. and viii. 41. t. 40. f. 542, xii. 32. t. 60. f. 772–778.
Mysca solida, Turton, Bivalves, 246. t. 16. f. 2; Man. ed. 1. 22.

f. 13.

Mya ovata, Donovan, iv. t. 122; Mat. & Rack. Linn. Trans. viii. 39; Turt. Conch. Dict. 106; Wood, Gen. Conch. 105. t. 19. f. 5; Ind. Test. t. 2, Mya, f. 27; Dillw. Rec. Shells, i. 50.

Mya ovalis, Pulteney Hutchins' Dorset, 27 (fide Mont.); Mont.

Test. Brit. 34; Turton, Brit. Faun. 146. no. 180?

Mya depressa, Donovan, B. S. iii. t. 101. Mysca ovata, Turt. Brit. Biv. 246; Man. L. & F. W. Shells, ed. 1. 21. f. 12; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

Unio ovalis, Fleming, Brit. An. 416; Brown, Ill. Con. G. B. 82. t. 31. f. 1-4; Sow. Gen. Shells, Unio, f. 1; Reeve, Conch. Syst. i. 87. f. 1; Gray, Turton's Man. L. & F. W. Shells, 297. t. 2. f. 12? (distorted specimen of Unio tumidus?).

a-e. Bath River.

f. York fosse. Presented by J. Phillips, Esq. q, h. York. Presented by P. Carpenter, Esq.

i-n. Surrey Canal.

o−q. Britain.

r-v. New River, London.

w (jun.). Warwickshire. Presented by Mrs. Corrie.

x (polished specimen). Dock at Deptford.

y, z (elongated, white inside). Castle Ashby. Presented by the Marquis of Northampton.

a a (very elongated, light salmon-coloured inside). Castle
 Ashby. Presented by the Marquis of Northampton.

b b—e e (short, salmon-coloured inside). Castle Ashby. Presented by the Marquis of Northampton.

ff (very deep salmon-coloured inside). Herefordshire. Presented by G. Waterhouse. Esq.

g g—i i (light salmon-coloured inside). Wednesbury, Warwickshire. Presented by Mrs. Corrie.

jj, kk (var. distorted). River Thames.

l'l' (ditto). Presented by J. D. C. Sowerby, Esq.

Fam. 5. ARCADÆ.

Arcadæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Flem. Brit. An. 382, 1828; Gray, Syn. B. M. 1840; 1842, 81, 91; Proc. Zool. Soc. 1847, 197.

Arcadæ, part., Swains. Malac. 382, 1840.

Axinea and Axinoderma, Daphnæa and Daphnæoderma, Poli, Test. Sicil.

Les Arcacées (Arcacea), Lamk. Phil. Zool. 318, 1809; Cour. 106, 1812; Hist. v. 33, ed. 2. vi. 451; Blainv. Dict. Sci. Nat. x. 216; Sow. Conch. Man. ed. 2. 72.

Arcacés, Féruss. Prod. 42; Rang, Man. Moll. 287.

Byssiferia, Limæridia and Pernaridia, part., Rafin.

Pectunculidæ, Leach, MSS. 1818, Ann. & Mag. N. H. 1847, 272. Arcacea, Anton, Verz. Conch. 12.

Arcina, part., Macgilliv. Moll. Aberd. 207.

Arca, Linn. Syst. Nat.

Arcæ, § 3. part., Oken, Zool. 1815. Arcaria, Gravenh. Thier. 33, 1845.

Arcacidæ, D'Orb. Pal. Franç.; Geinitz, Grund.

Arcaceæ, part., Menke, Syn. 60, 1828.

Arcadæ, part., Forbes & Hanley, Brit. Moll. ii.

Pogonopoda, part., Gray, Lond. Med. Repos. 1821.

Polydonta, Blainv. Dict. Sci. Nat. xxxii. 320, 1824; Malac. 535, 1825.

? Polybranchiata, G. Sow. Conch. Man. ed. 2. 233.

* ARCADÆ, Leach.

1. Arca.

Arca, part., Linn. S. N. ed. 10. 1758, ed. 12. 1140, 1767; Gmelin, S. N. 3305, 1788; Brug. Enc. Méth. i. 92, 1789.

Arca (Now), Lamk. Syst. 115, 1801; Hist. ed. 2. vi. 457, 1818; Rang, Man. 287; Desh. Ency. Méth. iii. 553; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Sow. Gen.; Conch. Man. ed. 2. 71; J. Sow. Min. Conch. t. 44; Blainv. Malac. 535,

1825; Gray, Med. Repos. 1821; Proc. Zool. Soc. 1847, 197; Forbes & Hanley, Brit. Moll. ii. 233.

Arcaria (Noæ), Rafinesque, Anal. Nat. 1815.

Arca, § a, D'Orbigny.

Navicula (Noæ), Hebenstr. Disser. 1728? (not Spix); Blainv. Dict. Sci. Nat. x. 216, 1818; Malac. 535, 1825; Anton, Verz. 12, 1839.

Byssoarca, Swainson, Zool. Illust. Elem. 1835; Malac. 1840. Daphnæa and Daphnæoderma, part., Poli, Test. Sicil. 1795.

Pectunculus (mesol), Adanson, Seneg. 1759.

Musculus polyleptoginglymus, Klein, Ostrac. 167, 1753. Cyphoxis, sp., Rafinesque, Journ. Phys. lxxxvii. 247, 1819. Litharca (Lithodomus), Gray, Syn. Brit. Mus. 1842, 81, 1844.

1. ARCA TETRAGONA.

Arca tetragona, Poli, Test. Sicil. ii. 137. t. 25. f. 12, 13; Lamk. Hist. 2nd ed. vi. 461; Turt. Biv. 167. t. 13. f. 1; Forbes, Mal. Mon. 41. t. 3; Flem. B. An. 398; Brown, Ill. C. ed. 2. 86. t. 33. f. 20, 21; Reeve, Conch. Icon. Arca, t. 15. f. 100; Thorpe, Brit. Mar. Conch. 102; Philippi, Moll. Sic. i. 57; Hanley, Rec. Shells, Supp. t. 19. f. 13; Forbes & Hanley, Brit. Moll. ii. 234. t. 45. f. 9, 10; t. P. f. 1, animal.

Area Noæ, Mont. T. B. 139. t. 4. f. 3 (not Linn.); Don. B. S. v. t. 158. f. 1, 2; Turt. Dict. 9. f. 58; Brit. Faun. 161. no. 285; Müller, Z.D.?; Couch, Corn. Faun. pt. ii. 30; Brown, Ill. Conch.

G. B. 86, t. 33, f. 1-3.

Arca cardissa, Lamk. Hist. 2nd ed. vi. 463; Alder, Cat. Moll. North, 79; Delessert, Rec. Cog. t. 11. f. 14; Hanley, Rec. Shells, i. 153.

A. tortuosa, Penn. (not Linn.) B. Z. iv. n. 57; Borlase, Cornw. t. 28. f. 15, 16.

A. papillosa, Brown, Wern. Mem. viii. t. 1. f. 19.

Daphnæa fusca, Daphnæoderma Noæ, Poli, ii. 258, 259.

A. navicularis, Desh. (not Brug.); Lamk. Hist. 2nd ed. vi. 462; Philippi, Moll. Sic. ii. 42; Lovèn, I. M. 33. no. 253.

A. Britannica, Reeve, Conch. Icon. Arca, t. 15. f. 98.

A. rhombea, Couch, Corn. Faun. pt. ii. 31.

Area fusca, Solander, MSS.; Don. B. S. v. t. 158. f. 3 (not Brug.); Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Mont. T. B. Supp. 51; Turt. Conch. Dict. 10; Brit. Biv. 166; Flem. B. An. 397; Couch, Corn. Faun. pt. ii. 30; Thorpe, Brit. Mar. Conch. 101; Brown, Ill. C. G. B. 86. t. 33. f. 4. 5.

A. imbricata, Dillw. i. 226 (not Brug.).

Balanus Bellonii, List. Conch. t. 367. f. 207.

a, b. Near Bantry.

c-k. Coast of Galway. Presented by G. B. Sowerby, Esq. l-t. Dunbar. (Mus. Mont.?)

2. ARCA LACTEA.

Arca lactea, Linn. S. N. 1141; Da Costa, 171. t. 11. f. 5, 6; Dorset Cat. 36. t. 11. f. 5; Mat. & Rack. Linn. Trans. viii. 93; Penn. B. Z. ed. 1812, iv. 216. t. 61. f. 2; Flem. B. An. 398; Mont. T. B. 138; Thorpe, Brit. Mar. Conch. 102; Turton, Brit. Faun. 160. no. 284; Dillw. Rec. Shells, i. 236; Don. B. S. iv. t. 135; Brown, Ill. Conch. G. B. 86. t. 33. f. 6; Lamk. Hist. 2nd ed. vi. 467; Mawe, Conchol. t. 13. f. 4; Costa, Test. Sic. 46; Philippi, Moll. Sic. i. 57, ii. 42; Hanley, Rec. Shells, i. 154. t. 9, Arca, f. 24; Reeve, Con. Icon. Arca, t. 17. f. 116; Forbes & Hanley, Brit. Moll. ii. 238. t. 46. f. 1–3.

Pectunculus exiguus albus, List. Conch. t. 235. f. 69 A.

Arca Pennantii, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272. Arca barbata, Penn. (not Linn.) B. Z. iv. 84. no. 60. t. 58. f. 59 (fig. referred to A. tortuosa).

A. crinita, Pulteney, Dorset, 35 (t. 11. f. 5).

A. perforans, Turt. Dict. 9; Bivalves, 169. t. 13. f. 2, 3.

A. nodulosa, Müller, Z. Dan.; Chem. vii. f. 201 (not Brocchi).

A. lactea β , Gmelin.

A. scabra, Poli, Test. Sicil.; Philippi, Moll. Sicil.

A. modiolus, Olivi, 115; Poli, Test. Sicil. t. 25. f. 20, 21 (not Gmelin); Costa, Test. Sic. 45.

A. Quoyi, Payr. 62. t. 1. f. 40-43.

A. Gaimardi, Payr. 61. t. 1. f. 36-39; Desh. Lamk. Hist. 2nd ed. vi. 476; Costa, Cat. Test. Sic. 46; Hanley. Rec. Shells, i. 155; Desh. Exp. Alger. Moll. t. 124. f. 8, 11.

a—d. Guernsey.

e, f. Britain. Presented by Mrs. Robinson. q-v. Britain.

3. Arca raridentata.

Arca raridentata, S. Wood, Mag. N. H. (series 2.) iv. 232. t. 13. f. 4 (foss.); Thompson, Ann. N. Hist. xviii. 385; Forbes & Hanley, Brit. Moll. ii. 241. t. 45. f. 8.

Arca Pectunculoides, Scacchi, Notiz. 25. no. 62. t. 1. f. 12 (Philippi); Jeffreys, Ann. Nat. Hist. 1847, xix. 313; Philippi, Moll.

Sic. ii. 44. t. 15. f. 8; Loven, Ind. Moll. Skand.

a-c (odd valves). Hebrides. Presented by R. M'Andrew, Esa.

d—h. Isle of Skye. Presented by R. M'Andrew, Esq.

4. Arca barbata.

Arca barbata, Linn. S. Nat. (not Faun. Suec.), ed. 12. 1140;
Born, Mus. Cæs. 88; Chemn. Conch. Cab. vii. 187. t. 54. f. 535;
Dillw. Rec. Shells, i. 229; Brown, Wern. Trans. ii. 512. t. 24.
f. 3; Blainv. Man. Malac. t. 65. f. 1; Brown, Ill. C. G. B.

86. t. 33. f. 7; Philippi, Moll. Sic. i. 57, ii. 42; Lamk. Hist. 2nd ed. vi. 465; Hanley, Rec. Shells, i. 193. t. 9, Arca, f. 3; Flem. B. An. 398; Poli, Test. Sicil. ii. 135. t. 25. f. 6, 7; Thorpe, Brit. Mar. Conch. 102; Reeve, Conch. Icon. Arca, t. 13. f. 83; Desh. Exp. Alger. Moll. t. 119, anatomy; Forbes & Hanley, Brit. Moll. ii. 243.

A. reticulata, Flem. B. A. 168; Turt. Conch. Dict. 7; Brit. Biv.

168, 259.

Daphnæa fusca, Daphnæoderma barbata, Poli, ii. 255, 259. Inhab. Lough Strangford. Dr. Macgee.

** PECTUNCULIDÆ, Leach.

2. AXINEA.

Axinæa (or Axinea) and Axinoderma (pilosa), Poli, Test. Sic. 1791; Oken, Zool. 1815; Allg. Naturg. v. 327, 1835.

Tuceta (pilosa), Bolten, Mus. 1798, ed. 2. 120, 1819.

Pectunculus (pectunculus), Lamk. Prod. 1799; Syst. 115, 1801; Phil. Zool. 1809; Hist. vi. 47, 1819, ed. 2. vi. 483; Cuvier, Anat. Comp. 1800; Règn. Anim. 1817, ed. 2. 1830; Rang, Man. 288, 1829; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Desh. E. M. 111, 1830 (not Lister, nor Adanson, nor Da Costa); J. Sow. Min. Conch. t. 27, 1813; G. Sow. Gen.; Conch. Man. ed. 2. 218, 1842.

Glycimeris (pectunculus), Humph. Mus. Calon. 1797.

Pectunculus (Glycimeris), Megerle, Entw. 1811.

1. Axinea glycimeris.

Lister, Conch. t. 247. f. 82 A; Enc. Méth. Vers, t. 310. f. 3.

Arca glycimeris, Linn. S. N. ed. 12. 1143; Mus. Ulric. 521; Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Penn. B. Z. t. 58. f. 58; Turt. Conch. Dict. 7; Brit. Faun. 160. no. 283; Dillw. R. Shells, i. 241; Don. B. S. ii. t. 37. f. 2; Ind. Test. t. 10, Arca, f. 36; Wood, Linn. Trans. vi. t. 18. f. 1, 2; M. & R. Linn. Trans. viii. 93. t. 3. f. 3; Mawe, Conchol. t. 13. f. 7.

Pect. glycimeris, Turt. Bivalves, 171. t. 12. f. 1 (not Lamk. nor Philippi); Macgilliv. Moll. Aberd. 238; Thorpe, Brit. Mar. Conch. 103; Brown, Ill. C. G. B. 85. t. 33. f. 8, 9; Burrows, El. Conch. t. 8, f. 7; Crouch, Introd. Conch. t. 8, f. 11; Reeve, Conch. Icon. Pectunc. t. 3, f. 12; Forbes & Hanley, Brit. Moll. ii. 245. t. 46, f. 4-7; t. P. f. 6, animal.

Arca pilosa, Linn. S. N. ed. 12. 1143; Mat. & Rack. Linn. Trans. viii. 93. t. 3. f. 4; Pult. Dors. 35; Mont. T. B. 136; Supp. 53; Dorset Cat. 36. t. 11. f. 2; Turt. Conch. Dict. 6; Dillw.

Rec. Shells, i. 242; Ind. Test. t. 10, Arca, f. 37.

Pectunculus pilosus, Lamk. Hist. 2nd ed. vi. 448; Turt. B. Biv. 172. t. 12. f. 2; Fleming, Edin. Enc. vii. 97. t. 203. f. 18; Brit. An. 400; Hanley, Thorpe, M. C. xxix.; Forbes, M. G. S. i. 416. 64; Malac. Monens. 42; Brown, Ill. C. G. B. 85. t. 33. f. 10, 11; Blainv. Man. Malac. t. 65 bis, f. 3; Philippi, Moll. Sic. i. 61, ii. 44; Sow. Conch. Man. f. 134; Hanley, Rec. Shells, i. 162. t. 10, Arca, f. 36, 37.

Axinæa polyderma, Axinæoderma pilosus, Poli, Test. Sicil. ii.

254-259.

Arca minima, Turt. Conch. Dict. 8. Glycimeris orbicularis, Da Costa, 168. t. 11. f. 2.

Arca undata, Chemn. (not Linn.) Conch. Cab. vii. 224. t. 57. f. 560.

A. marmorata, Chemn. l. c. f. 563?

Pectunculus variabilis, Sow. M. C. t. 471. f. 1. Pect. undatus, Turt. B. Biv. 173. t. 12. f. 3, 4.

Pect. decussatus, Turt. B. Biv. 173. t. 12. f. 5; Flem. B. An. 400; Thorpe, Brit. Mar. Conch. 104.

Pect. nummarius, Turt. Brit. Biv. 174. t. 12. f. 6; Flem. B. An. 400; Thorpe, Brit. Mar. Conch. 104.

Young. Pectunculus decussatus, *Turton*, *Biv*. 173. t. 12. f. 5. a—i. Weymouth.

j-m. Island of Bute.

Order IV. POGONOPODA.

Pogonopoda, Gray, Med. Repos. 1821, 237; Syn. B. M. 1840, 81, 91; Proc. Zool. Soc. 1847, 198.

Les Byssifères, part., Lamk. Phil. Zool. 317, 1809; Ext. Cour. 105 (1812).

Asiphonia Byssifera, part., Rafin. Anal. Nat. 1815.

Conchifères monomyaires, part., Lamk. Ann. Mus. x. 389; Hist. vi. 100.

Conch. Dimyaires lamellipèdes, part., Lamk. Hist. v.

Ostracés dimyaires, and Benitiers, Cuvier, R. A.; Féruss. Prod. 39, 41.

Ostracea Dimya, Menke, Syn. 101, 1830.

Mytyli and Tridacnæ, Eichw. Zool. Spec. i. 285.

Ostracea (Ostracées), Lamk. Phil. Zool. 1809; Extr. du Cour. 1812.

Ostreaceæ, Schweigger, Naturg. 712, 1820.

Fam. 1. MYTILIDÆ.

Mytilidæ, Fleming, Brit. Anim. 408, 1828; Gray, Syn. B. M. 1840; 1842, 82; Proc. Zool. Soc. 1847, 198. Callitriche and Callitrichoderma, Poli, Test. Sicil.

Byssifères, part., Lamk. Cour. 105.

Mytilidia, Rafin. Anal. Nat. 1815.

Mytilaceæ (Mytilacees), Lamk. H. vi. 108, 1819, ed. 2. vii. 13; Latr. Fam. Nat.

Mytilacea, Menke, Syn. 104, 1830; Anton, Verz. Conch. 12. Mytilacea (Mytilaces), part., Cuvier, R. A. 1817; Rang, Man. M. 290; Féruss. Prod. 42.

Mytilina, part., M.-Edwards, Elem. Zool.; Macgilliv. Moll. Aberd.

206.

Mytilaceæ, Menke, Syn. 62, 1828.

Pinnadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272. Mytiloidea, Fitz. Syst. Verz. 119, 1833. Biforipalla, part., Latr. Fam. Nat.

1. Mytilus.

Mytilus (edulis), Linn. S. N.; Brug. E. M. tab. 1792; Cuvier, Tab. Elem. 1798; R. A. 1817; Lamk. Syst. 113, 1801; Hist. vi. 117, 1819, ed. 2. vii. 34; Forbes & Hanley, Brit. Moll. ii. 168; Quoy & Gaim. Voy. Astrol. iii. 462.

Perna (dotel), part., Adanson, Seneg. 207, 1757.

Perna (M. Perna), Retzius, Dissert. 20, 1788 (not Brug. nor Oken); Schumacher, N. Syst. 120, 1817.

Callitriche and Callitrichoderma, part., Poli, Test. Sicil.

Mytillus, Say, Journ. Acad. Philad. ii. 263.

Mytulus, Rondeletius, Univ. Aquat. Hist. 1555; Aldrovandus, De Test. Cap. 71; Retzius, Dissertat. 1788.

Musculus, Rondelet .; Aldrov.

Musculus s. Mutilus, sp., Argenv. Conch. 288, 1757.

1. MYTILUS EDULIS.

List. Ang. t. 4. f. 28; Conch. t. 362. f. 200. Mytilus edulis, Linn. S. N. 1159, ed. 12. 1157; Faun. Suec. ed. 2. 521; Chem. viii. 755. t. 84. f. 750, 751, 755; Penn. B. Z. ed. 4. iv. 94, t. 63, f. 73; Mont. T. B. 159; Don. B. S. iv. t. 121, f. 1; Wood, Linn. Trans. vi. t. 18. f. 13, 14; Lovèn, I. M. 33. 251; Forbes, M. G. S. i. 419.74; Brown, Ill. Conch. G. B. 76. t. 27. f. 11-15, t. 45. f. 4-7; Pulteney Hutchins' Dorset, 38; Mat. & Rack. Linn. Trans. viii. 105; Dorset Cat. 39. t. 12. f. 5, left hand; Turt. Conch. Dict. 109; Brit. Biv. 196; Brit. Faun. 163. no. 304; Flem. Brit. An. 411; Macgilliv. Moll. Aberd. 234; Thorpe, Brit. Mar. Conch. 109; Alder, Cat. Moll. 80; Fabric. Faun. Granl. 417; Born, Mus. Cas. 126; Poli, Test. Sic. i. t. 1. f. 13, & ii. 194. t. 31 (except f. 1); Burrows, Elem. Conch. t. 10. f. 5; Dillw. Rec. Shells, i. 309; Lamk. Hist. 2nd ed. vii. 47; Gould, Invert. Mass. 121. f. 82; Penny Cyclop. xvi. 46. f. a, b, & 47. f. a, b, c; Hanley, Rec. Shells, i. 250. t. 12. f. 22, 48; Supp. t. 2, Myt. f. 2; Philippi, Moll. Sic. ii. 53; Forbes & Hanley, Brit. Moll. ii. 170. t. 48. f. 1-4, t. Q. f. 5 (animal).

Common Mussel, Da Costa, Elem. Conch. t. 6. f. 3.

Mytilus vulgaris, Da Costa, B. S. 216. t. 15. f. 5 (on the left).
M. subsaxatilis, Williamson, Mag. N. H. vii. 354. f. 48; Couch,
Corn. Faun. pt. ii. 34; Thorpe, Brit. Mar. Conch. 109.

"M. angulatus, Alder, MSS.," Brown, l. c.

" M. solitarius, Marks," Brown, l. c.

M. edulis crassus, Brown.

M. Galloprovincialis, Lamk. Hist. 2nd ed. vii. 46; Philippi, Moll. Sic. i. 72. t. 5. f. 12, 13, ii. 53; Hanley, Rec. Shells, i. 249.

M. pellucidus, Penn. B. Z. ed. 4. iv. 95. t. 63. f. 75; Mat. & Rack.
Linn. Trans. viii. 107; Mont. T. B. 160; Don. B. S. iii. t. 81;
Laskey, Mem. Wern. Soc. i. 392; Turt. Conch. Dict. 110; Brit.
Biv. 197. t. 15. f. 1, 2; Brit. Faun. 163. no. 306; Chenn.
f. 731; Thorpe, M. Conch. 110. f. 105; Dillw. Rec. Shells, i.
309; Ind. Test. t. 12. f. 22; Mawe, Conchol. t. 16. f. 2.

M. incurvatus, Penn. B. Z. t. 64. f. 74 (distorted); Mont. T. B. 160; Mat. & Rack. Linn. Trans. viii. 105. t. 3. f. 7; Laskey, Mem. Wern. Soc. i. 391; Turt. Conch. Dict. 109; Brit. Biv. 197; Brit. Faun. 163. no. 305; Ind. Test. t. 12. f. 48.

M. elegans, Leach, B. M.; Brown, Ill. C. t. 29. f. 14, 15.

M. ungulatus, Linn. (not Gmel. nor Lamk.) S. N. ed. 10. 705, ed. 12. 1156 (part.); Chemn. viii. t. 85. f. 756; Donov. B. S. iv. t. 128. f. 2; Turt. B. Biv. 195; Brit. Faun. 164. no. 308.

M. retusus, Lamk. Hist. ed. 2. vii. 48.

M. hesperianus, Lamk. Hist. ed. 2. vii. 48?; Payr. Cat. Moll. Corse, 68. t. 2. f. 5?

M. minimus, Poli, Sic. 209. t. 31. f. 1; Philippi, Sic. 73.

M. sagittatus, Poli, Test. Sic. ii. 208. t. 32. f. 2, 3.

M. dilatatus, Gray, Ann. Phil. 1828, 137.

M. alæformis, Sow. M. C.

M. antiquorum, Woodward, Geol. Norf.

M. borealis, Dekay, Moll. New York.

M. abbreviatus, Lamk. Hist. 2nd ed. vii. 47; Potiez & Mich. Gal. Douai, ii. 54. f. 1.

Callitriche purpurea, Callitrichoderma edulis and C. minimum, *Poli*, ii. 254, 259.

Perna ungulina, Retz. Nov. Test. Gen. 21.

Mytilus flavus, Poli, Test. Sic. ii. 207. t. 32. f. 4.

a. St. Ives, Cornwall. Presented by Dr. Boase.

b, c. Britain.

d, e. Scotland.

f—h. Romney.

--v. Britain.

q-e e. Bell Rock. Presented by Dr. Leach.

ff (group of young in sea-weed). Britain. Presented by Mrs. Robinson.

q q-k k. Britain.

ii (groups of young). Falmouth. Presented by W.P. Cocks, Esa.

mm-tt. Scarborough.

u u-x x. Britain.

y y - d d d. Ditto.

 $\stackrel{e}{e} \stackrel{e}{e} \stackrel{e}{e} - jjj$. Ditto. $\stackrel{k}{k} \stackrel{k}{k} - m \, m \, m$. Scotland. Presented by Miss E. Greville.

nn. Falmouth. Presented by W. P. Cocks, Esq.

o o o-q q q. Hastings. Presented by Mrs. Robinson. rrr—tt. Belfast. Presented by W. Thompson, Esq.

u u u-z z z. Britain.

a a a a (groups congregated together). Whitley, Northumberland.

2. Volsella.

Volsella, Scopoli, Int. H. N. 397, 1777; Gray, Proc. Z. Soc.

1847, 198, n. 717.

Modiola, Lamk. Prod. 1799; Syst. 113, 1801; Ann. Mus. vi. 119, 1805; Hist. vi. 109, 1819, ed. 2. vii. 15; Cuvier, Anat. Comp. 1808; R. A. 1817; Leach, Zool. Misc. ii. 31, 1815; Sow. Man. ed. 2. 190; Forbes & Hanley, Brit. Moll. ii. 181; Swainson, Malac. 1840.

Modiolus, Risso, Eur. Merid. 1826; Fleming, B. A. 412, 1828;

Forbes, Malac. Mon. 43, 1838; not Llwyd. Mytilus β, Schumacher, N. Syst. 1817.

Mytilus a, Blainville, Malac.

Callitriche and Callitrichoderma, part., Poli, Test. Sicil.

Tamarindiformes, Meuschen, Mus. Gevers. 1787.

Musculus, sp., Bolten, Mus. 110.

Perna (lutat), part., Adans. Seneg. Amydalum (arborescens), Megerle, 1811.

1. Volsella modiolus.

Mytilus modiolus, Linn. S. N. ed. 12.1158; Penn. Brit. Zool. ed. 4. iv. 96. t. 66. f. 77; Mont. T. B. 163; Mat. & Rack. Linn. Trans. viii. 107; Dorset Cat. 40; Da Costa, B. C. 219. t. 15. f. 5; Don. B. S. i. t. 23; Pulteney Hutchins' Dorset, 38; Brown, Ill. C. t. 29. f. 1-6, ed. 2. 77; Flem. Edin. Enc. vii. t. 203. f. 22; Laskey, Mem. Wern. Soc. i. 392; Chemn. Conch. Cab. viii. 178 (not t. 85. f. 757); Müll. Zool. Dan. t. 53; Dillw. Rec. Shells, i. 314; Ind. Test. t. 12. f. 31.

Modiola modiolus, Turt. B. Biv. 199. t. 15. f. 3; Thorpe, B. M.

C. 107; Gould, Inv. Mass. 123; Hanley, Rec. Shells, i. 233. t. 12. f. 31-49; Forbes & Hanley, Brit. Moll. ii. 182. t. 44. f. 1, 2.

Mytilus barbatus, Pulteney Hutchins' Dorset, 38 (not Linn.); Donov. B. S. ii. t. 70; Mont. T. B. 161; Mat. & Rack. Dorset Cat. 40. t. 12. f. 5 (right).

Modiola barbata, Macgilliv. Moll. Aberd. 237.

Mytilus rusticus, Soland. MSS. Humph. Cat. 43.

Callitriche flava=Callitrichoderma barbata, Poli, ii. 254, 259.

Modiola Papuana, Lamk. Hist. 2nd ed. vii. 18 (part.); Brown, Ill. C. G. B. 77. t. 27. f. 1-4; Leach, Zool. Miscell. ii. 33; Say, Amer. Conch. t. 45; Blainv. Man. Malac. t. 64. f. 3?

Modiola vulgaris, Flem. B. A. 412; Hanley, Thorpe, M. Conch. xxix.; Alder, Cat. North. Moll. 81; Forbes, M. G. S. i. 419. 75; Lovèn, I. M. 33. no. 251; Woodarch, Conchol. ed. 2. t. 1. f. 10.

Mytilus Papuanus, Desh. E. M. Vers, ii. 564. t. 219. f. 1.

Mytilus curtus, Penn. B. Z. iv. 96. t. 64. f. 76 a. (half-grown). VAR. (distorted), Mytilus umbilicatus, Penn. B. Z. t. 65. f. 76; Mat. & Rack. Linn. Trans. viii. 109; Don. B. S. t. 40; Mont. T. B. 164, Supp. 71; Ind. Test. t. 12. f. 49.

Mytilus curvirostratus, Da Costa, B. C. 220.

Lister, Conch. t. 1057. f. 5.

a. Orkney.

b-e. Salcombe.

$$f$$
. g — i . f . g — i . f . Britain. f .

s-x (young). Britain.

2. Volsella barbata.

Mytilus barbatus, Linn. S. N. ed. 12. 1156 (from type); Faun.

Suec.; Poli, Test. Sic. ii. 210. t. 32. f. 6, 7.

Modiola barbata, Lamk. Hist. 2nd ed. vii. 22; Philippi, Moll. Sic. i. 70, ii. 50; Hanley, Rec. Shells, i. 233; Forbes & Hanley, Brit. Moll. ii. 190. t. 44. f. 4.

Modiola Gibsii, Leach, Zool. Misc. ii. 34. t. 72. f. 2; Turt. Biv. 200; Flem. B. A. 413; Brown, Ill. C. t. 29. f. 7, ed. 2. 78. t. 27. f. 7; Thorpe, Mar. Conch. 107.

a-h. Tenby.

i—l. Britain. Presented by Mrs. Robinson.

3. Volsella Tulipa.

Modiola tulipa, Lamk. Hist. ed. 2. vii. 19 (part.); Sow. Gen. Shells, Modiol. f. 5?; Philippi, Moll. Sic. i. 69, ii. 50; Sow.

Conch. Man. f. 160?; Reeve, Conch. Syst. i. 101. f. 5?; Thompson, Rep. Brit. Assoc. 1843, 260; Forbes & Hanley, Brit. Moll. ii. 187. t. 45. f. 7, t. 48. f. 6, & t. Q. f. 6 (animal).

? Mytilus modiolus, Chemn. Conch. Cab. viii. t. 58. f. 758. ? Modiola Americana, Leach, Zool. Miscell. ii. 32. t. 72. f. 1.

Modiola radiata, Brown, Ill. C. G. B. t. 29. f. 5, 6; Thorpe, Brit. Mar. Conch. 249, f. 104.

M. Papuana (young), Brown, Ill. Conch. G. B. 77. t. 27. f. 5, 6. Lister, Hist. Conch. t. 359. f. 198?; Knorr, Delices des Yeux. pt. iv. t. 15. f. 3? a. b. Britain.

4. Volsella phaseolina.

Modiola phaseolina, Philippi, Moll. Sicil. ii. 51. t. 15. f. 14; Jeffreys, Ann. & Mag. N. H. 1847, xix. 313; Forbes & Hanley, Brit. Moll. ii. 186. t. 44. f. 3.

Modiola modiolus, jun., Clark, Ann. & Mag. N. H. 1850.

Inhab. Scotland. M'Andrew; Thomas.

5. Volsella Ballii.

Modiola Ballii, Brown, Illust. C. G. B. (ed. 2.) 132. t. 37. f. 36? t. 42. f. 34, 35?; Forbes & Hanley, Brit. Moll. ii. 192.

Modiola, n. s., Thompson, Rep. Brit. Assoc.

? Modiola agglutinans, Cantraine, Bull. Acad. S. N. Brux. 1835, ii. 398.

? Modiola vestita, Philippi, Moll. Sicil. ii. 51. t. 15. f. 12, 1844; Thompson, Ann. Nat. Hist. xv. 318.

Inhab. Ireland. Imbedded in Sponge; Ball.

3. Crenella.

Crenella (Mytilus crenatus), Brown, Ill. Conch. G. B.; Gray, Syn. B. M. 1842, 92; Proc. Z. S. 1847, 199; Macgilliv. Moll. Aberd.; Alder, Cat. Moll. North.; Loven, I. M.; Forbes & Hanley, Brit. Moll. ii.; King, Ann. N. H. xviii.

Mytilus, sp., Linn. S. N.; Montagu, T. B.; Turt. Conch. Dict.; Flem. Brit. An.; Brown, Ill. C. G. B.; Schroeter, Einleit.:

Dillw. R. S.; Lovèn, I. M.

Modiola, sp., Lamk. Hist.; Hanley, Conch. Text-Book; Recent Shells; Brit. Mar. Conch.; Totten, Sillim. Journ.; Gould, Invert. Mass.; Menke, Cat.; Sow. Gen.; Philippi, Zeitsch. Mal.; Turt. Brit. Biv.

Pectunculina, D'Orb. 1844.

Lanistina, Gray, Proc. Z. S. 1847, 199. Lanistis, Swainson, 1840 (not Montf.).

Modiolaria, "Beck," Loven, I. M. 1846.

Modiolarca, Gray, Syn. B. M. 1842, 92; Proc. Z. S. 1847, 199.

* CRENELLA.

1. Crenella decussata.

Mytilus decussatus, Mont. T. B. Supp. 69 (not Lamk.); Laskey, Wern. Mem. i. 394. t. 8. f. 17; Turton, Conch. Dict. 114; Flem. B. An. 411.

Modiola decussata, Hanley (Thorpe), M. Conch. 29. f. 1.

Crenella elliptica, Brown, Conch. Text-Book, 143. t. 18. f. 13; Ill. C. t. 23. f. 12-14, ed. 2. 75; Jeffreys, Malac. Mag. 49.

Modiola cicercula, Möller, I. Moll. Græn. 19; Hanley, Rec. Shells, i. 243.

? Modiola glandula, Totten, Silliman's Journ. xxvi. 367. f. 3; Gould, Invert. Mass. 131. f. 87; Hanley, Rec. Shells, i. 243.

Crenella decussata, Macgilliv. Moll. Aberd. 229; Thorpe, Brit. Mar. Conch. f. 5; Alder, Cat. Moll. North. 82; Lovèn, I. M. 32. no. 246; Forbes & Hanley, Brit. Moll. ii. 210. t. 45. f. 2; King, Ann. N. H. xviii. 238.

Modiola faba, Thorpe, Brit. Mar. Conch. 248 (not Mytilus faba, O. Fabric.).

O. Faoric.).

a-t. Zétland. Presented by R. M'Andrew, Esq. u-a a. Scotland.

** LANISTINA.

2. Crenella discors.

Mytilus discors, Linn. S. N. ed. 12. 1159 (from type, fide Forbes & Hanl.); Lovèn, Ind. Moll. Skand. 33.

M. discors β, Mat. & Rack. Linn. Trans. viii. 111. t. 3. f. 9.

Modiolaria discors, Lovèn, I. M. 33. n. 247.

Mytilus discrepans, Mont. T. B. 169 (not Supp.); Turt. Conch. Dict. 112; Brit. Faun. 164. no. 315; Dillw. Rec. Shells, i. 319.

Modiola discrepans, Lamk. Hist. 2nd ed. vii. 23; Turt. B. Biv. 202; Forbes, Mal. Monens. 44; Thorpe, Brit. Mar. Conch. 108; Ald. Cat. North. Moll. 81; Gould, Inv. Mass. 129. f. 83; Hanley, Rec. Shells, i. 242.

? Modiola minuta (fry), Couch, Corn. Faun. ii. 33 (not described);

Brown, Ill. C. G. B. t. 39. f. 36 (unnamed).

Crenella discors, Forbes & Hanley, Brit. Moll. ii. 195. t. 45. f. 5, 6, & t. 48. f. 5.

a, b. Sunderland.

3. Crenella marmorata.

Mytilus discors, Mont. T. B. 167 (not Linn. nor Fabric.); Da Costa, B. S. 221. t. 17. f. 1; Don. B. S. i. t. 25. f. 1; Mat. & Rack. Linn. Trans. viii. 111 (not var.), t. 3. f. 8; Pulteney

Hutch. Dors. 38; Ind. Test. t. 12. f. 39; Poli, Test. Sic. ii. 211. t. 32. f. 15; Laskey, Mem. Wern. Soc. i. 393; Dorset Cat. 40. t. 2. f. 1; Turt. Conch. Dict. 112; Brit. Faun. 164. no. 314; Dillw. Rec. Shells, i. 319; Mawe, Conchol. t. 13. f. 5.

Modiola discors, Turt. Biv. 201. t. 15. f. 4, 5 (not Lamk. nor Gould); Flem. B. An. 413; Macgilliv. Moll. Aberd. 239;

Thorpe, Brit. Mar. Conch. 108.

Mytilus discrepans, Desh. E. M. Vers, ii. 567.

Modiola discrepans, Philippi, Moll. Sic. 1. 70, ii. 50. t. 15. f. 11. Modiola marmorata, Forbes, Malac. Monens. 44; Jeffreys, Mag. Conch. 41; Brown, Ill. C. G. B. 78. t. 27. f. 10; Thomps. Rep. Brit. Assoc. 1843, 261.

Mod. europæa, D'Orbig. Mus. Paris.

Mod. tumida, Hanley, Rec. Shells, i. 241. t. 12. f. 39.

Mod. Poliana, Philippi, Zeitsch. Malak. 1844, 101 (from type). Crenella marmorata, Forbes & Hanley, Brit. Moll. ii. 198. t. 45. f. 4.

a-d. Sunderland.

e-h. Oban. i-w. Britain.

x-b b (jun.). Ditto.

4. Crenella costulata.

Modiola costulata, Risso, Hist. Nat. Eur. Mer. iv. 324. f. 165 (fide Philippi); Jeffreys, Ann. Nat. Hist. xix. 313; Philippi, Moll. Sic. ii. (not i.) 50. t. 15. f. 10 (not D'Orbign. Moll. Canar. nor Hanley, Récent Shells, i. 240).

Crenella costulata, Forbes & Hanley, Brit. Moll. ii. 205. t. 45. f. l.

Inhab. Exmouth, Clark. Cornwall, Alder, &c.

5. CRENELLA NIGRA.

Modiola nigra, Gray, App. Parry's Voy. N. Pole, adult; Thorpe, M. Conch. 249. f. 5, jun.; Alder, Cat. Moll. North. 81; Han-

ley, Rec. Shells, i. 242. t. 12. f. 38.

Mytilus discors, var., Chemn. Conch. Cab. viii. 195. t. 86. f. 767; Schröter, Einleit. Conch. iii. t. 9. f. 15; var. Suecicus, O. Fabricius, Danske Videns. Selsk. Nye Samm. 1788, 460 (part.).

Mytilus discrepans, Mont. T. B. Supp. 65. t. 26. f. 4 (not 169); Ind. Test. t. 12. f. 38; Leach, App. Ross's Voy. 176; Zool. Miscell. ii. 36; M. & R. Linn. Trans. viii. 111. t. 3. f. 9.

Modiola discrepans, Leach, Ross's Voy. 176; Flem. B. An. 413; Turt. Biv. 202; Macgilliv. Moll. Aberd. 238; Brown, Ill. C. G. B. 78. t. 27. f. 8; Sow. Gen. Shells, Modiola, f. 3; Reeve. Conch. Syst. t. 100. f. 3; Philippi, Zeitsch. 1844, 102.

? Mod. nexa, Gould.

Mod. compressa, Menke, Cat. Conch. Malsburg.

Mod. depressa, Hanley, Rec. Shells, i. 242, note.

Modiolaria nigra, Loven, I. M. 33. n. 249.

Crenella nigra, King, Ann. N. H. xviii. 239; Forbes & Hanley, Brit. Moll. ii. 202. t. 44. f. 5, & t. Q. f. 7, animal.

a—c. Black Rocks, Leith.

d-k. Britain.

l-y, jun. Britain. z-e e, jun. Sunderland.

*** ____

6. Crenella Prideauxiana.

Modiola Prideauxiana, Leach, Zool. Misc. ii. 35; Brown, Ill. C. t. 29. f. 9, ed. 2. t. 27. f. 9.

Modiola rhombea, Berkeley, Zool. Journ. iii. 229; Supp. t. 18. f. 1; Thorpe, Brit. Mar. Conch. 107; Brown, Ill. Conch. ed. 2. 78. t. 39. f. 17.

Crenella rhombea, Forbes & Hanley, Brit. Moll. ii. 208. t. 45. f. 3. Modiola costulata, Philippi, Sic. 70. t. 5. f. 1; not Philippi, ii. 50,

nor Risso.

Mod. Petagnæ, Scacchi; Philippi, ii. 51.
a—d. Coast of Devonshire. Presented by — Prideaux, Esq. e. Weymouth. Presented by the Rev. M. J. Berkeley.

Fam. 2. Dreissenidæ.

Dreissenadæ, Gray, Turton Man. ed. 2. 299.

Dreissenidæ, Gray, Syn. B. M. 1840; 1842, 82, 91; Proc. Zool. Soc. 1847, 199.

Mytilaces, part., Rang, Man. 290.

Mytilacea, part., Anton, Verz. Conch. 12.

Chamaceæ, part., Herrmannsen, Ind. 409.

1. Dreissena.

Dreissena, Van Beneden, Ann. Sci. Nat. 1835; Gray, Turton's Man. Land & Freshwater Shells, 300; Syn. B. M. 1840; 1842, 82, 92; Proc. Z. S. 1847, 199; Forbes & Hanley, Brit. Moll. ii. Driessena, Brown, Ill. C. G. B.

Mytilina or Mytulina, Cantraine, 1835.

Trichogonia, Rossmasler, Icon. 1835.

Cælogonia, Bronn.

Mytilus β, Rang, Man.; Megerle, Entw. 1811.

Mytilus, sp., Schröter, Einleit.; Sow. Gen.; Lamk. Hist. ed. 2. vii., Dythalmia, Jay.

1. Dreissena polymorpha.

Mytilus Volgæ, Chemn. xi. 256. t. 205. f. 2028.

Myt. polymorphus, Pallas, Voy. Russ. i. 478, App. 211; Schröter,

Einleit. Conch. iii. 471; Gmelin, Syst. Nat. 3363; Reeve, Conch. Syst. i. 102. f. 4; Hanley, Rec. Shells, i. 250, Supp. t. 2, Myt. f. 6; Sow. Gen. Shells, Mytilus, f. 4; Trans. Linn. Soc. xiv. 585; Zool. Journ. i. 584; Féruss. Bull. Sc. Nat. 1826, 142; Ind. Test. Supp. t. 2, Mytilus, f. 6; Lamk. 2nd ed. vii. 50.

Myt. Chemnitzii, Férussac.

Myt. lineatus, Haardenburg, Moll. Belgic.

Myt. arca, Kickx, Descript. nouv. esp. de Moule, 1834.

Myt.? Volgensis, Gray, Ann. Phil. 1825, 139.

Myt. Hagenii, *Baer, Isis*, 1826, pt. v. 525; *Féruss. Bull. Sci. Nat.* i. 826, 140.

Myt. Toreyi, Stenz.

Trichogonia Chemnitzii, Rossm. Icon. i. 113. t. 3. f. 69.

Dreissena polymorpha, Van Beneden, Ann. Sci. Nat. 1835, 210. t. 8. f. 1-11; Strickland, Mag. Nat. Hist. 1838, 361; Gray, Man. L. & F. W. Shells, 300; Brown, Ill. Con. G. B. 76. t. 29. f. 4-9; Forbes & Hanley, Brit. Moll. ii. 165. t. 42. f. 4-5, & t. Q. f. 4, animal.

a-f. Commercial Docks. Presented by G. B. Sowerby,

Esq.

g—n. Warwickshire. Presented by Mrs. Corrie.

o-q. Britain. Presented by F. Sanders, Esq.

r— \dot{t} . Ditto.

 $u,\,x.\,$ River Soar, Leicester. Presented by W. Drake, Esq. $y-h\,h.\,$ Regent's Canal.

i i, kk. Union Canal, near Edinburgh. Presented by A.

White, Esq.

11 (group of young attached to a stone). Canal near Birmingham. Presented by Miss Theodosia Maurice.

 $m \, m - z \, z$ (young). Britain.

Fam. 3. PINNIDÆ.

Pinnidæ, Gray, Syn. B. M. 1840; 1842, 82, 91; Proc. Zool. Soc. 1847, 199.

Pinnadæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

Pinnacea, Sismond. Syn. An. Invert. 1842.

Pinnina, Agass. Nomen. Ind.

Chimæra and Chimæroderma, Poli, Moll. Sicil.

Byssifères, part., Lamk. Cour. 105.

Mytilacées, part., Lamk. Hist. vi. 129. Mytilacea, part., Anton, Verz. Conch. 12.

Mytilacés, Cuvier, R. A.; Rang, Man. Moll. 292; Féruss. Prod. 42.

Aviculacea, part., Menke, Syn. 102, 1830.

Mytilina, part., Macgilliv. Moll. Aberd. 206. Perna, Plin. H. Nat. lib. 32. cap. 54; Aldrov. lib. 3. cap. 76. Perna, part., Adanson, Seneg. 207, 1757.

1. PINNA.

Pinna, Linn. S. N. ed. 10 & 12; Lamk. Ext. Cours, 1801; Hist.
A. s. V.; Cuv. R. An.; Sow. Gen.; Swains. Malac. 1840; Gray,
Syn. B. M. 1840; 1842, 83, 92; Proc. Z. S. 1847, 199.
Chistograph Chistograph

Chimæra and Chimæroderma, Poli, Test. Sic. 1792.

Mya, sp., Scopoli, 1777.

Perna (Apan), Adanson, Senegal, 1757. Musculus, s. Mutilus, sp., D'Argenv. Pinnula, Curvula and Oxysma, Rafinesque.

1. PINNA PECTINATA.

Pinna pectinata, Linn. S. N. ed. 12.1160; Lamk. Hist. 2nd ed. vii. 64 (part.); Chemn. f. 770; Dillw. Rec. Shells, i. 325; Mawe, Conchol. t. 17. f. 1; Hanley, Rec. Shells, i. 253; Flem. B. An. 406; Pulteney, Dorset. 39; Mont. T. B. 178; Dorset Cat. 41. t. 3. f. 3; Turt. Conch. Dict. 148. f. 11; Brit. Faun. 165; Brit. Bivalves, t. 19. f. 1; Mat. & Rack. Linn. Trans. viii. 113; Forbes & Hanley, Brit. Moll. ii. 255. t. 43. f. 1, 2. t. 43. f. 8.

Pinna fragilis, Penn. B. Zool. iv. 97. no. 80. t. 69. f. 80; Turt. B. Biv. 222. t. 20. f. 2; Flem. B. An. 406; Thorpe, Brit. Mar.

Conch. 111; Brown, Ill. C. G. B. 75. t. 26. f. 3.

Pinna ingens, Penn. Brit. Zool. n. 81; Mont. T. B. 180-583, & Supp. 72; Mat. & Rack. Linn. Trans. viii. 113; Flem. Edinb. Enc. vii. t. 206. f. 3; Brit. An. 406; Brown, Ill. Conch. G. B. 75. t. 26. f. 1; Dillw. Rec. Shells, i. 325; Ind. Test. t. 12, Pinna, f. 3; Hanley, Rec. Shells, i. 253. t. 12. f. 3; Couch, Corn. Faun. pt. ii. 34; Lamk. H. no. 13; Turton, Bivalves, t. 20. f. 1; Conch. Dict. 148; Macgilliv. Moll. Aberd. 240; Thorpe, Brit. Mar. Conch. 111.

Pinna muricata, Da Costa, B. S. 240. t. 16. f. 3; Don. B. S. i. t. 10; Mont. T. B. 183. t. 5. f. 3; Crouch, Intr. Conch. t. 11. f. 4.

Pinna papyracea, Turt. Bivalves, 224. t. 20. f. 3; Flem. B. An. 407; Thorpe, B. Mar. Conch. 112.

Pinna elegans, Leach, Brit. Mus.; Brown, Ill. C. t. 30. f. 2, ed. 2. 76. t. 26. f. 2.

Pinna lævis, Don. B. S. v. t. 152, adult.

Pinna borealis, Walker, in Elem. N. H. ii. 381.

Pinna rotundata, Couch, Corn. Faun. pt. ii. 36.

Chimæra pinnarum=Chimæroderma rudis, Poli, ii. 253. 259.

a. Torbay. Presented by W. Comyns, Esq.

b. Falmouth Harbour. Presented by W. P. Cocks, Esq.

c, d. Cork. Presented by Miss Elliot.

e, f. Britain.

g-i. Cork Harbour. Presented by J. D. Humphreys, Esq. \dot{j} —p. Britain. q—u. Britain.

v (with byssus). Britain.

w-z. Britain.

Fam. 4. PTERIADÆ.

Pteriadæ, Gray, Proc. Zool. Soc. 1847, 199.

Aviculadæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 273; Gray, Syn. B. M. 1840; 1842, 83, 91.

Glaucus and Glaucoderma, Poli, Test. Sicil.

Byssifères, part., Lamk. Cours, 105; Goldfuss, Zool.

Byssifera, Goldfuss, Zool. 604, 1820.

Pernaridea and Limaridia, part., Rafin. Anal.

Malleacées, Lamk. Hist. vi. 135.

Malleacea, Anton, Verz. Conch. 12, 1839.

Ostracés, part., Cuvier, R. A.

Oxigones, Latr. Fam. Nat.

Margaritacea or Margaritacés, Blainv. Man.

Malleacées and Aviculés, Rang, Man. Moll. 281; Féruss. Prod.

Aviculacea, Menke, Syn. 101; Forbes & Hanley, Brit. Moll. ii. 250.

Pectinina, part., Macgilliv. Moll. Aberd. 203, 222.

Pernadæ, Fleming, B. A. 381, 1828; Guild. Zool. Journ, iii. 542, 1828.

Pernoidæ, Agassiz, Nomencl. 1847.

Pernea, Herrmannsen, ii. 237.

1. Pteria.

Pteria, Scopoli, Int. Hist. Nat. 1777; Gray, Proc. Zool. Soc. 1847, 199.

Avicula, Klein, Tent. Meth. Ostrac. 1753; Brug. Enc. Méth. 1789; Lamk. Prod. 1799; Syst. A. s. V. 1801; Swains, Malac. 1840; Gray, Syn. B. M. 1840; 1842, 83, 91; Forbes & Hanley, Brit. Moll. ii. 251.

Margaritifera, sp., Humph. Mus. Calon. 1797.

Anonica, Oken, Lehrb. Zool. 1815. Perna (Charon), Adans. Seneg. 1757.

Perlamater β , Schum. N. Ess. 1817.

Pinctada, § ii., Bolten, Mus. 1819.

1. Pteria tarentina.

Mytilus Hirundo, Linn. S. N. 1159 (part.); Turton, Conch. Dict. 109. f. 7; Poli, Test. Sic. ii. 221. t. 32. f. 17-21; Dillw. Rec. Shells, i. 321, var. G.; Mawe, Intr. Conch. t. 16. f. 6; Costa, Test. Sic. 59.

Avicula Tarentina, Lamk. Hist. 2nd ed. vii. 99; Hanley, Thorpe, B. M. C. 30. f. 109; Desh. E. M. Vers, ii. 99; Philippi, Moll. Sic. i. 76, ii. 55; Hanley, Rec. Shells, i. 262; Desh. Exp. Alger. Moll. 129; Forbes & Hanley, Brit. Moll. ii. 251. t. 42. f. 1-3; t. S. f. 4, animal.

Avicula Hirundo, Turt. Biv. 220. t. 16. f. 3, 4; Thorpe, M. C.

113. f. 109; Flem. B. An. 405.

Avicula Atlantica, *Brown*, *Ill. C.* t. 10*. f. 6, & ed. 2. 74; not *Lamk*.

Avicula falcata, Lamk. Hist. 2nd ed. vii. 98 (fide Desh.).

Avicula anglica, Leach, B. M.; Brown, Ill. C. t. 31. f. 3, ed. 2. 74.
 Avicula aculeata, Risso, 308 (complete); Sow. Gen. Shells, Avicula, f. 2?; Reeve, Conch. Syst. t. 109. f. 2.

Mytilus à mari Mediterraneo, Chemn. Conch. Cab. viii. 142. t. 81.

f. 725.

E. Méth. Vers, t. 177. f. 8.

Inhab. Coast of Devon and Cornwall. Ireland.

Order V. MICROPODA.

Micropoda, Gray, Med. Repos. 1821, 238; Syn. B. M. 1840; 1842, 83; Proc. Zool. Soc. 1847, 200.

Conchifères monomyaires, § 2, Lamk. Hist. vi. 153, and dimyaires

lamellipèdes, Lamk.

Ostracia, part., Rafin. Anal. Nat.

Ostracées, part., Lamk. Ext. du Cour. 104 (1812).

Ostracés monomyaires, Cuvier, R. A.; Féruss. Prod. 40.

Ostreæ, Eichw. Zool. Spec. 287.

Ostracea monomya, Menke, Syn. 97, 1830.

Patulipalla, Latr. Fam. Nat.

Fam. 1. PECTENIDÆ.

Pectenidæ, Gray, Proc. Zool. Soc. 1847, 200.

Pectinidæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Gray, Syn. B. M. 1840; 1842, 83, 92.

Glaucus or Glaucoderma, and Argus or Argoderma, Poli, Test. Sicil.

Pectenia, Rafin. Anal. Nat. 1815.

Byssifères, part., and Ostracées, part., Lamk. Ext. du Cour. 104; Cuvier, R. A.; Latr. Fam. Nat.

Pectenides, Lamk. Hist. vi. 153; Féruss. Prod. 40; Rang, Man. Moll. 276.

Pectinea, Menke, Syn. 98, 1830; Anton, Verz. Conch. 12.

Subostracea or Subostracés, Blainv. Man. Malac.

Ostreadæ, part., Forbes & Hanley, Brit. Moll. ii.

1. PECTEN.

Pecten, Bolten, 1798; Lamk. Syst. A. s. V. 1801 (part.); Gray, Proc. Zool. Soc. 1847, 200; Forbes & Hanley, Brit. Moll. ii. 272 (part.).

Pandora, Megerle, 1811, not Brug. nor Lamk.

Janira, Schum. N. Ess. 1817; D'Orb.; Gray, Syn. B. M. 1840; 1842, 84, 92.

Janera, Sow.

Argus, sp., Poli, Test. Sicil.

? Neithea, Drouet, Ann. Soc. Linn. Par. 1824, 183.

1. PECTEN MAXIMUS.

Ostrea maxima, Linn. S. N. 1144; Faun. Suec. 520; Dors. Cat. 37. t. 9. f. 3; Don. B. S. ii. t. 49; Pulteney Hutch. Dors. 35; Turt. Conch. Dict. 128; Mat. & Rack. Trans. Linn. Soc. viii. 96; Born, Mus. Cas. 98; Dillw. Rec. Shells, i. 247; Ind. Test. t. 10. f. 1.

Pecten maximus, Penn. B. Zool. ed. 4. iv. 84. t. 59. f. 61. n. 61; Mont. T. B. 143; Turt. B. Biv. 207; Brit. Faun. 161. no. 288; Flem. B. An. 383; Thorpe, B. Mar. Conch. 115; Brown, Ill. C. G. B. 71. t. 25. f. 1; Macgilliv. Moll. Aberd. 223; Forbes, M. G. S. i. 420. 77; Lovèn, I. M. 31. 226; Sow. Thes. Conch. i. 45. t. 15. f. 98-100; Hanley, Rec. Shells, i. 268. t. 10. f. 1; Chemn. Conch. Cab. vii. 268. t. 60. f. 585; Lamk. Hist. 2nd ed. vii. 129; Crouch, Int. Conch. t. 12. f. 3; Forbes & Hanley, Brit. Moll. ii. 296. t. 49.

Pecten vulgaris, Da Costa, Brit. Conch. 140. t. 9. f. 3.

P. lævis, Macgilliv. Moll. Aberd. 227?

Lister, Ang. t. 4. f. 29; Conch. t. 163. f. 1; Knorr, Délices des Yeux, pt. ii. t. 14. f. 1.

a, b. Britain.

c-e. Ditto.

f. Falmouth. Presented by W. P. Cocks, Esq. q, h. Shetland Isles. Presented by B. Frend, Esq.

i. Britain.

j. Ditto.

k, l. Ditto.

m-t, jun. Britain.

2. Argus.

Argus, sp., Poli, Test. Sic. 1795.

Argus, Gray, Proc. Zool. Soc. 1847, 200.

Pecten, Megerle, Entw. 60, 1811; Schum. N. Ess. 1817; Forbes & Hanley, Brit. Moll. ii.; Gray, Syn. B. M. 1840; 1842, 83, 92.

Pecten β , Schum. N. Ess. 1817.

Ostrea, sp., Linn. Syst. Nat.

Chlamys, sp., Bolten, Mus. 1798.

1. Argus opercularis.

Ostrea opercularis, Linn. S. N. 1147; Pulteney, Dors. 36; Mat. & Rack. Linn. Trans. viii. 98; Dorset Cat. 38. t. 9. f. 1, 2, 4, 5; Turt. Conch. Dict. 129. f. 74; Born, Mus. Cas. 106; Schröter, Einleit. Conch. iii. 317. t. 9. f. 3; Gmel. S. N. 3325; Dillw.

Rec. Shells, i. 266; Ind. Test. t. 10. f. 43.

Pecten opercularis, Chemn. Conch. vii. 341. t. 67. f. 646; Mont. T. B. 145; Turt. B. Biv. 209; Brit. Faun. 161. no. 290; Flem. B. An. 383; Alder, Cat. Moll. North. 76; Lamk. Hist. 2nd ed. vi. 142; Philippi, Moll. Sic. i. 82, ii. 57; Cuv. Règn. An. ed. Croch. t. 75. f. 3; Lovèn, Ind. M. Sk. 30. no. 227; Forbes, M. G. S. i. 420. 78; Maegilliv. Moll. Aberd. 224; Thorpe, Brit. Mar. Conch. 115; Brown, Ill. C. G. B. 71. t. 24. f. 1; Sow. Thes. Conch. i. 53. t. 17. f. 141, 146; Hanley, Rec. Shells, i. 272. t. 10. f. 43; Chenu, Ill. Conch. Pecten, t. 29; Forbes & Hanley, Brit. Moll. ii. 299. t. 50. f. 3, t. 51. f. 5, 6, t. 53. f. 7. Ostrea subrufa, Don. B. S. j. t. 12.

Pecten subrufus, Penn. B. Z. ed. 4. iv. 86. t. 60. f. 63; Turt. Biv. 210. t. 17. f. 1 (jun.); Thorpe, Brit. Mar. Conch. 116; Sow.

Thes. Conch. i. 53. t. 19. f. 208-210.

Pecten pictus, Da Costa, 144. t. 9. f. 1, 2, 4, 5; Wood, Trans. Linn. Soc. vi. t. 18. f. 7, 8.

Pecten 20-sulcatus, Müller, Z. D.

Ostrea lineata, Pult. Dors. 36; Don. B. S. iv. t. 116; Mat. & Rack. Linn. Trans. viii. 99; Dors. Cat. 38. t. 10. f. 8; Dillw. Rec. Shells, i. 267; Ind. Test. t. 10. f. 44.

Pecten lineatus, Da Costa, 147. t. 10. f. 8; Mont. T. B. 147, 579;
 Flem. B. An. 353; Turton, Brit. Faun. 161. no. 291; Lamk.

Hist. 2nd ed. vi. 143.

Pecten carinatus, Soland. Mus. Port.

Ostrea sanguinea, Poli, Test. Sic. t. 28. f. 7, 8.

Pecten sanguineus, Costa, Test. Sic. 50.

Pecten Audouini, Payr. 77. t. 2. f. 8, 9; Hanley, Rec. Shells, i. 273.

Pecten plebeius and P. sulcatus, J. Sow. M. C. t. 393.

Peigne operculaire, Chenu, Traité Elem. 101. t. 339.

Pecten Macgillivrai, Edmonston, Ann. & Mag. N. H. xv. 250 (worn shell, fide Jeffreys, Forbes & Hanley, l. c. ii. 302). List. Ang. t. 5. f. 30; Conch. t. 190. f. 27, 28; Knorr, Délices

des Yeux, pt. v. t. 28. f. 4.

a-m, red-coloured, various. Britain. Ditto. n. o. ditto. Ditto. n-r, ditto. Ditto. s-u, ditto. Ditto. v-y, ditto. z—b b, ditto. Ditto. c c—f f, orange-coloured. Ditto. g g, h h, ditto.Ditto. i i, j j, straw-coloured. Ditto. $k \ k - p \ p$, rayed. Ditto. q q - u u, light-coloured. Ditto. Ditto. $v \, v$, $w \, w$, white. x x-h h h (Pecten lineatus). Ditto.

i i i (ditto). Falmouth. Presented by W. P. Cocks, Esq.

2. Argus varius.

Ostrea varia, Linn. S. N. ed. 12. 1146; Pulteney Hutch. Dors. 36; Donov. B. S. i. t. 1. f. 1; Mat. & Rack. Linn. Trans. viii. 97; Dorset Cat. 38. t. 10. f. 1, 2, 4, 5, 7, 9; Turt. Conch. Dict. 130; Born, Mus. Cas. 104; Poli, Test. Sic. ii. 163. t. 28. f. 10; Dillw. Rec. Shells, i. 260; Mawe, Conchol. t. 14. f. 4; Ind. Test. t. 10. f. 31.

Pecten varius, Chemn. Conch. Cab. vii. 331. t. 66. f. 633, 634; Mont. T. B. 146; Penn. B. Z. ed. 4. iv. 86. t. 61. f. 64; Turt. B. Biv. 214; Brit. Faun. 162. no. 294; Flem. B. An. 384; Macgilliv. Moll. Aberd. 224; Thorpe, Brit. Mar. Conch. 118; Lamk. Hist. 2nd ed. vii. 147; Crouch, Intr. Conch. t. 12. f. 4; Sow. Conch. Man. f. 171; Philippi, Moll. Sic. i. 84 & ii. 58; Sow. Thes. Conch. i. 76. t. 19. f. 214-218; Hanley, Rec. Shells, i. 285. t. 10. f. 31; Lovèn, Ind. Moll. Sk. 30. 229; Forbes, M. G. S. i. 420. 79; Forbes & Hanley, Brit. Moll. ii. 273. t. 50. f. 1. P. monotis, Da Costa, B. C. 151. t. 10. f. 1, 2, 4, 5, 7, 9.

Lister, Conch. t. 178. f. 17, 18; An. Ang. t. 4. f. 30; Knorr,

Délices des Yeux, pt. v. t. 13. f. 2, pt. vi. t. 9. f. 4.

a-f, dark-coloured. Britain. g-l, ditto. Ditto. Ditto. m-t, red-coloured. u-w, orange-coloured. Ditto. Ditto. x, light pink. Ditto. y, dark pink.

z, jun. Falmouth. Presented by W. P. Cocks, Esq.

3. Argus niveus.

Pecten niveus, Macgilliv. Edinb. Phil. Journ. xiii. 1825, 166. t. 3. f. 1; Flem. B. An. 384; Thorpe, M. Conch. 250; Brown, Ill. C. t. 34. f. 16, 17, 2nd ed. 74. t. 24. f. 16; Sow. Thes. i. 77, Pecten, t. 19. f. 223, 224; Forbes & Hanley, Brit. Moll. ii. 276. t. 50, f. 2, & t. S. f. 3 (animal).

a-d. Inverary.

e. Hebrides. Presented by W. Nichol, Esq.

4. Argus danicus.

Pecten septem-radiatus, Müller, Z. Dan. Prod. no. 2992 (fide Lovèn); Lovèn, I. M. 31, 323.

Pecten triradiatus, Müll. Z. Dan. ii. 25. t. 60. f. 1, 2 (fide Lovèn

& Chemn.); Forbes, M. G. S. i. 420. 81.

Pseud-amusium, Chemn. (not Klein) Conch. Cab. vii. 298. t. 63.

f. 601, 602.

Ostrea hybrida, Gmel. S. N. 3318 (not Synon.) from Chemn. f. 601. Ostrea triradiata, Gmel. S. N. 3326; Dillw. Rec. Shells, i. 264 (from Müller).

Ostrea septemradiata, Gmel. S. N. 3327 (from Müller).

Pecten Danicus, Chemn. Conch. Cab. xi. 265. t. 207. f. 2043; Sow. Thes. Conch. i. 61. t. 12. f. 16, t. 17. f. 187; Hanley, Rec. Shells, i. 277; Forbes & Hanley, Brit. Moll. ii. 288. t. 52. f. 1, 2, 7-10.

Ostrea inflexa, Poli, Test. Sic. ii. 160. t. 28. f. 4, 5?

Ostrea elevata, Poli, l. c. i. 161. t. 28. f. 17?

Ostrea corallina, Poli, l. c. ii. 164. t. 28. f. 16?; Costa, Test. Sic. 51?; Dillw. R. Shells, i. 255 (from Poli).

Pecten adspersus, Lamk. Hist. 2nd ed. vii. 136 = E. M. t. 212. f. 6; Jeffreys, Ann. N. Hist. xix. 313; Philippi, Moll. Sic. i. 82, ii. 57.

P. pes-felis, Lamk. Hist. 2nd ed. vii. 140 (part.); Jeffreys, Ann. N. Hist. xix. 313; Philippi, Moll. Sic. i. 84, ii. 58? (not

Synon.); Forbes, Rep. Brit. Assoc. 1845, ii. 66.

Pecten glaber, Mont. T. B. Supp. 60; Penn. B. Z. ed. 4. iv. 87. no. 68; Turt. B. Biv. 211; Brit. Faun. 162. no. 293; Thorpe, B. M. Conch. 117; Flem. B. An. 384; Brown, Ill. Conch. G. B. 73. t. 25. f. 3, 4.

Ostrea glabra, Turt. (not Linn.) Conch. Dict. 132.

Pecten Dumasii, Payraud. Cat. Moll. Corse, 75. t. 2. f. 6, 7; Jeffreys, Ann. N. Hist. xix. 313.

Pecten nebulosus, Brown, Edin. Journ. N. Hist. 1835, i. 9. f. 1;

Ill. C. G. B. 72. t. 22. f. 17.

P. Jamesoni, Smith, Mem. Wern. viii. 106. t. 2. f. 1; Brown, Ill. C. G. B. 73. t. 25. f. 7. t. Loch Fyne. Presented by the Rev. D. Landsborough.

b—i. Inverary.

j—l. Loch Fyne. Presented by J. Blythe, Esq.
 m—o (Pecten septemradiatus). Scotland.

p-t (jun.). Loch Fyne.

5. Argus tigrinus.

Pecten tigrinus, Müller, Z. D. t. 60. f. 6-8; Desh. Lamk. Hist. 2nd ed. vii. 155; Alder, Cat. Moll. North. 77; Loven, I. M. 31. n. 233; Forbes & Hanley, Brit. Moll. ii. 285. t. 51 f. 8-11.

Pecten obsoletus, Penn. B. Z. ed. 4. iv. 87. no. 66. t. 61. f. 66; Turt. B. Biv. 213. t. 9. f. 6; Brit. Faun. 162. no. 295; Don. B. S. i. t. 1. f. 2; Mont. T. B. 149, & Supp. 57; Flem. B. An. 385; Macgilliv. Moll. Aberd. 226; Thorpe, B. Mar. Conch. 118; Brown, Ill. C. G. B. 72. t. 24. f. 6; Sow. Thes. Conch. i. 71. t. 14. f. 74, 75, 79; Hanley, Rec. Shells, i. 282. t. 10. f. 37.

Ostrea obsoleta, Mat. & Rack. Linn. Trans. viii. 100; Turt. Conch. Dict. 133; Dillw. Rec. Shells, i. 263; Ind. Test. t. 10.

f. 37; Mawe, Conchol. t. 14. f. 6.

Ostrea tigrina, Gmel. S. N. 3327; Dillw. Rec. Shells, i. 258; Ind. Test. t. 10. f. 26.

Pecten parvus, Da Costa, B. C. 155.

Ostrea levis, Mont. T. B. 150; Mat. & Rack. Linn. Trans. viii. 100. t. 3. f. 5; Dillw. Rec. Shells, i. 263; Ind. Test. t. 10. f. 38.

Pecten domesticus, Chemn. xi. 261. f. 2031-2036.

Pecten levis, Penn. B. Z. ed. 4. iv. 87. no. 67; Mont. Test. Brit. (not Supp.) 150, 579. t. 4. f. 1; Turt. B. Biv. 212; Brit. Faun. 162. no. 296; Thorpe, Brit. Mar. Conch. 117; Brown, Ill. C. G. B. 72. t. 24. f. 7.

Pecten Armoricanus, Chenu, Ill. Conch. Pecten, t. 39. f. 1-3.

a, b. Weymouth.

c-j. Tynemouth. Presented by C. Adamson, Esq.

k—d d. Britain.

e e—t t (odd valves). Coast of Cornwall. Presented by Mrs. Bayter.
 u u—w w, var. Loch Fyne. Presented by R. M'Andrew, Esq.

6. ARGUS STRIATUS.

Pecten striatus, Müller, Zool. Dan. t. 60. f. 3-5; Jeffreys, Ann. N. H. xix. 313; Ald. Cat. Moll. North. 77; Loven, I. M. 31. n. 235; King, Ann. N. H. xviii. 238; Forbes & Hanley, Brit. Moll. ii. 281. t. 51. f. 1-4, & t. S. f. 2, animal.

Ostrea fuci, Gmelin, S. N. 3327; Dillw. Rec. Shells, i. 258; Ind. Test. t. 10, f. 27?; Chemn. Conch. Cab. xi. 263, t. 207, f. 2039,

2040.

Pecten aculeatus, Jeffreys, Conch. Mag. i. 40 (not described); Sow. Thes. Conch. i. 71, Pecten, t. 13. f. 47; Thorpe, Mar. Conch. 249. f. 30.

Pecten vitreus β , var., Gmelin.

Pecten rimulosus, *Philippi*, *Sicil*. ii. 60 (fossil?). Pecten spinosus, *Johnston*, *Trans. Berw. N. C.*

Pecten similis, Laskey, Wern. Trans. i. t. 8. f. 8; Brown, Ill. C. t. 32. f. 56.

Pect. fuci, Thompson, Ann. Nat. Hist. xviii. 385.

P. Landsburgi, Smith, Wern. Mem. viii. 106. 58. t. 2. f. 2; Hanley, Rec. Shells, i. 282; Brown, Ill. C. ed. 2. 73. t. 25. f. 8. Pallium vitreum (part.), Chemn. Conch. Cab. vii. 335. t. 67. f. 637 b, c.

a. Hebrides. Presented by R. M'Andrew, Esq.

b-d. Oban.

e. Loch Carron, Ross-shire. Presented by J. G. Jeffreys, Esq.

f-i. Scotland.

j, k (Pecten furtivus, MSS.?). Scotland.

7. Argus similis.

Pecten similis, Laskey, Mem. Wern. Soc. i. 387. t. 8. f. 8; Flem. B. An. 385; Macgilliv. Moll. Ab. 227; Brown, Ill. C. G. B. 73. t. 25. f. 5, 6; Forbes & Hanley, Brit. Moll. ii. 293. t. 52. f. 6, & t. S. f. 1 (animal).

Pecten tumidus, Turt. Biv. 212. t. 17. f. 3; Flem. B. An. 384; Brown, Ill. C. G. B. 73; Hanley, Rec. Shells, i. 275; Loven,

I. M. 32, 234.

Ostrea tumida, Turt. Conch. Dict. 132; Sow. C. Ill.

Pecten pygmeus, "Muenst." Philippi, Sicil.

P. lævis, young? Turton.

a-e. Loch Fyne.

f. q. Ditto. Presented by R. M'Andrew, Esq.

8. Argus Islandicus.

Pecten Islandicus, Müller, Z. D. Prod. 284. no. 2990, 1776; Chemn. vii. 65. f. 615, 616; Turton, Bivalves, 216; Loven, Ind. Moll. 30. 330; Thorpe, Brit. Mar. Conch. 119; Forbes, M. G. S. i. 419. 76; Flem. B. An. 385; Macgilliv. Moll. Ab. 226; Brown, Ill. C. G. B. 72. t. 24. f. 2; O. Fabric. Faun. Gran. 415; Lamk. Hist. 2nd ed. vii. 145; Say, Amer. Conch. t. 56. f. 1; Sow. Thes. Conch. i. 75. t. 17. f. 159, 160, 165; Gould, Inv. Mass. 134. f. 87; Hanley, Rec. Shells, i. 284; Forbes & Hanley, Brit. Moll. ii. 303.

Ostrea Islandica, Gmel. S. N. 3326; Turt. Dict. 258; Ind. Test.

t. 10. f. 21.

Ostrea cinnabarina, Born, Ind. Mus. Cæs. 87, 1778; Mus. Cæs. 103; Dillw. R. S. i. 256.

Pecten Pealii, Conrad, Amer. Conch. 12. t. 2. f. 2.

Lister, Conch. t. 1057. f. 4; Seba, Mus. iii. t. 87. f. 7; Enc. Méth. Vers, t. 212. f. 1.

a. Clyde (semifossil). Presented by J. Smith, Esq.

3. Lima.

Lima, Brug. Enc. Méth. 1792; Cuvier, Tab. élém. 1798; R. An. 1817; Lamk. Prod. 1799; Syst. 1801; Phil. Zool. 1809; Hist. vi. 155, ed. 2. vii. 112; Sow. Gen.; Schum. N. Syst.; Rang, Man.; Latr. Fam. Nat.; Gray, Syn. B. M. 1840; 1842, 92; Proc. Zool. Soc. 1847, 200; Forbes & Hanley, Brit. Moll. ii. 262.

Ostrea, sp., Gmel.; Linn. S. Nat.; Dillw. R. S. Glaucus and Glaucoderma, sp., Poli, Test. Sic. 1795.

Argus and Argoderma, part., Poli, l. c.

Glaucion, § a, Oken, Zool. 1815; Naturg. 1821. Mantellum, Bolten, Mus. 1798, ed. 2. 112, 1819.

Pectunculus, sp., and Concha pectiniformis inæquilateralis triangularis, Gualt. Ind. 1742.

Radula, "Petiver," Klein, Ostr. 135, 1753.

Ctenoides, Klein, Ostrac. 134, 1753.

Pecten, sp., Lister, D'Argenville, O. F. Müller, Martini.

1. Lima Loscombii.

Lima Loscombii, Leach, MSS.; Sowerby, Gen. Shells, Lima, f. 4; Thes. Conch. i. 86. t. 22. f. 20–22; Hanley, Thorpe, M. C. xxx.; Macgilliv. Moll. Aberd. 228; Lovèn, I. M. 32. 242; Reeve, Conch. Syst. t. 112. f. 4; Hanley, Rec. Shells, i. 267; Forbes & Hanley, Brit. Moll. ii. 265. t. 53. f. 1–3.

Lima bullata, Turton (not Ostrea bullata, Born) Biv. 218. t. 17. f. 4, 5; Thorpe, B. Mar. Conch. 114; Philippi, Sicil. ii. 56.

Pecten fragilis, Mont. T. B. Supp. 62, not Chemn.

Lima fragilis, Forbes, Mag. N. Hist. viii. 594. f. 65; Malac.

Monens. 40; Brown, Ill. C. t. 31. f. 5, 7. 2nd ed. 74. t. 31.
f. 6, 7, 7*; S. Wood, Mag. N. H. 1839, 235. t. 3. f. 3.

Ostrea fragilis, Turton, Dict. 131.

Lima strigilata, Scacchi, Not. 31 (not Brocchi).

a. Britain.

b-d. Britain. From the Collection of Dr. Leach.

2. LIMA HIANS.

Ostrea hians, Gmelin, S. N. 3332, from Schræt. Einleit. Conch. iii. 332. t. 9. f. 4; Dillw. Rec. Shells, i. 270; Ind. Test. t. 11. f. 53. Lima tenera, Turt. (not Ostrea tenera, Chemn.) Zool. Journ. ii. 362. t. 13. f. 2; Brown, Ill. C. t. 31. f. 8, 9, ed. 2. 74. t. 23. f. 8, 9; Philippi, Moll. Sic. i. 77, ii. 57. t. 16. f. 3; Forbes, Malac, Monens, 41.

Lima aperta, Sow. Thesaur. i. 57. t. 22. f. 26-29; Thorpe, M. C.

249; Hanley, Rec. Shells, i. 268.

Lima bullata, Payraud. Moll. Corse, 70; D'Orb. Moll. Canar. 101.

Pecten fragilis, Mont. T. B. Supp. 62.

Lima fragilis, Flem. B. A. 388; Scacchi, Cat. 4; Couch, Corn. Faun. pt. ii. 37.

L. oblonga, S. Wood, Mag. N. H. 1839, 233. t. 3. f. 2? (fossil). L. vitrina, Brown, Conch. Text-Book, 1833, 113. t. 15. f. 7; Ill. C. t. 31. f. 10, 11; ed. 2. 74. t. 23. f. 10, 10*, 11, 11*.

L. Sarsii, Kröyer (fide Lovèn).

L. inflata, "Lam.," Forbes, Malac. Mon. 41; Brown, Ill. C. G. B. 74.

L. exilis, S. Wood, Mag. N. Hist. new ser. iii. 234. t. 3. f. 1? (fossil).

L. oblonga, S. Wood, l. c. t. 3. f. 2 (fossil).

Limæ, Forbes, Mag. N. Hist. viii. 593, 594. f. 63, 64.

Lima hians, Loven, I. M. 32; Forbes & Hanley, Brit. Moll. ii. 268. t. 52. f. 3-5, & t. R. (animal).

a, b. Oban. Presented by R. M'Andrew, Esq. c—f. Oban.

g, h. Arran. Presented by the Rev. D. Landsborough. i-l. Scotland.

m-s. Ditto.

4. LIMATULA.

Limatula, S. Wood, Mag. N. H. new ser. iii. 236, 1839; Morris, Brit. Foss. 111, 1843; Gray, Proc. Zool. Soc. 1847, 200; Herrmannsen, Ind. i. 595.

Pecten, sp., Montagu, Test. Brit.; Fleming, Ed. Encyc.

Lima, sp., Turton, Brit. Biv.; Sowerby, Thes. Conch.; Philippi, Moll. Sic. ii. 56; Loven, I. M. Skand. 32; Forbes & Hanley, Brit. Moll. ii. 263.

Limula, D'Orbigny, Pal. Franç.

1. LIMATULA SUBAURICULATA.

Pecten subauriculatus, Mont. T. B. Supp. 63. t. 29. f. 2; Flem. Edin. Enc. t. 205, f. 12.

Ostrea subauriculata, Turt. Dict. 131; Ind. Test. Supp. t. 2, Ostrea, f. 5.

Lima subauriculata, Turt. Bivalves, 218; Flem. B. An. 388; Thorpe, Brit. Mar. Conch. 114; Hanley, Rec. Shells, i. 266; Supp. t. 2, Ostrea, f. 5; Philippi, Moll. Sicil. ii. 56; Sow. Thes. Conch. i. 84. t. 22. f. 23; Lovèn, I. M. 32. no. 243; Forbes & Hanley, Brit. Moll. ii. 263. t. 53. f. 4, 5.

Lima sulcata, Leach, B. M.; Brown, Ill. C. t. 31. f. 4, 5; 2nd ed.

74. t. 23. f. 4, 5; Möller, Moll. Græn. 16. Ostrea nivea, Brocchi, 571. t. 14. f. 14; Risso.

Lima nivea, Philippi, Moll. Sicil. i. 78.

Lima sulculus, Loven, Ind. Moll. 32?

Limatula subauriculata, S. Wood, Mag. N. H. 1839, 235. t. 3. f. 6.

a-e. Oban and Inverary.

Fam. 2. SPONDYLIDÆ.

Spondylidæ, Gray, Ann. Phil. 1826; Syn. B. M. 1840; 1842,
84, 92; Proc. Zool. Soc. 1848, 201; Geinitz, Grund. d. Verst.
473, 1846; Flem. Brit. An.

Argus or Argoderma, Poli, Test. Sicil.

Ostracés, part., Goldfuss, Hand. der Zool.; Cuvier, R. A. ed. 2. 1830.

Ostracées, part., Lamk. Cour. 104, 1812; Latr. Fam. Nat.

Pectenides, part., Lamk. Hist. vi. 153; Rang, Man. Moll. 276; Latr. Fam. Nat.; Féruss. Prod. 40.

Pectinea, part., Menke, Syn. 98, 1830; Anton, Verz. Conch. 12.

Pectenidæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272.

Subostracés, Blainv. Diet. Sci. Nat. x. Spondyloidæ, Agassiz, Nom. Ind. 1847.

Spondyloidæ, Agassiz, Nom. Ina. 1847. Spondylea, Menke, 1846, in Agass. Nom.

1. HINNITES.

Hinnites, Defrance, Dict. Sci. Nat. xxi. 169, 1821; Sow. Zool. Journ. iii. 67; Conch. Man. 162; Desh. in Lamk. Hist. ed. 2. vii. 148; Gray, Syn. B. M. 1840, 1842; Proc. Z. Soc. 1847, 201; Blainv. Malac. 524, 1825; Flem. Brit. An. 381; Cuvier, R. A. ed. 2. 1830; J. Sow. Min. Conch. t. 601; Swains. Malac. 388; Philippi, Moll. Sicil. ii. 62.

Hynnites, Herrmannsen, Index.

Hinnus?, S. Wood, Ann. & Mag. N. H. 1841; Morris, Brit. Foss. 110, 1843.

Hinnita, Gray, Ann. Phil. new series, xii. 103, 1826; Féruss. Tab.
Syst. 1821; Menke, Syn. 58, 1828, ed. 2. 98; Agass. Moul. d.
Moll. 24; Conrad, Freshwater Shells of United States?, 1834;
Oken, Isis, 1834, 503; Pot. & Mich. Gal. ii. 68, 1844; Rang,
Man. 278, 1829; Desh. Dict. Class. d'Hist. Nat. & In. Enc.

Meth. iii. 272.

Pecten (sp.), D'Orb.; Sow, Genera, Pecten, f. 6; Forbes & Hanley, Brit. Moll. ii. 278.

Lima (sp.), Gray.

Ostrea, sp., Pennant, Brit. Zool.; Gmel.; Brocchi.

1. HINNITES PUSIO.

Ostrea pusio, Linn. S. N. ed. 12. 1146?; Don. B. S. i. t. 34.

Pecten pusio, Penn. B. Z. ed. 4. iv. 86 (1777), n. 65. t. 61. f. 65; Flem. Brit. An. 385; Sow. Gen. Pecten, f. 6; Reeve, Conch. Syst. t. 114. f. 6; Turton, Biv. 215. t. 17. f. 2, jun.; Brit. Faun. 161. no. 292; Philippi, Moll. Sic. i. 84, ii. 58; Sow. Thes. Conch. i. 72. t. 14. f. 62, 63; Forbes & Hanley, Brit. Moll. ii. 278. t. 50. f. 4, 5. t. 51. f. 7; Macgilliv. Moll. Ab. 226; Thorpe, Brit. Mar. Conch. 119; Lamk. Hist. vii. n. 58?

Pecten distortus, Da Costa, Brit. Conch. (1778), 148. t. 10. f. 3-6; Mont. T. B. 148; Supp. 61; Lovèn, Ind. Moll. Sk. 30. no. 231;

Alder, Cat. Moll. North. 77.

Ostrea distorta, Pulteney, Dorset, 36.

Hinnites pusio, Sow. Zool. Journ. iii. 71; Conch. Man. f. 173. Ostrea sinuosa, Gmel. 3319; Mat. & Rack. Linn. Trans. viii. 99; Dorset Cat. 38. t. 10. f. 3-6; Turt. Conch. Dict. 130; Dillw.

Rec. Shells, i. 262; Ind. Test. t. 10, Ostrea, f. 34.

Pecten sinuosus, Turt. B. Biv. 210. t. 9. f. 5; Lamk. Hist. 49, ed. 2. vii. 148; Flem. B. An. 384; Thorpe, M. C. 116; Macgilliv. Moll. Aberd. 225; Brown, Ill. C. t. 33. f. 8, ed. 2. 73. t. 25. f. 2; Forbes, M. G. S. i. 420. 80; Malac. Monens. 40. Pecten Isabellæ, fry, Macgilliv. Moll. Aberd. 225 (not Lamk.);

Thorpe, B. M. Conch. 250; Brown, Ill. C. G. B. 132.

Pecten spinosus, Brown, Ill. C. G. B. 73. t. 24. f. 8.

P. parvus, &c., List. Conch. t. 189. f. 23 (A.).

Hinnites sinuosus, Desh. Lamk. ed. 2. vii. 149, note; Sow. Thes. Conch. i. 79. t. 20. f. 1-3; Cuv. Règ. An. ed. Croch. t. 77. f. 1; Brod. Penny Cyclop. xvii. 359.

Pecten striatus, Sow. Min. Conch. t. 394. f. 2-4 (fossil).

Hinnites, Gray.

Lister, An. Ang. t. 4. f. 31; Hist. Conch. 172. f. 9.

a—e. Scarborough. Presented by Mrs. Robinson.

f-n. Britain.

o, p (attached to old Ostrea shell). Falmouth. Presented by W. P. Cocks, Esq.

Fam. 3. OSTREIDÆ.

Ostreidæ, Brod. Penny Cyclop. xiv. 1839; Gray, Syn. B. M. 1840; 1842, 84, 92; Rev. Zool. 452; Proc. Zool. Soc. 1847, 201.

Peloris or Peloroderma, Poli, Test. Sicil.

Ostreadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Flem. Brit. An.

Ostreacia and Anominia, Rafin. Anal. Nat.

Ostraces §, Féruss. Prod. 40; Rang, Man. Moll. 275.

Ostracées, part., Lamk. Cour. 104; Cuv. R. An.; Goldfuss, Handb. 600.

Ostracées, § 1, Lamk. Hist. vi. 195.

Ostreacea, Schweigger, Naturg.712, 1820; Menke, Syn. 97, 1830; Anton, Verz. Conch. 12.

Ostracidæ, part., D'Orb. Moll. Canar. 1837; Pal. Franc. 1845; Geinitz, Grund. 476, 1846; Swainson, Malac. 387.

Ostracea (les Ostracées), Lamk. Phil. Zool. 1809; Ext. Cours, 1812; Hist. vi. 1819; Cuv. R. A. 1817; Goldfuss, Hand. Zool. 1820.

Ostreæ, Férussac, Tab. Syst. 1821.

Ostreadæ, Fleming, Brit. Anim.; Guild. Zool. Journ. 1828.

Ostraceæ, Menke, Syn. 37, 1828.

Ostraceidæ, D'Orb. Moll. Canar. 1837; Swains. Malac. 387, 1840.

Ostreina, Agassiz, Nomenclat.

1. OSTREA.

Ostrea, part., Linn. S. Nat.

Ostrea, Lamk. Syst. 1801; Hist. A. s. V. vi. 200, 2nd ed. vii. 214; Latr. Fam. Nat. 1825; Rang, Man. 1829; Menke, Syn. 1830; Megerle, Entw. 1811; Gray, Lond. Med. Rep. 1821; Syn. B. M. 1840; 1842, 92; Proc. Zool. Soc. 1847, 201; Forbes & Hanley, Brit. Moll. ii. 306.

Ostrea β , Megerle.

Ostrea D., Blainv. Man.

Ostræa, Forbes, Mal. Mon.; Reeve, Conch. Syst.; Swains. Mal. Ostreum (sp.), Adanson, Seneg. 1757.

Dendostræa, Swains. Malac.

Mya, sp., Scopoli, Int. Hist. Nat.?

Alectryonia, "Fischer, Gray," Herrmanns. Ind. ii. 390. Amphidonta, Fischer, Bull. Soc. Mosc. 1829.

Peloris and Peloriderma, sp., Poli, Test. Sicil.

1. Ostrea edulis.

Ostrea edulis, Linn. S. N.1148; Faun. Suec. 520; Chemn. Conch. viii. f. 682; Penn. B. Z. ed. 4. iv. 87. n. 69. t. 62. f. 70 (with an Anomia upon it); Pulteney Hutch. Dors. 36; Flem. B. An. 392; Wood, Linn. Trans. vi. t. 18. f. 9, 10; Turt. Conch. Dict. 133; B. Biv. 204; Brit. Faun. 162. no. 297; Mont. T. B. 151; Mat. & Rack. Linn. Trans. viii. 101; Dorset Cat. 38. t. 11. f. 7; Lamk. Hist. 2nd ed. vii. 217; Thorpe, Brit. Mar. Conch. 120; Born, Mus. Cæs. 113; Brown, Ill. C. G. B. t. 31. f. 19, 2nd ed. 71. t. 23. f. 19, & t. 30. f. 6, 7; Forbes, M. G. S. i. 426. 82; Lovèn, Ind. M. Sk. 30. 228; Dillw. Rec. Shells, i. 280; Ind. Test. t. 10. f. 74; Blainv. Man. Malac. t. 60. f. 1; Crouch, Intr. Conch. t. 12. f. 8; Sow, Gen. Shells, Ostrea, f. 1; Brown, Conch. Text-Book, ed. 1. 111; Reeve, Conch. Syst. t. 120. f. 1; Forbes & Hanley, Brit. Moll. ii. 307. t. 54, t. T. f. 1 (animal).

Ostreum vulgare, Da Costa, 154. t. 11. f. 6.

Ostrea borealis, Gould.

Ostrea saxatilis, Turton, Brit. Faun. 162. no. 298.

Ostrea major, List. Conch. t. 193. f. 30=List. An. Ang. t. 4. f. 26. Ostrea parasitica, Turton (not Gmel.), Dict. 134. f. 81; Bivalves, 205. t. 17. f. 6, 7; Thorpe, M. C. 120. f. 108; Flem. B. An. 393; Brown, Ill. C. ed. 2. t. 23. f. 20, 21.

Ostrea depressa, Philippi, Sicil. t. 6. f. 3; Jeffreys, Ann. & Mag.

N. H. xix. 312.

? Ostrea deformis, Lamk. Hist. 2nd. ed. vii. 229 (Turton, Bivalves, 206).

Ostrea Hippopus, Lamk. Hist. 2nd ed. vii. 219.

Peloris vulgaris=Peloriderma edulis, Poli, ii. 255, 259.

a. Belfast Bay. Presented by W. Thompson, Esq.

b-e. Britain. f-i. Ditto. j, k. Dawlish.

l, m. Falmouth. Presented by W. P. Cocks, Esq.

Fam. 4. Anomiadæ.

Anomiadæ, Gray, Syn. B. M. 1840; 1842, 84, 92; Proc. Zool. Soc. 1847, 201; Cat. Biv. Moll. Brit. Mus. 7.

Anomia, sp., Linn. S. N. xii. 1150, &c. (not Fab. Colon. 1616). Anomia, Müller, Zool. Dan. Prod. 31, 1776; Lamk. Syst. 137, 1801.

Echion and Echionoderma, Poli, Test. Sicil. i. 34, ii. 225.

Ostracées, part., Lamk. Cour. 104.

Ostracées, § 2, Lamk. Hist. vi. 196.

Ostracea, part., Menke, Syn. 1830; Anton, Verz. 12.

Ostracés §, Féruss. Prod. 40; Rang, Man. Moll. 273.

Anomiea, Herrmannsen, Ind. i. 61.

Ostreadæ, part., Leach, MSS. 1818, Ann. & Mag. N. H. xx. 272; Flem. B. An.; Forbes & Hanley, Brit. Moll. ii.

? Bursula, sp., Klein, Ost. 173, 1753.

1. Anomia.

Anomia, part., Linn. S. Nat.
Anomia, Müller, Zool. Dan.1776; Retzius, Nov. Gen. Test.1788;
Brug. Enc. Méth. i. 69, 1789; Lamk. Prod. 1799; Syst. 1801;
Hist. ed. 2. vii. 271; Megerle, Entw. 1811; Latr. Fam. Nat.;
Blainv. Malac.; Rang, Man.; Gray, Med. Repos. 1821; Syn.
B. M. 1840; 1842, 92; Proc. Zool. Soc. 1847, 201; Cat. Biv.
Moll. Brit. Mus. 14; Forbes & Hanley, Brit. Moll. ii. 322.

Anomia, A., Schum. Ess. 1817.

Echion and Echionoderma, sp., Poli, Test. Sicil.

Anomya, Agassiz, Moul. d. Moll. i. 23, 1839 (misprint?).

Fenestella, Bolten, Mus. 1798.

Lampades, sp., Meuschen, Mus. Gevers. 1787.

Cepa, sp., Humph. Mus. Calonn. 1797.

Bursula, Klein, fide Desh. Enc. Méth. ii. 150.

Stola, part., Klein, Ostr. 173.

"Ænigma, Koch," fide Cabinet of Mr. Cuming.

1. Anomia ephippium.

Anomia ephippium, Linn. S. N. 1150; Penn. B. Zool. ed. 4. iv. 93. t. 62; Don. B. S. t. 26; Mat. & Rack. Linn. Trans. viii. 102; Dorset Cat. 38. t. 11. f. 3; Wood, Linn. Trans. vi. t. 18. f. 11, 12; Mont. T. B. 155; Forbes, M. G. S. i. 420. 83; Sow. Conch. Man. f. 186; Sow. Gen. Shells, Anomia; Mawe, Linn. Conch. t. 15. f. 6; Bowdich, Elem. Conch. pt. 2. Biv. f. 90; Lamk. Hist. 2nd ed. vii. 273; Ind. Test. t. 11. f. 3; Dillw. Rec. Shells, i. 287; Macgilliv. Moll. Aberd. 230; Thorpe, B. Mar. Conch. 121; Brown, Ill. Conch. G. B. 69. t. 22. f. 1.—4; Turt. Conch. Dict. 2; Brit. Biv. 227. t. 18. f. 1-3, t. 17. f. 10; Brit. Faun. 162. no. 299; Flem. B. An. 395; Born, Mus. Cæs. 117; Retzius, Nov. Gen. 10; Chemn. Conch. Cab. viii. 81. t. 76. f. 692, 693; Poli, Test. Sicil. ii. 186. t. 30. f. 9, 10; Philippi, Moll. Sic. i. 92, ii. 65; Reeve, Conch. Syst. 124; Forbes & Hanley, Brit. Moll. ii. 325. t. 55. f. 2, 3, 5, 7, & t. T. f. 2, animal; Gray, Cat. Biv. Moll. Brit. Mus. 14.

Anomia electrica, Linn. S. N. ed. 12. 1150; Flem. B. An. 394; Turton, Dict. i. f. 67; Bivalves, 226. t. 17. f. 8, 9; Thorpe, Brit. Mar. Conch. 120; Brown, Ill. Conch. G. B. 70. t. 46. f. 5; Dillw. Rec. Shells, i. 287; Ind. Test. t. 11. f. 5; Lamk. Hist. 2nd ed. vii. 274; Chemn. Conch. Cab. t. 76. f. 691.

Ostrea lævis, List. Conch. t. 205. f. 29.

Anomia Tunica Cepæ, Da Costa, 165. t. 11. f. 3.

Anom. Cepa, Linn. S. N. 1151; Chemn. Conch. Cab. viii. 85. t. 76. f. 695; Donov. B. Shells, i. t. 26, side figs.; Flem. B. An. 395; Thorpe, Brit. Mar. Conch. 121; Brown, Ill. Conch. G. B. 70.

t. 39. f. 12*; Pulteney, Dorset, 37; Turt. Conch. Dict. 3; Bivalves, t. 18. f. 4, young; Dillw. Rec. Shells, i. 287; Lamk. Hist. 2nd ed. vii. 274.

Anomia Cæpa, Poli, Test. Sic. ii. 182. t. 30. f. 1, 2, 5-8;

Echion versicolor and Echionoderma ephippium, Poli, ii. 258, 259.

Jun. Anom. squamula, Linn. S. N. 1150; Faun. Suec. 521; Penn. B. Zool. ed. 4. iv. 93. n. 71; Da Costa, 167; Mont. T. B. 156 & 561; Turton, Conch. Dict. 3; Brit. Bivalves, 229. t. 18. f. 5, 6, 7; Brit. Faun. 163. no. 300; Forbes, M. G. S. i. 420. 84; Pulteney Hutch. Dorset, 36; Mat. & Rack. Linn. Trans. viii. 102; Dorset Cat. 39. t. 13. f. 4; Flem. B. An. 395; Macgilliv. Moll. Aberd. 231; Thorpe, Brit. Mar. Conch. 122; Brown, Ill. Conch. G. B. 69. t. 22. f. 5; Chemn. Conch. Cab. viii. 86. t. 76. f. 696; Poli, Test. Sic. ii. 186. t. 30. f. 18; Lamk. Hist. 2nd ed. vii. 275.

Echion anomalus and Echionoderma squamula, Poli, ii. 258, 259.

Anomia punctata, Turton, Bivalves, 232. t. 18. f. 11; Chemn. Conch. Cab. viii. 88. t.77. f. 698; Flem. B. An. 395; Macgilliv. Moll. Ab. 232; Thorpe, Brit. Mar. Conch. 122; Brown, Ill. Conch. G. B. 70. t. 39. f. 13*; Gmel. Syst. Nat. 3346; Dillw. Rec. Shells, i. 288; Ind. Test. t. 11. f. 6.

An. cylindrica, Gmel. S. N. 3349; Schröt. Einleit. Conch. iii. 419. t. 9. f. 13; Turt. Dict. 6; Bivalves, 232; Flem. B. An. 395; Macgilliv. Moll. Ab. 232; Thorpe, B. Mar. Conch. 123; Dillw. R. Shells, i. 291; Brown, Ill. Conch. G. B. 70. t. 22. f. 7, 8; Ind. Test. t. 11. f. 13.

An. cymbiformis, Mat. & Rack. Linn. Trans. viii. 104. t. 3. f. 6; Montag. T. B. Supp. 64; Turt. Brit. Faun. 163. no. 303.

A. pyriformis, Lamk. H. 2nd ed. vii. 275; Potiez, Gal. Douai,

ii. 41. t. 43. f. 10; Deless. Rec. t. 17. f. 4.

An. fornicata, Lamk. Hist. 2nd ed. vii. 275.? n. 6=Enc. Méth. t. 170. f. 45; Turt. Bivalves, 234. t. 18. f. 12, 13; Thorpe, Brit. Mar. Conch. 123; Flem. B. An. 396; Brown, Ill. Conch. G. B. 70. t. 39. f. 14*, 15*.

An. tubularis, Turt. Bivalves, 234; Flem. B. An. 396; Thorpe, B. Mar. Conch. 124; Brown, Ill. Conch. G. B. 70.

An. coronata, Bean, Mag. N. Hist. viii. 564. f. 52.

An. pellucida, Brown, Wern. Trans. ii. 514; Illust. Conch. t. 10*. f. 5.

An. violacea, Brug. Enc. Méth. 71.

An. costata, Brocchi, 463. t. 10. f. 9.

An. plicata, Brocchi, Conch. 665. t. 16. f. 9.

An. patelliformis, Chemn. viii. 89. t. 77. f. 700; Dillw. R. S. i. 290.

An. striatula, Brug. Enc. Méth. 74.

? An. bifida, Chemn. viii. 79. t. 76. f. 689, 690; Dillw. R. S. i. 291.
 ? An. membranacea, Lamk. vi. 228, ed. 2. vii. 275. no. 7=Enc.

Méth. t. 170. f. 1-3? An. sulcata, Poli, t. 30. f. 12; Brocchi, t. 10. f. 2.

An. radiata, Brocchi, t. 10, f. 10.

An. pecteniformis, Poli, t. 30. f. 31; Philippi, Sic. ii. 63. t. 18. f. 3.

An. margaritacea, Poli, ii. t. 30. f. 11; Philippi, Moll. Sic. ii. 65.
A. flexuosa, Gmel. S. N. 3349; Schröt. Einleit. Conch. iii. 418.
t. 9. f. 11; Ind. Test. t. 12, Anomia, f. 31.

A. rugosa, Gmel. S. N. 3349; Schröt. Einleit. Conch. iii. 419.

t. 9. f. 12. A. patellaris, *Lamk. Hist.* 2nd ed. vii. 273; *Deless. Rec.* t. 17. f. 3.

A. polymorpha, Philippi, Moll. Sic. ii. 65. A. scabrella, Philippi, Moll. Sic. ii. 65. t. 18. f. 1.

An. scabra, Soland. MSS. fide Dillw.

An. lens, Lamk. Hist. vi. 228, 2nd ed. vii. 276. no. 9.

An. aspera, Philippi, Sic. ii. 65. t. 18. f. 4. An. elegans, Philippi, ii. 65. t. 18. f. 2. ? An. cucullata, Bruq. Enc. Méth. 70.

a-e. Britain. f-k. Ditto.

l-q. Ditto.

r-w. Ditto. Presented by Mrs. Robinson.

x, y. Falmouth. Presented by W. P. Cocks, Esq.

z—b b. Britain. c c, d d. Ditto.

e e-n n, jun. Britain.

o o—w w. Ilfracombe. Presented by J. E. Gray, Esq.

Var. Anomia aculeata, Müller, Zool. Dan. Prod. 249; Mont. Test. Brit. 157. t. 4. f. 5; Mat. & Rack. Trans. Linn. Soc. viii. 103; Chemn. Conch. Cab. viii. 92. t. 77. f. 702; Turt. Conch. Dict. 4; Brit. Bivalves, 233; Brit. Faun. 123. no. 301; Flem. B. An. 396; Macgilliv. Moll. Ab. 232; Thorpe, Brit. Mar. Conch. 123. f. 73; Brown, Ill. Conch. G. B. 70. t. 22. f. 6; Brug. Enc. Méth. Vers, i. 73; Dillw. Rec. Shells, i. 288; Philippi, Moll. Sic. ii. 214. t. 28. f. 1?; Gould, Invert. Mass. 139. f. 90; Lovèn, Ind. Moll. Skand. 30. 223; Forbes & Hanley, Brit. Moll. ii. 333. t. 55. f. 4.

Anom. striolata, var., Turt. B. Biv. 233; Flem. Brit. An. 396; Macgilliv. Moll. Aberd. 233?; Thorpe, Brit. Mar. Conch. 125;

Brown, Ill. Conch. G. B. 70.

a-g. Britain.

h—m. Ditto. Presented by Mrs. Robinson.

2. Placunanomia.

Anomia B, Schumach, Ess. 1817.

Placunanomia, Brod. Proc. Z. Soc. 1832, 29; Müller, Syn. 176; Desh. in Lamk. Hist. vii. 269; Gray, Proc. Z. Soc. 1849, 119; Cat. Biv. Moll. Brit. Mus. 8; D'Orb. Amer. Merid.

Pododesmus (decipiens), Philippi, Wiegm. Arch. i. 385, 1837. Anomia, part., Blainv. Man.; Montagu, T. B.; Forbes & Hanley, Brit. Moll.

Ostrea, sp., Da Costa, B. Conch.; Mont. T. B. Placunomia, Swainson, Malac. 39, 1840.

1. PLACUNANOMIA PATELLIFORMIS.

Anomia patelliformis, Linn. N. A. Upsal. i. 42. t. 5. f. 6, 7; S. Nat. ed. 12. 1151; Lovèn, I. M. 30. n. 222; Retzius, Nov. Gen. Test. 11; Forbes & Hanley, Brit. Moll. ii. 334. t. 5. f. 5, 6; Wood (not Linn.), Ind. Test. t. 11. f. 10.

Placunanomia patelliformis, Gray, Cat. Biv. Moll. Brit. Mus. 12.

по. о.

An. undulata, Gmelin, S. N. 3346; Mont. T. B. 157. t. 4. f. 6; Mat. & Rack. Linn. Trans. viii. 103; Dorset Cat. 39. t. 11. f. 4; Macgilliv. Moll. Aberd. 231; Turt. Conch. Dict. 4; Brit. Biv. 230. t. 18. f. 8-10; Brit. Faun. 163. no. 302; Flem. B. An. 395; Brown, Conch. Text-Book, ed. 1. 110; Ill. Conch. G. B. 69. t. 22. f. 2, 3; Brug. Enc. Méth. i. 74. t. 171. f. 16, 17, t. 184. f. 5, 6; Dillw. Rec. Shells, i. 289; Ind. Test. t. 11. f. 9; Thorpe, Brit. Mar. Conch. 122.

An. undulatim striata, &c., Chemn. Conch. Cab. viii. 88. t. 77.

f. 699.

Ostreum striatum, Da Costa, B. Conch. 162. t. 11. f. 4.

Ostrea striata, Pulleney Hutch. Dorset, 36; Donov. B. Shells, ii. t. 45; Mont. Test. Brit. 153 & 580.

An. squama, Gmel. S. N.; Schum. Ess.

Anomia striata, Loven, Ind. Moll. Skand. 29; Forbes & Hanley, Brit. Moll. ii. 336. t. 55. f. 1-6, t. 53. f. 6.

? Squama magna, Chemn. Conch. Cab. viii. 87. t. 77. f. 697 (from which Anomia squama, Gmel. & Wood).

List. Ang. t. 4. f. 27; Conch. t. 202. f. 36, 37.

 $\begin{bmatrix} a-h \\ i-n \end{bmatrix}$ (An. striata.) Britain.

Class II. BRACHIOPODA.

Brachiopoda, Cuvier, Ann. du Mus. i. 44, & in Roissy, Moll. vi. 460, 1805; Dumeril, Trait. élém. 1806; Lamk. Phil. Zool. 1809; Latr. Fam. Nat.; Schweigg. Naturg. 689; Rang. Man.; Flem. Brit. An.; Menke, Syn. i. 95, 1836; Gray, Syn. B. M. 1840; 1842, 85; Proc. Zool. Soc. 1847, 202; Ann. Nat. Hist. 2nd ser. ii. 435, 1848.

Anomia, part., Linn. S. Nat.

Criopus or Criopoderma, Poli, Test. Sicil. Branchiopoda, Risso, Hist. iv. 1826; Swains. Malac. 1840.

Spirobrachiophora, Gray, Med. Repos. 1821, 238.

Lingulacea, Blainv. Dict. Sc. Nat. x. 1818.

Acephalophora palliobranchia, Blainville, Prodr. 1814.

Acephala Brachiopoda, Anton, Verz. Conch. 12, 1839.

Acephala Palliobranchiata or Brachiopoda, Forbes & Hanley. Brit. Moll. ii. 339.

Conchifères monomyaires, Sect. III., Lamk. Hist. vi. 229.

Conchifères Brachiopodes, Lamk. Hist. vi. 241.

Mol. acephala testacea monomyaria (monomyaires), part., Lamk. Hist. vi. 1, 2nd ed. vii. 1.

Brachyopea, Rafin. Anal. Nat. 1815.

Acephales testacés, Brachiopodes (and Ostracées, part.), Lamk. Ext. du Cour. 104, 1812; Rang, Man. Moll. 257.

Palliobranchiata or Palliobranches, Blainv. Dict. Sc. Nat. xxxii.

1824; King, Ann. & Mag. N. H. xviii. 1846.

Multivalves, part., Megerle, Berl. Mag.

Therozoa Brachiopoda, Eichwald, Zool. Spec. i. 272.

Order I. SARCICOBRACHIA.

Sarcicobrachia, Gray, Ann. N. H. 2nd ser. ii. 436, 438, 1848, King.

Fam. 1. CRANIADÆ.

Craniadæ, Gray, Syn. B. M. 1840; 1842, 192; Ann. N. H. 2nd ser. ii. 438, 1848; Agassiz, Nom.; Herrmanns. Ind. i. 315; Forbes & Hanley, Brit. Moll. ii. 364.

Craniacea, Menke, Syn. ed. 2. 96, 1830. Craniaceæ, Menke, Šyn. ed. 1. 56, 1828.

Orbiculacea and Craniacea, Anton, Verz. Conch. 12, 1839.

Les Craniés, Féruss. Tab. Syst. 1821; Rang, Man. Malac, 262; Desh. Enc. Méth.

Craniidæ, King, Ann. N. H. xviii. 28, 1846.

1. CRANIA.

Crania, Retzius, Schrift. Ges. Nat. Berlin, ii. 66, 1781; Diss. 11. 1788; Brug. Enc. Méth. i. 1789; Lamk. Prod. 1799; Syst. 1801; Phil. Zool. 1809; Hist. ed. 1. vi. 237, ed. 2. vii. 297; Megerle, Entw. 1811; Schum. N. Ess. 1817; Féruss. Tab. Syst.; Rang, Man.; Schweigg. Naturg.; Blainv. Malac.; Latr. Fam. Nat.; Menke, Syn. 56; Philippi, Moll. Sicil.; Gray, Lond. Med. Repos. 1821; Ann. Philos. 1825; Syn. B. M. 1840; 1842, 92; Proc. Zool. Soc. 1847, 202; Forbes & Hanley, Brit. Moll. ii. 365.

Criopus and Criopoderma, Poli, Test. Sic.; Flem. Brit. An.

Cryopus, Desh. E. Méth.

Orbicula, sp., Lamk. Syst. 1801; Schum. N. Ess.

Discina, Turt. Brit. Biv. (not Lamk.).

Patella, sp., Fabr., Müller, Montagu.

Anomia, sp., Linn., Chemn.

1. Crania anomala.

Patella anomala, Müll. Z. D. t. 6.

Pat. distorta, Mont. Linn. Trans. xi. 195. t. 13. f. 5; Flem. Ed. Enc. vii. 65. t. 204. f. 4.

Anomia turbinata, Dillw. Rec. Shells, i. 286 (part.); Ind. Test. t. 11. f. 2.

Discina ostreoides, Turt. B. Biv. 237, not Lamk.

Crania personata, Sow. Trans. Linn. Soc. xiii. 471. t. 26. f. 3; Crouch, Intr. Conchol. t. 13. f. 3?

Criopus anomalus, Flem. Phil. Zool. ii. 499; B. An. 377.

Crania rostrata, Thorpe, B. Mar. Conch. 125.

Orbicula Norvegica, Potiez & Mich. Gal. Douai Moll. ii. t. 43. f. 1?; Brown, Ill. C. G. B. 69. t. 22. f. 9, t. 20. f. 21, 22.

Crania Norvegica, Sow. Thes. Conch. i. 368. t. 73. f. 15-17. Crania anomala, Lovèn, Ind. Moll. Sk. 29; Forbes & Hanley, Brit. Moll. ii. 366. t. 56. f. 7, 8; t. U. f. 2 (animal as C. Norvegica).

a, b. Cork. Presented by Miss Elliot.

c. Ditto. Presented by J. D. Humphreys, Esq.

Order II. ANCYLOBRACHIA.

Ancylobrachia, Gray, Ann. N. H. 2nd ser. ii. 435, 436, 1848.

Fam. 1. TEREBRATULIDÆ.

Terebratuladæ, Leach, MSS. 1818, Ann. & Mag. N. H. xx. 273. Terebratulidæ, Gray, Syn. B. M. 1840; 1842, 85, 92; M'Coy, Carb. Foss. Ireland; King, Ann. & Mag. Nat. Hist. xviii.; Gray, Ann. N. H. 2nd ser. ii. 436, 1848; Forbes & Hanley, Brit. Moll. ii. 343.

Terebratulacea, Menke, Syn. ed. 2. 95, 1830.

Terebratulacea, part., Anton, Verz. Conch. 12. 21.

Terebratulaceæ, Menke, Syn. ed. 1. 56, 1828.

Les Térébratules, Féruss. Tab. Syst. 1821; Rang, Man. Moll. 258.

Terebratulinæ, Agass. Nomen. 1847.

Lingulæ, part., Eichw. Zool. Spec. i. 275.

Thecididæ, part. (Megathyris), D'Orb. Terr. Cret. iv.

Cyclothyridæ, Phillips, Pal. Foss. Cornwall.

1. TEREBRATULA.

Terebratula, Llwyd, Lith. Brit. 40, 1699; Müller, Zool. Dan. 1776; Retzius, Dissert. 1788; Lamk. Phil. Zool. 1809; Hist. vi. 243, ed. 2. vii. 319; Lovèn, Ind. Moll. Skand. 29; Leach, Zool. Miscell. i. 76, 1814; Schum. Ess. 133; Féruss. Tab. Syst. 1821; Rang, Man. 1829; Gray, Lond. Med. Repos. xv. 1821; Syn. B. M. 1840; 1842, 92; Proc. Zool. Soc. 1847, 202; Menke, Syn. 1828 & 1830; Forbes & Hanley, Brit. Moll. ii. 349.

Concha anomia, Fab. Colonna, Tract. de Purp. 1616.

Criopus and Criopoderma, Poli, Test. Sicil.

Gryphus, Muhlf. Entw. 64, 1811.

Lampas, sp., Humph. Mus. Calonn. 1797 (not Schum.).

Lampades, Meusch. Mus. Gevers. 1787. Anomia, sp. (animal), Linn. Syst. Nat.

Terebratularius, Dumer. Zool. Anal. 168, 1806.

Apleurotis, Megorima, Trigonina, Diclisma, Obovites, Terebratula, Rafin. Anal.

1. TEREBRATULA CAPUT-SERPENTIS.

Anomia Caput-serpentis, Linn. S. N. ed. 12. 1153; Faun. Suec. ed. 2. 521; Act. Upsal. 1773, i. 41. t. 5. f. 3; Born, Mus. Cas. 119; Chemn. Conch. Cab. viii. 103. t. 78. f. 712, & xi. 248. t. 204. f. 2013; Dillw. Rec. Shells, i. 293; Ind. Test. t. 11. f. 22.

Anomia retusa, Linn. S. N. ed. 12. 1151; F. Suec. ed. 2. 521;

Dillw. R. Shells, i. 292.

An. pubescens, Linn. S. N. ed. 12. 1153; Schröter, Einl. Conch. iii. 397. t. 9. f. 10; Dillw. R. Shells, i. 293; Ind. Test. t. 11. f. 20.

An., nov. sp., Pennant, Act. Upsal. 1773, 39. t. 5. f. 4.

Terebratula pubescens, Müll. Zool. Dan. Prod. 449. no. 3007.

Terebrat. Caput-serpentis, Lamk. (not Retzius) Hist. 2nd ed. vii. 332; Sow. Gen. Shells, Terebrat. f. 2; Philippi, Moll. Sic. i. 95. t. 6. f. 5, & ii. 66; Reeve, Conch. Syst. t. 126. f. 2; Sow. Thes. Conch. i. t. 68. f. 1-4, t. 72. f. 116; Forbes & Hanley, Brit. Moll. ii. 353. t. 56. f. 1-4.

Terebrat. costata, Lowe, Zool. Journ. ii. 105, t. 5, f. 8, 9.

Terebrat. aurita, Flem. Philos. Journ. ii. 498. t. 4. f. 5; Brit. An. 369; Thorpe, B. Mar. Conch. 127; Brown, Ill. Conch. G. B. 68. Delthyris spatula, Menke, Syn. 96, 1830.

Terebratulina Caput-serpentis, D'Orb. Pal. Franc. T. C. iv. 58; Davila, Cat. Cab. i. t. 20. f. F; Poli, Test. Sic. ii. t. 30. f. 15

(part of a group); Enc. Méth. Vers, t. 246, f. 7.

a (group in situ). Loch Fyne. b (ditto). West Coast of England.

c-e. Loch Carron, W. Ross-shire. Presented by J. G. Jeffreys, Esq.

f—p. Loch Fyne.

q, r. Ditto. Presented by the Rev. D. Landsborough. s-x. Ohan.

2. TEREBRATULA CRANIUM.

Terebratula Cranium, Müller, Zool. Dan. Prod. 249. no. 3006; Mont. Trans. Linn. Soc. xi. 188. t. 13. f. 2; Turt. B. Biv. 236; Flem. B. An. 368; Moll. An. t. 14. f. 49; Thorpe, Brit. Mar. Conch. 126; Brown, Ill. Conch. G. B. 68. t. 22. f. 10-12; Lovèn, Moll. Skand. 29; Forbes & Hanley, Brit. Moll. ii. 357. t. 57. f. 11.

Anomia Cranium, Gmel. S. N. 3347; Turt. Conch. Dict. 5; Dillw.

Rec. Shells, i. 294 (part., not Synon.).

Terebratula vitrea, Fleming (not Born nor Chemn.), Ed. Encyc. vii. 96. t. 206. f. 2; Philos. Zool. t. 4. f. 4.

Inhab. ----?

2. LAMPAS.

Lampas, sp., Humph. Mus. Calonn. 1797; Gray, Proc. Zool. Soc. 1847, 202.

Lampus, Herrmanns. Ind. i. 575 (misprint?).

Terebratula, sp., Lamk. Hist.

Anomia, sp., Gmel. S. N.

Hypothyris, Phillips, Paleoz. Foss. of Cornw. 1841; King, Ann. N. H. xviii. 238; Forbes & Hanley, Brit. Moll. ii. 345. Atrypa, sp., Menke, Syn. 1830; Sow. Conch. Man. 1842.

1. LAMPAS PSITTACEA.

Anomia rostrum psittaci, Chemn. Conch. Cab. viii. 106. t. 78. f. 713.

An. psittacea, Gmel. S. Nat. 3348; Turt. Conch. Dict. 5. f. 42-44; Dillw. Rec. Shells, i. 296; Ind. Test. t. 11. f. 27; Mawe, Linn. Conch. t. 15. f. 3.

Terebratula psittacea, Lamk. Hist. 2nd ed. vii. 333; Turt. Brit. Biv. 236; Flem. Brit. An. 368; Thompson, Ann. N. Hist. xiii. 433; Thorpe, B. Mar. Conch. 127; Brown, Ill. Conch. G. B. 68. t. 46. f. 2-4; Alder, Cat. Moll. North. 74; Crouch, Int. Conch. t. 13. f. 4; Sowerby, Gen. Shells, Terebrat. f. 5; Thes. Conch. i. 342. t. 71. f. 78-80; Sow. jun., Conch. Man. f. 202; Gould, Invert. Mass. 142. f. 91; Reeve, Conch. Syst. t. 126. f. 5. Hypothyris psittacea, King, Ann. Nat. Hist. xviii. 238; Forbes

& Hanley, Brit. Moll. ii. 346. t. 57. f. 1-3.

Lampas psittacea, Gray, Proc. Zool. Soc. 1847, 202.

Gypidia psittacea, Menke, Syn. 96, 1830. Inhab. ——?

3. Megathyris.

Megathyris, D'Orbigny, Terr. Cret. iv.; Forbes & Hanley, Brit. Moll. ii. 359.

Terebratula, sp., S. Wood. ? Orthis, part., Philippi.

1. MEGATHYRIS CISTELLULA.

Terebratula Cistellula, S. Wood, Ann. N. Hist. vi. 253 (fossil). Terebratula seminulum?, Jeffreys, Ann. N. Hist. xix. 312. Megathyris Cistellula, Forbes & Hanley, Brit. Moll. ii. 361. t. 57. f. 9.

Inhab. South Devon, Exmouth, in coral zone, Clark. Torquay, Turton.

a-c. Sound of Skye, in 25 fathoms. Presented by R. M'Andrew, Esq.

Class III. PTEROPODA.

Pteropoda, Cuvier, Ann. du Mus. iv. 1804; R. An. ii. 1817; Blainv. Diet. Sci. Nat. xliv. 1826; Lamk. Phil. Zool. 1809; Ext. Cours, 1812; Hist. vi. 283, 2nd ed. vii. 412; D'Orb. Voy. Am. Mérid. 65; Rang, Man. Moll. 112; Bronn, Gesch. d. Nat. iii. 353, 1847; Gray, Syn. B. M. 1842, 85, 92; Proc. Zool. Soc. 1847, 203; Catalogue of Pteropoda in Brit. Mus. 1850; Forbes & Hanley, Brit. Moll. ii. 377.

Acephales, part., Blainv. Bull. Soc. Phil. 1814, 179.

Ptérobranches or Ptérodibranches, Blainv. Bull. Soc. Philom. 1814, 177; Organ. An. i. t. 8, 1822.

Pterodibranchiata, Blainv. Journ. de Phys. 1816 (test. Agassiz, Nomen.); Dict. Sc. Nat. xliv. 31.

Pterodybranchiata, Blainv. Journ. de Phys. (test. Agass. Nom.). Stomatopterophora, Gray, Lond. Med. Repos. xv. 1821. Aporobranchiata (Aporobranches), Blainv. Malac. 480, 1825.

Mollusca nuda nageant, part., Latr. Dict. Hist. Nat. xxiv. 108, 1804.

Flossenkracken, Oken, Allg. Naturg. v. 518.

Cephalopoda pinnata, Esch. Zool. Atlas, iii. 1829; Menke, Zeitsch. Mal. 72, 1844.

Cephalopoda, part., Swainson.

Clio, Browne, Jamaica, 386, 1756; Linn. S. N. ed. 12. i. 1094, 1767.

Mollusca brachiata, part., Poli, Test. Sic. i. 27.

Cephalophora Pteropoda Hyalacea, Anton, Verz. Conch. 12. Therozoa pteropoda, Eichw. Zool. Spec. i. 310.

Order I. THECOSOMATA.

Thecosoma, Blainv. Dict. Sc. Nat. xxxii. 1824; Malacol. 1825; Desh. Enc. Méth. iii. 1036; Herrmanns. Ind. ii. 571.
Thecosomata, "Blainv." Rang, Man. 112; Gray, Syn. B. M.

1842, 86, 92; Proc. Zool. Soc. 1847, 203; Catalogue of Pteropoda in Brit. Mus. 1850.

Cryptocephala, Latr. Fam. Nat. 169, 1825.

Pterobranchia and Dactyliobranchia, Gray, Lond. Med. Repos. 1821, 235.

Hyalinées, D'Orb. Voy. Am. Mérid. 77.

Fam. 1. CAVOLINIDÆ.

Cavolinidæ, Gray, Cat. Moll. Pteropoda Brit. Mus. 1850.

Cleodoridæ, Gray, Syn. B. M. 1840; 1842, 86, 92; Proc. Zool. Soc. 1847, 203; M. E. Gray, Fig. Moll. An. i. 39. t. 77. 78; Agassiz, Nomenclat.

Dactyliobranchia, Gray, Lond. Med. Repos. 1821.

Hyalacia, Menke, Syn. 2nd ed. 6. 1830; Anton, Verz. 24, 1839; Gravenh. Das Thierr. Verwandt. 33.

Hyalæaciæ, Menke, Syn. ed. 1.

Hyaleacia, Herrmanns. Ind. i. 543.

Hyaleidæ (Hyaleides), Cantraine, Mal. Medit. 1841.

Hyalidæ, D'Orb. Moll. Canar. 1837; Moll. Cub. i. 70, 1841. Hyaleæ (Les Hyales), Féruss. Tab. Syst. 1821; Rang, Man.;

Desh. Enc. Méth. iii. 310.

Acephalacis inæquivalvibus bivalvibus, Lamk. Syst. 139. Acephales, part., Latr. Dict. Hist. Nat. xxiv. 119, 1804; Blainv. Bull. Soc. Phil. 1814, 179.

1. DIACRIA.

Diacria (trispinosa), Gray, Syn. B. M. 1840; 1842, 92; Proc. Zool. Soc. 1847, 203; Cat. Moll. Pterop. Brit. Mus. 1850: Agass. Nomenclat.; Herrmanns. Ind. i. 383.

Hyalea β (elongata), Rang, Man. 114, 1829. Hyalæa **, D'Orb. Voy. Am. Mér. 77; Cuba, 80. Hyalea, sp., Forbes & Hanley, Brit. Moll. ii. 379.

1. Diacria trispinosa.

Hyalea trispinosa, Lesueur, MSS. in Blainv. Dict. Sc. Nat. xxii. 82; Thompson, Ann. N. Hist. v. 13; Rep. Brit. Assoc. 1843, 249; Quoy & Gaim. Voy. Ast. vii. 378. t. 27. f. 17-19; Desh. Enc. Méth. Vers, ii. pt. ii. 310; Lamk. Hist. 2nd ed. vii. 417, 421; Cuv. Règn. An. ed. Griff. t. 3. f. 7; D'Orb. Voy. Am. Mér. 106. t. 7. f. 1-5; Moll. Canar. 29. no. 14; Moll. Cuba, 81; Philippi, Moll. Sic. ii. 71; Lovèn, K. Vet. Akad. 1847, t. 3. f. 4; Forbes & Hanley, Brit. Moll. ii. 380. t. U. f. 3; Rang, Monog. ined. t. 3; Guerin, Icon. R. An. t. 4; Blainv. Dict. Sc. Nat. xxii. 82.

Hyalea mucronata, Quoy & Gaim. Ann. Sc. Nat. x. 231. t. 8, 13. f. 1, 2!

H. triacantha, Guidotti, in Bronn, Ital. 85 (fossil).

H. depressa, Bivona, Efem. Sicil. t. 1. f. 4, 5; Philippi, Moll. Sic. i. 101. t. 6. f. 19 (fossil).

Hyales à trois pointes, Voy. Bonite, Moll. t. 6. f. 1, 10; Chenu, Traité élém. 125. f. 403, 404.

Davila, Cat. Cab. i. t. 20. f. e?; Chemn. Conch. Cab. viii. 65. vignette 13. f. c, d.

Inhab. ——?

Fam. 2. LIMACINIDÆ.

Limacinidæ, Gray, Syn. B. M. 1840; Proc. Zool. Soc. 1848, 203; Cat. Moll. Pterop. Brit. Mus. 1850.

Limacinadæ, Forbes & Hanley, Brit. Moll. ii. 379, 1849.

Pterobranchia, a: Gray, Lond. Med. Repos. 1821, 235. Hyaleacea, part., Menke, Syn. 4, 1828, ed. 2. 8, 1830.

Hyaleæ, part., Rang, Man. 113, 1829.

Atlantarum, part., Desh. E. Méth. iii. 343, 1830.

Hyalidæ, part., D'Orb. Moll. Cuba, i. 70, 1841.

Limacinæ (les Limacines), part., Féruss. Tab. Syst. 25, 1821 (not Swains. nor Blainv.).

Procephala, part., Latr. Fam. Nat. 1825.

Atlantidæ, part.?, Gray, Proc. Zool. Soc. 1847, 149.

1. LIMACINA.

Limacina (helicinalis), Cuv. R. An. iii. 1817; Lamk. Hist. vi. 290, 1819, 2nd ed. vii. 435; Schweigger, Nat. 750, 1820; Gray, Med. Repos. 1821; Cat. Moll. Pterop. Brit. Mus. 1850; Féruss. Tab. Syst. 25, 1821; Menke, Syn. 4, 1828, ed. 2. 8, 1830; D'Orb. Moll. Cuba, i.70; Rang, Man. 113, 1829; Esch. Isis, 1825, 735; Desh. E. Méth. iii. 343 (not Hartmann, 1821, nor Wiegmann, 1832, nor Gray, Proc. Zool. Soc. 1847, nor Sowerby's Genera).

Spirialis, Eydoux & Souleyet, Rev. Zool. 1840, 235; Wiegm. Arch. 1841, ii. 265; Lovèn, I. M. Skand. 4; Gray, Proc. Zool. Soc. 1847, 203; Forbes & Hanley, Brit. Moll. ii. 382.

Trochus, sp. (lunaris), Gmel. S. Nat.; Chemn. C. Cab. ix. Spiratella (limacina), Blainv. Dict. Sc. Nat. xxxii. 284, 1825; Man. Mal. 494, 1825; Desh. E. Méth. iii. 471; Sow. Conch. Man. 100, ed. 2. 263.

Fusus, sp. (retroversus), Flem. Mem. Wern. iv. 498; Brit. An.

Kronjacht, Oken, Lehrb. Nat. 1815, t. 9.

Peracle (Flemingii), Forbes, Rep. Brit. Assoc. 1843, 132, 249; Moll. Æg. Sea, 132, 1844.

Helicophora, Gray, Syn. B. M. 1840; 1842, 59, 89.

Atlanta, sp. (heliconoides), D'Orb. Voy. Am. Mérid. Moll. 174, 184.

Scæa, Philippi, Moll. Sic. ii. 164.

Limacina, sp., Benson, Journ. As. Soc. Calcutta, 1835, 176.

Heterofusus (retroversus), Fleming, Brit. An. 498, 1833; Gray, Proc. Zool. Soc. 1847, 149.

Argonauta, sp., O. Fabr.

Clio, sp., Phipps; Gmel. S. Nat.

Heliconoides, D'Orb.; Gray, Proc. Zool. Soc. 1847, 149. Campylonaus, Gray, Proc. Zool. Soc. 1848, 149 (not Benson).

1. Limacina retroversa.

Chemn. Conch. Cab. ix. 129. t. 113. f. 6972, 6973?

Fusus retroversus, Flem. Mem. Wern. iv. 498. t. 15. f. 2; Brit. An. 349; Edin. Enc. t. 12. f. 45; Thorpe, Brit. Mar. Conch. 201

Spirialis Flemingii, Forbes & Hanley, Brit. Moll. ii. 384. t. 57.

f. 4, 5.

Heterofusus reversus, Flem. Mem. Wern. iv. 498.

Scæa retroversa, Philippi, Sic. ii. 164, from Fleming.

? Scæa stenogyra, Philippi, Moll. Sic. ii. 164, t. 25, f. 20.
Peracle Flemingi, Forbes, Rep. Brit. Assoc. 1848, 249; Jeffreys, Ann. N. Hist. xx. 1847, 16.

? Peracle physoides, Forbes, Rep. Brit. Assoc. 1843, 132.

Limacina retroversa, *Gray*, *Cat. Moll. Pterop. Brit. Mus.* 33. a-f. Isle of Skye. Presented by R. M'Andrew, Esq.

g-k. Arran.

2. LIMACINA MACANDREI.

2. Hinkelina Hacking and Park Hacking (2) Turbo lunaris, Gmel. S. N. 3587, from Chemn. Conch. Cab. ix. 128, t. 113, f. 971 (broken).

? Scæa lunaris, Philippi, Moll. Sic. ii. 164, from Chemn.

Scient Innaris, Futtippe, Mote. Sec. ii. 103, 104 One-more Spirialis MacAndrei, Forbes & Hanley, Brit. Moll. ii. 385. t. 57. f. 6, 7.

Limacina MacAndrei, Gray, Cat. Moll. Pterop. Brit. Mus. 33. Inhab. South of Ireland; M'Andrew.

3. LIMACINA JEFFREYSII.

Spirialis Jeffreysii, Forbes & Hanley, Brit. Moll. ii. 386. t. 57. f. 8.

Limacina Jeffreysii, Gray, Cat. Moll. Pterop. Brit. Mus. 32. Inhab. British Channel; Jeffreys.

This last the same and since Varionbe not me The bear

tion mit

L. Dien ..

.: 112305V 1007

A Private V

Ber neral D

of Columb

3. 6.00

- Stand

Venus M.

Venus Was Inhab. W Jadul

novan fuer

splane asilias dallas

REPUTED BRITISH SPECIES.

This List contains not only the reputed *British species*, but all those which have been erroneously considered as indigenous by various writers on British Shells, either by assuming species to be natives which are not so, or from false references.

The habitats of the species are given, followed by an indica-

tion of the authority for their introduction into the Fauna.

1. DIONE CIRCINATA.

Venus circinata, Born, Mus. Cæs. 61. t. 4. f. 8; Chemn. Conch. Cab. vi. 312. t. 30. f. 311; Dillw. Rec. Shells, i. 169.

Venus Guineensis, Gmel. Syst. Nat. 3270; Turton, Conch. Dict. 237; Born, Mus. t. 4. f. 3; Chemn. f. 311, 312; Mont. Test. Brit. Supp. 48 & 168; Dorset Cat. 35.

Chione circinata, Gray, Analyst, 1838, 305.

Cytherea Guineensis, Lamk. Hist. 2nd ed. vi. 311; Turt. Brit. Biv. 161; Flem. Brit. An. 445; Thorpe, Brit. Mar. Conch. 84; Hanley, Recent Shells, 100.

Cytherea circinata, Forbes & Hanley, Brit. Moll. i. 399.

Enc. Méth. Vers, t. 265. f. 1.

Inhabits the South Atlantic Ocean. Introduced by Montagu, as taken in the Firth of Forth by Mr. Laskey.

a. "Weymouth." From the Collection of Colonel Montagu.

2. CHIONE PALLIDA.

Venus pallida, Turton, Brit. Biv. 150. t. 10. f. 5; Flem. Brit. An. 448; Thorpe, Brit. Mar. Conch. 90; Forbes & Hanley, Brit. Moll. i. 422.

Inhab. ——? One worn specimen is said, by Turton, to have been taken at Dawlish.

3. CHIONE GRANULATA.

Venus granulata, Gmelin, S. N. 3277; Donov. B. S. iii. t. 83; Mont. T. B. 122; Linn. Trans. viii. 85; Turt. Conch. Dict. 240, & Brit. Biv. 145; Brit. Faun. 158. no. 270; Dillw. Rec. Shells, 171; Flem. Brit. An. 447; Thorpe, Brit. Mar. Conch. 88; Ind. Test. t. 7. f. 29; Lamk. Hist. 2nd ed. vi. 344; Hanley, Rec. Shells, i. 114. t. 7. f. 29; Forbes & Hanley, Brit. Moll. i. 425.

Venus Marica, Born, Mus. Cas. 59. t. 4. f. 5, 6 (not Linn.). Venus Marica, spuria, Chemn. Conch. Cab. vi. 314. t. 30. f. 313.

Venus Marica, spuria, Chemn. Conch. Cab. vi. 314. t. 30. f. 313. Inhab. West Indies. Said to have been taken in Cornwall, Donovan. Falmouth (dead); Montagu.

4. CHIONE DYSERA.

Venus Dysera, Linn. S. N. 1130; Chemn. Conch. Cab. vi. 294.
t. 28. f. 287-289; Turt. Conch. Dict. 237; Brit. Biv. 147. t. 9.
f. 4; Mont. T. B. Supp. 43; Flem. Brit. An. 447; Reeve, Conch. Syst. t. 68. f. 2.

V. cingenda, Dillw. R. S. i. 161; Ind. Test. t. 7. f. 6.

V. cancellata, Gronov. Zooph. fasc. 3. t. 1. f. 8. no. 1149. p. 270;
 Lamk. Hist. 2nd ed. vi. 341; E. M. Vers, t. 268. f. 1; Hanley,
 Rec. Shells, 112. t. 7. f. 6; Forbes & Hanley, Brit. Moll. i. 425 (not Don.).

Venus elevata, Say, Journ. Ac. Sc. Phil. ii. 272.

List. Conch. t. 277, 278.

Inhab. W. Indies. Said to have been found in the Firth of Forth by Mr. Laskey; *Montagu*. Guernsey; *Turton*. Birkenhead (from ballast); *Forbes & Hanley*.

5. CHIONE PAPHIA.

Venus Paphia, Linn. S. N. 1129; Dillw. Rec. Shells, i. 159; Chemn. vi. 267. t. 27. f. 274-276; Ind. Test. t. 7. f. 2; Desh. in Lamk. Hist. ed. 2. vi. 371; Hanley, Rec. Shells, i. 112; Forbes & Hanley, Brit. Moll. i. 425.

Pectunculus Vetula, Da Costa, B. Conch. 190. t. 13. f. 5.

Lister, Hist. Conch. t. 279; Knorr, Verg. ii. t. 28. f. 2; Regenfuss, Choix Coq. t. 7. f. 11.

Inhab. West Indies. Introduced as British, by Da Costa, in a mistake.

6. CHIONE SUBCORDATA.

Venus subcordata, Mont. T. B. 121. t. 3. f. 1; Linn. Trans. viii. 82; Turton, Conch. Dict. 237; Brit. Biv. 145; Brit. Faun. 158. no. 269; Flem. Brit. An. 447; Thorpe, Brit. Mar. Conch. 87; Ind. Test. t. 7. f. 16; Dillw. Rec. Shells, i. 166; Forbes & Hanley, Brit. Moll. i. 423.

Crassina subcordata, Gray, Ann. Phil. 1825.

Venus radiata, Chemn., immature state?; Forbes & Hanley, l. c. 423.

Inhab. W. Indies. One specimen, taken at Falmouth, in sand; Montagu.

a. "Britain." Mus. Mont.

7. ? VENUS SUBRHOMBOIDEA.

Venus subrhomboidea, Mont. T. B. Supp. 49. t. 28. f. 2; Turt. Conch. Dict. 246; Laskey, Wern. Mem. i.; Flem. Brit. An. 448; Forbes & Hanley, Brit. Moll. i. 426.

Crassina subrhomboidea, Turt. Brit. Biv. 129. Inhab. --- ? A single specimen is recorded to have been

dredged off St. Abb's Head by Mr. Laskey; Montagu.

8. CAPSA DEFLORATA.

Venus deflorata, Linn. S. N. ed. 12. 1133. no. 132; Gmel. 3274. no. 24; Penn. Brit. Zool. ed. 4. iv. 82. t. 57. f. 54; Turt. Brit. Faun. 158. no. 271; Schroeter, Einl. iii. 131. no. 21; Chemn. Conch. vi. t. 9. f. 79; Brooks, Introd. Conch. 66. t. 3. f. 28; Dillw. R. S. i. 186. no. 65.

Venus versicolor, Gmel. 3281. no. 63. Venus purpurata, Gmel. 3289. no. 100.

Sanguinolaria rugosa, Lamk. Hist. v. ed. 2. vi. 170; Desh. Enc. Méth. iii. 925. no. 1.

Psammobia rugosa, Sow. Gen. Psammob. f. 1.

Lister, Conch. t. 425. f. 272, 273; Knorr, Vergn. ii. t. 20. f. 5, v. t. 2. f. 2; Enc. Méth. t. 231. f. 3, 4.

Inhab. Indian Ocean. Introduced as British upon the authority of Pennant.

9. SPHÆRIUM LACUSTRE.

Cyclas lacustris, Drap. Moll. Ter. et Fluv. France, 130. t. 10. f. 6, 7; Turt. Man. Land & Freshwater Shells, 14. t. 1. f. 4; 2nd edit. Gray, 17. t. 1. f. 4; Lamk. A. s. V. 2nd ed. vi. 268; Pfeiff. Deutsch. Land und Sussw. Moll. i. 122. t. 5. f. 6, 7; Kickx, Moll. Brab. 88; Gras, Moll. terr. et fluv. France, App. 23 (from Drap.); Forbes & Hanley, Brit. Moll. ii. 118. "Exmouth;" Jeffreys. Inhab. France.

10. CARDIUM SERRATUM.

Cardium serratum, Linn. S. N. ed. 12.1123; Flem. Brit. An. 423; Dillw. R. S. 124; Chemn. Conch. Cab. vi. 193. t. 18. f. 189; Mawe, Conchol. t. 7. f. 2; Hanley, Rec. Shells, i. 133; Reeve, Conch. Icon. Card. t. 1. f. 1; Forbes & Hanley, Brit. Moll. ii.

Cardium lævigatum, Spengler, Mag. Berl. Ges. Nat. ii. 125; Lamk. H. n. 26, ed. 2. vi. 403; Thorpe, Brit. Mar. Conch. 99.

Card. citrinum, Wood, G. Conch. t. 54. f. 3; Turton, Bivalves, 492. t. 13. f. 5.

Inhab. West Indies. Introduced by Dr. Fleming by mistake for C. lævigatum of Turton.

11. Cardium medium.

Cardium medium, Linn. S. N. 1122; Chemn. Conch. vi. 169. t. 16. f. 162, 163; Don. B. S. i. t. 32. f. 1; Mont. T. B. 83; Linn. Trans. viii. 61; Wood, Gen. Conch. 211. t. 50. f. 3; Turt. Conch. Dict. 32; Lamk. Hist. v. n. 40, ed. 2. vi. 409 = E. M. t. 296. f. 1; Flem. Brit. An. 422; Chemn. Conch. Cab. vi. 169. t. 16. f. 162, 163; Dillw. Rec. Shells, i. 113; Mawe, Conchol. t. 7. f. 1; Hanley, Rec. Shells, i. 141; Reeve, Conch. Icon. Card. t. 6. f. 30; Forbes & Hanley, Brit. Moll. ii. 39.

List. Conch. t. 316. f. 153.

Inhab. West Indies. Introduced by *Donovan*, probably in mistake for *C. exiquum*.

12. CARDIUM MURICATUM.

Cardium muricatum, Linn. S. N. ed. 12. 1123; Fleming, Brit. An. 421; Chemn. Conch. Cab. vi. 185. t. 17. f. 177; Brug. Enc. Méth. Vers, i. 233; Wood, Gen. Conch. 216. t. 51. f. 2, 3; Dillw. Rec. Shells, i. 120; Lamk. Hist. ed. 2. vi. 399; Ind. Test. t. 5. f. 14; Hanley, Rec. Shells, i. 132. t. 5. f. 114; Reeve, Conch. Icon. Card. t. 6. f. 33?; Forbes & Hanley, Brit. Moll. ii. 40.

Inhab. West Indies. Introduced by Dr. Fleming, from a specimen probably brought in ballast to Leith.

13. CARDIUM GRŒNLANDICUM.

Cardium Grænlandicum, Chemn. Conch. vi. 202. t. 19. f. 198; Spengler, Skrivt. Naturh. Selsk. v. pt. 1. 46; Mag. Berl. Ges. Naturf. ii. 126; Wood, Gen. Conch. 227; Lamk. Hist. 2nd ed. vi. 407; Gould, Invert. Mass. 92; Dekay, New York Moll. 206. t. 23. f. 250; Dillw. Rec. Shells, i. 129; Ind. Test. t. 5. f. 28; Hanley, Rec. Shells, i. 134; Reeve, Conch. Icon. Card. t. 10. f. 53; Forbes & Hanley, Brit. Moll. ii. 39; Mindendorff, Mal. Rossica, iii. 41. t. 16. f. 69; Beck, Gaim. Voy. Island, t. 15.

Cardium boreale, Reeve, Conch. Icon. t. 22. f. 131, young.

Venus Islandica, O. Fab. F. Gran. 411 (fide Möll.).

Mactra radiata, Don. B. S. v. t. 161; Turt. Conch. Dict. 80; M. & R. Linn. Trans. viii. 69; Dillw. Rec. Shells, i. 138.

Cardium anodonta, Blainv. Man. Mal. 658.

Cardium edentulum, Solander, MSS.; Mont. T. B. Supp. 29; Flem. Brit. An. 423; Sow. Gen. Shells, Card. f. 2.

Aphrodita Columba, Lea, Amer. Phil. Trans. v. 110. t. 18. f. 54. Inhab. North Sea. Taken, after a storm, by Mr. Laskey, near Portsmouth; Donovan.

a. "Britain.".

14. Spisula fragilis.

Mactra fragilis, Chemn. Conch. Cab. vi. 236. t. 24. f. 235; Turt. Brit. Biv. t. 4. f. 10; Flem. B. An. 428; Thorpe, Brit. Mar. Conch. 48; Dillw. R. S. i. 144; Conrad, Amer. Mar. Conch. t. 14. f. 3; Forbes & Hanley, Brit. Moll. i. 368.

Mactra dealbata, Pultn. Hutchins' Hist. Dors. 31; Mont. Test. Brit. 95. t. 5. f. 1; Linn. Trans. viii. 68. t. 1. f. 10; Dorset Cat. 32. t. 7. f. 7; Turt. Conch. Dict. 80; Brit. Faun. 154. no. 242; Flem. B. An. 428; Brown, Ill. C. G. B. 107. t. 41. f. 8, 9,

Mactra Braziliana, Lamk. A. s. V. ed. 2. vi. 106; Hanley, Rec.

Shells, 31; Supp. t. 10. f. 60.

Spisula fragilis, *Gray*, *Loud. Mag. N. H.* i. 374, 1837. Inhab. America. Introduced by *Dr. Pulteney* as a native of Dorset.

a. "Firth of Forth." Mus. Laskey.

15. PAPHIA CORNEA.

Mactra cornea, Poli, Test. Sic. ii. t. 19. f. 8-11.

Donax plebeia, Pulteney, Hutchins' Dorset, 32; Mont. T. B. 107. t. 5. f. 2; Dorset Cat. 34. t. 5. f. 13; Turt. Conch. Dict. 42; Brit. Biv. 126; Brit. Faun. 156. no. 253; Flem. Brit. An. 434; Dillw. Rec. Shells, i. 152; Ind. Test. t. 6, Donax, f. 9.

Erycina plebeia, Sow. Gen. Shells, Erycina, f. 3; Conch. Man.

f. 86.

Mesodesma Donacilla, Desh. Lamk. Hist. 2nd edit. vi. 133; Thorpe, Brit. Mar. Conch. 53; Reeve, Conch. Syst. t. 45. f. 5; Hanley, Rec. Shells, 39; Supp. t. 11. f. 41; Philippi, Moll. Sic. ii. 29; Desh. Exp. Sc. Alger. Moll. t. 39-42, shell & animal.

Amphidesma Donacilla, Lamk. Hist. ed. 2. vi. 126.

Donacilla Lamarckii, Philippi, Moll. Sic. i. 37. Tellina variegata γ, Gmel. 3237=Lister, t. 389. f. 288.

Peronæa ramosa=Peronæoderma cornea, Poli, ii. 252, 258.

Mesodesma cornea, Forbes & Hanley, Brit. Moll. i. 348.

Inhab. Mediterranean. Introduced by Dr. Pulteney as taken at Weymouth.

a-e, odd valves. "Britain." Mus. Mont. from Mus. Pulteney.

16. PAPHIA DEAURATA.

Mactra deaurata, Turt. Brit. Biv. 71. t. 5. f. 8; Flem. B. An. 427. Mesodesma deauratum, Thorpe, Brit. Mar. Conch. 53; Hanley, Rec. Shells, 39; Supp. t. 1, Mactra, f. 9; Forbes & Hanley, Brit. Moll. i. 346.

Mactra denticulata, Gray, in Wood's Ind. Test. Supp. t. 1, Mac-

Erycina denticulata, Gray, Ann. Philos. 1825; Griff. A.K.t. 22, f. 2. Mesodesma Jauresii, De Joannis, Mag. Zool. 1834, Moll. t. 54; Gould, Invert. Mass. 58. f. 38; Dekay, New York Moll. 231.

Inhab. N. America, mouth of the St. Lawrence. Introduced by Turton as dredged off Exmouth.

17. ERVILIA NITENS.

Mya nitens, Mont. T. B. Supp. 165; Laskey, Wern. Trans. i. 375. t. 8. f. 4; Turt. Conch. Dict. 103; Wood, Gen. Conch. 101; Dillw. Rec. Shells, i. 47.

Ervilia nitens, Turt. Brit. Biv. 56. t. 19. f. 4; Flem. B. An. 431; Thorpe, Brit. Mar. Conch. 5; Recluz, Mag. Soc. Cuv. 1845, Moll. t. 96, & in Chenu, Ill. Conch. Ervilia, 3; Sow. Conch. Man. f. 497; Hanley, Rec. Shells, 43; Philippi, Wiegm. Arch. f. Naturg. 1847, t. 3. f. 9; Forbes & Hanley, Brit. Moll. i. 344. Amphidesma? nitens, Gray, Ann. Phil. 1825.

Amph. purpurascens, Lamk. Hist. 2nd ed. vi. 129; Hanley, Recent Shells, i. 43.

Syndosmya purpurascens, Recluz, Rev. Zool. 1843, 365.

Inhab. West Indies. Introduced by Montagu, on the authority of Mr. Laskey, as taken near Dunbar.

18. ERVILIA CASTANEA.

Donax castanea, Mont. T. B. 573. t. 17. f. 2; Linn. Trans. viii. 77; Turt. Conch. Dict. 42; Dillw. Rec. Shells, i. 152; Ind. Test. t. 6, Donax. f. 10.

Capsa castanea, Turt. Brit. Biv. 128. t. 10. f. 13; Flem. Brit. An. 434; Brown, Ill. Conch. G. B. 96. t. 39. f. 12.

Mesodesma castanea, Thorpe, Brit. Mar. Conch. 54.

Ervilia castanea, Recluz, Mag. de Zool. 1845, t. 95, & in Chenu, Ill. Conch. Ervilia, p. 3; Forbes & Hanley, Brit. Moll. i. 341. t. 31. f. 5, 6.

Iphigenia? castanea, Gray, P. Z. S. 1847, 187.

Inhab. Red Sea. Single dead valves taken in deep water between Scilly and Cornwall; Hanley. Near Penzance; MacAndrew.

19. PSAMMOBIA LASKEYI.

Tellina Laskeyi, Mont. T. B. Supp. 28. t. 28. f. 3; Turt. Conch. Dict. 173; Wood, Gen. Conch. 179.

Psammobia Laskeyi, Turt. Brit. Biv. 89; Flem. Brit. An. 438; Thorpe, Brit. Mar. Conch. 63; Brown, Ill. C. G. B. 103. t. 39. f. 32; Forbes & Hanley, Brit. Moll. i. 281.

Inhab. W. Indies; Humphreys. Introduced by Montagu, as having been dredged by Mr. Laskey in the Firth of Forth. a—e. "Britain." Mus. Mont.

20. TELLINA BIMACULATA.

Tellina bimaculata, Linn. S. N. 1120; Da Costa, B. Conch. 213; Pultn. Hutch. Hist. Dorset, 70; Donov. B. S. i. t. 19. f. 1; Mont. T. B. 69; Linn. Trans. viii. 57; Dorset Cat. 31. t. 5. f. 7; Turt. Conch. Dict. 178; Brit. Faun. 151. no. 212; Brit.

Biv. 104. t. 8. f. 5; Flem. B. An. 435; Thorpe, B. Mar. Conch. 68; Chemn. Conch. Cab. vi. 132. t. 13. f. 127, 132; Dillw. R. S. i. 101; Lamk. A. s. V. 2nd ed. vi. 207; Ind. Test. t. 4. f. 83; Hanley, Sow. Thes. Conch. i. 250. t. 56. f. 16, 19-22; Forbes & Hanley, Brit. Moll. i. 309.

Tellina sex-radiata, Lamk. A. s. V. 2nd ed. vi. 207; Ind. Test.

Supp. t. 11. f. 37. Inhab. W. Indies. T Taken on the coasts of Clare and Cork, Ireland, Ball; Dublin, Warren; Cork and Waterford, Thompson. a, b. "Torbay, Devonshire." Presented by — Spencer, Esq.

21. TELLINA SIMILIS.

Tellina similis, Sow. Brit. Miscell. t. 75; Mont. T. B. Supp. 167; Turt. Brit. Biv. 102; Philippi, Abbild. und Bes. pt. 9. t. 5. f. 7; Hanley, in Sow. Thes. Conch. 285, Tellina, t. 57. f. 65.
Inhab. W. Indies. Introduced by J. Sowerby, as taken by

Mr. Stokes at Brighton.

a-e. "Britain." From Mr. Sowerby's Collection.

22. Rupellaria substriata.

Venus substriata, Mont. T. B. Supp. 48. t. 29. f. 6; Turt. Conch. Dict. 245; Brit. Biv. 152; Flem. Brit. An. 448; Thorpe, Brit. Mar. Conch. 91.

Venerupis decussata, Philippi, Moll. Sicil. i. 22. t. 3. f. 5, ii. 20: Desh. Exped. Algérie, Moll. t. 66. f. 10-13, shell and animal;

Forbes & Hanley, Brit. Moll. i. 159.

Inhab. Mediterranean Sea. Dredged off Isle of May, in Firth of Forth, by Mr. Laskey; Montagu. "Probably brought in ballast;" Forbes & Hanley.

23. Pholas striata.

Pholas striata, Linn. Syst. Nat. 1111; Mont. T. B. 26 & 559; Sow. Gen. f. 2; Forbes & Hanley, Brit. Moll. i. 120; Linn. Trans. viii. 31; Dorset Cat. 27. t. 1. f. 7; Turton, Dict. 147; Brit. Faun. 146; Brit. Bivalves, 11; Thorpe, Brit. Mar. Conch. 31; Wood, Gen. Conch. 83. t. 16. f. 1-4; Ind. Test. t. 2. f. 7; Brown, Ill. C. 115. t. 49. f. 5, 8; Mawe, Conch. t. 3. f. 1; Sow. Gen. f. 1, 2; Reeve, Conch. Syst. t. 24. f. 2; Rees' Cyclop. Shells, t. 8.

Phol. nana, Pulteney, Dorset, 27, 1799; Forbes & Hanley, Brit.

Moll. i. 119.

Ph. conoides, Parsons, Phil. Trans. lv. 1. t. 1; Flem. Brit. An. 457.

Pholas pusilla, Linn. Syst. Nat. 1111; Don. B. Shells, iv. t. 117; Chemn. viii. t. 102. f. 867-871; Dillw. R. S. i. 38; Spengler, Skrivt. Naturf. Selsk. ii. 95.

Pholas lignorum, Spengler, Beschaft. Berl. Ges. Nat. iv. t. 5 f. 1-5.

Pholas clavata, Lamk. Hist. ed. 2. 46 (not var. c.); Encyc. Méth. t. 170. f. 1, 2, 3; Hanley, Rec. Shells, 7.

a-c. "Devonshire." Presented by Mrs. Robinson.

d (in situ). Ditto. Ditto.

e, f. "Teignmouth." Presented by J. B. Harvey, Esq.

24. ? PHOLADIDEA SULCATA.

Pholas sulcata, Brown, Ill. Conch. G. B. 115. t. 48. f. 17, 18; Forbes & Hanley, Brit. Moll. i. 128.

Inhab. ——? A single valve, found at Dunbar; Brown.

25. TEREDO BIPENNATA.

Teredo bipennata, Turt. Conch. Dict. 184. f. 38-40; Brit. Biv. 15; Flem. B. A. 454; Thorpe, Brit. Mar. Conch. 28; Brown, Ill. C. G. B. 116; Gray, Phil. Mag. 1827, 411; Hanley, Rec. Shells, 4; Supp. t. 9. f. 51; Forbes & Hanley, Brit. Moll. i. 80. t. 4. f. 9-11.

T. navalis?, Spengler, Skrivt. Nat. Selsk. ii. pt. 1. t. 2. f. 1-3 A.
Inhab. Sumatra. In drift wood at Scarborough, Bean; Ireland, W. Thompson; Ball. British Channel, Bulwer.

a. "Britain." Presented by Mrs. Robinson.

26. Macha divisa.

Solen divisus, Speng. Skrivt. Nat. Selsk. iii. 96, 1794; O. Fab. Skrivt. Nat. Selsk. iv. t. 10. f. 11, 12.

Solen bidens, Chemn. Conch. xi. 203. t. 198. f. 1939, 1795; Han-

ley, R. S. 16.

Solen fragilis, Pulteney, Hutchins' Dorset, 28, 1799; Mont. T. B. 51, 565; Supp. 26; Dorset Cat. 29. t. 4. f. 5; Turton, Dict. 163; Flem. B. A. 460; Wood, Conch. 126. t. 29. f. 4, 5; Ind. Test. t. 3, Solen, f. 11; Dillw. Rec. Shells, i. 65; Thorpe, B. Mar. Conch. 37; Gould, Invert. Mass. 31; Conrad, Amer. Mar. Conch. t. 4.

Psammobia tæniata, Turt. Biv. 85.

Solen centralis, Say, Journ. Acad. Sci. Phil. ii. 316.

Solenocurtus bidens, Forbes & Hanley, Brit. Moll. i. 265.

Inhab. West Indies. Introduced by Dr. Pulteney as found in Dorsetshire.

27. Масна бівва.

Lister, Conch. t. 421, f. 265.

Solen gibbus, Spengler, Skrivt. Nat. Selsk. iii. 104, 1794.

Solen declivis, Turton, Conch. Dict. 164. t. 22. f. 80 (1819);
 Flem. B. A. 460; Thorpe, Mar. Conch. 37.

Solen Guineensis, Chemn. Conch. xi. 202. t. 198. f. 1927, 1795;
Wood, Conch. 129.

Solen Caribæus, *Lamk. Hist.* v. 1818, ed. 2. vi. 58=*Ency. Méth.* t. 226. f. 1; *Hanley, Rec. Shells*, 14.

Psammobia declivis, Turt. Biv. 91.

Solecurtus Caribæus, Gould, Invert. Mass. 30; Dekay, N. York Moll. 243. t. 32. f. 302.

Solen Bouchardii, Potiez, Gall. Moll. ii. 261. t. 68. f. 4, 5. Solenocurtus gibbus, Forbes & Hanley, Brit. Moll. i. 267.

Inhab. Atlantic Ocean. N. America; Gould. W. Indies. Introduced as from the Scilly Isles by Dr. Turton.

28. GLYCIMERIS ALDROVANDI.

Lister, Conch. t. 414.

Mya glycimeris, Linn. S. N. i. 11; Born, Mus. 20. t. 1. f. 8; Chemn. Conch. vi. 33. t. 3. f. 25; Don. B. S. iv. t. 143; Mont. T. B. Supp. 19; Linn. Trans. viii. 34; Turton, Dict. 107; Wood, Conch. 14. t. 25. f. 1; Dillw. R. S. i. 42.

Panopæa glycymeris, Turton, Bivalves, 42; Desh. Elem. Conch.

t. 7. f. 1; Brown, Ill. C. t. 10*. f. 1.

t. 7. 1. 1; Brown, 1tt. C. t. 10. 1. 1.

P. Aldrovandi, Lamk. Hist. ed. 2. vi. 67; Blainv. Man. t. 80. f. 2; Flem. B. A. 462; Crouch, Introd. t. 3. f. 1; Philippi, Moll. Sicil. i. 7. t. 2. f. 2. ii. 6; Hanley, Rec. Shells, 18; Valenc. Arch. Mus. i. 9. t. 4. f. 1; Chenu, Ill. Conch. i. t. 1; Elem. 46. f. 144; Forbes & Hanley, Brit. Moll. i. 178.

Inhab. Mediterranean. Introduced as British, by Donovan, for

the Panopæa Norvegica.

29. Yoldia glacialis.

Nucula truncata, Brown, Ill. C. G. B. t. 25. f. 19.

Nuc. glacialis, Gray, in Parry's Voyage, & Wood, Cat. Supp. t. area, f. 6.

Leda truncata, Forbes & Hanley, Brit. Moll. ii. 233. Inhab. the Arctic Sea. Introduced by Capt. Brown.

30. Mya Uddevallensis.

Mya Uddevallensis, Forbes, Mem. Geol. Survey, i. 407; Hancock, Ann. N. H. xviii. 337.

M. truncata, var., Forbes & Hanley, Brit. Moll. i. 168; King, Ann. Nat. Hist. xviii. 236.

Inhab. Greenland. Procured by Mr. King from a fishing-boat on coast of Northumberland.

31. MAGDALA PLICATA.

Mytilus plicatus, Gmel. S. N. 3358?; Mont. T. B. Supp. 70 (not Chemn.); Laskey, Wern. Mem. i. t. 8. f. 2; Turton, Conch. Dict. 114.

Saxicava plicata, Turton, Bivalves, 22.

Psammobia? plicata, Jeffreys, Ann. & Mag. N. H. xix. 314.

Anatina plicata, Gray, Ann. Phil. 1825.

Lyonsia plicata, Forbes & Hanley, Brit. Moll. i. 218.

Inhab. West Indies; Guilding. Skye (taken alive!); Laskey. Ryde; Hanley!

32. ASTARTE CASTANEA.

Astarte castanea, Say, Amer. Conch. t. 1; Conrad, Am. Mar. Conch. t. 17. f. 3; Gould, Inv. Mass. 76. f. 45; Hanley, Rec. Shells, Supp. t. 9. f. 27; Philippi, Abbild. ii. 57, Astarte, t. 1. f. 2; Dekay, New York Moll. 220. t. 28. f. 280; Forbes & Hanley, Brit. Moll. i. 470.

Crassina castanea, Desh. in Lamk. Hist. 2nd ed. vi. 258; Hanley,

Rec. Shells, i. 88.

Venus castanea, Say, Journ. Acad. N. S. Phil. iv. 273.

Venus sulcata, Mont. Test. Brit. 131 (not Pectunc. sulcatus of Da Costa); Mat. & Rack. Linn. Trans. viii. 81. t. 2. f. 2; Dillw. Rec. Shells, i. 166.

Astarte sulcata, Flem. Brit. An. 439.

Crassina sulcata, Brown, Ill. Con. G. B. 96. t. 38. f. 10.

Inhab. N. America; United States. Common in British Cabinets.

33. Lucina orbicularis.

Venus orbicularis, Mont. T. B. Supp. 42. t. 29. f. 7; Turt. Conch. Dict. 241.

Cytherea orbicularis, Flem. B. A. 446.

Cyprina orbicularis, Turt. Biv. 138; Hanley, Thorpe, M.C. xxvii. 83. Lucina orbicularis, Forbes & Hanley, Brit. Moll. ii. 62.

Inhab. W. Indies. Introduced by *Montagu* as taken at Dunbar by *Mr. Laskey*!

34. Codakia tigrina.

Venus tigerina, Linn. S. N. ed. 12. 1134; Chemn. Conch. Cab. vii. t. 37. f. 390, 391; Pulteney, Hutchins' Dorset, 34; Mont. T. B. 119. t. 4. f. 1; Mat. & Rack. Linn. Trans. viii. 86. t. 2. f. 5; Dorset Cat. 35. t. 1. f. 14; Turt. Conch. Dict. 240.

Cytherea tigerina, Turt. Biv. 164. t. 10. f. 12; Flem. Brit. An. 445. Lucina tigerina, Lamk. Hist. 2nd ed. vi. 319 (not vars.); Thorpe, Brit. Mar. Conch. 76; Desh. Elem. Conch. t. 16. f. 4, 5; Hanley, Rec. Shells, 78; Forbes & Hanley, Brit. Moll. ii. 64.

Inhab. W. Indies. Introduced by Dr. Pulteney as taken at Weymouth, Studland and Poole.

35. Unio batavus.

Mya Batava, Wood, Conch. 403. t. 19. f. 1, 2.

Mysca Batava, Turton, Man. ed. 1. 20. f. 10 (cop. of Wood).

Mya pictorum, Montagu, T. B. 36; Donov. B. S. t. 176. Unio batavus, Gray, in Turton Man. 2nd ed.

Inhab. Continent of Europe. Introduced by Dr. Turton as British, in mistake.

36. UNIO OVALIS.

Mya ovalis, Mont. T. B. 563; Donov. B. S. t. 89.

Mya ovata, Wood, Conch. 105. t. 19. f. 5.

Mysca ovata, Turt. Biv. 246; Man. ed. 1. 21. f. 12.

Unio Batava, Lamk. Hist. v. 78, 2nd ed. vi. 542; Pfeiffer, i. t. 5.

Young shell elliptical ovate, Pfeiffer, ii. t. 2. f. 23.

Unio ovalis, Gray, in Turton's Man. 2nd ed.

Inhab. Continent of Europe. Introduced by Montagu.

37. ARCA NOÆ?

Arca Noæ, Turton, Conch. Dict. 9; Brit. Biv. 166; Flem. Brit. An. 397; Thorpe, Mar. Conch. 101; Poli, Test. Sic. ii. 128. t. 24; Desh. Exp. Alger. Moll. t. 120; Mat. & Rack. Linn. Trans. viii. 91; Forbes & Hanley, Brit. Moll. ii. 234 (note). Inhab. Mediterranean. Introduced by Dr. Turton.

38. MYTILUS BIDENS.

Mytilus bidens, Linn. (not Born nor Dillw.) S. N. ed. 12. 115; Desh. Lamk. Hist. ed. 2. vii. 39; Forbes & Hanley, Brit. Moll. ii. 178.

Mytilus striatulus, Schröter, Einleit. Conch. iii. 449. t. 9. f. 16; Turt. Mag. Nat. Hist. vii. 350; Thorpe, Brit. Mar. Conch. 110; Ind. Test. t. 12. f. 19.

Perna striatula, Retz. Nov. Gen. Test. 21.

Mytilus exustus, Lamk (not Born, Gmelin, nor Dillw.) Hist. 2nd ed. vii. 39; Thorpe, Brit. Mar. Conch. 22; Desh. E. M. Vers, Supp. ii. 559; Hanley, Rec. Shells, i. 244.

Lister, Hist. Conch. t. 366. f. 206; Ency. Méth. Vers, t. 220.

f. 2(?), 3, 4.

Inhab. W. Indies. Introduced by Dr. Turton, upon the authority of Mr. Bean, as having been found by him at Scarborough on floating timber.

a, b. "Scarborough." From the Collection of Mr. Bean.

c-h. Ditto.

39. Mytilus crenatus.

Mytilus crenatus, Lamk. Hist. 2nd ed. vii. 38; Willcox, Zool. Journ. i. 590; Report Brit. Assoc. iii.; Sowerby, Linn. Trans.; Gen. Shells, Myt. f. 3; Davies & Willcox, Ann. Phil. 1825, 148; Zool. Journ. i. 584; Reeve, Conch. Icon. t. 102. f. 3;

Hanley, Rec. Shells, i. 244; Brown, Ill. Conch. t. 31, f. 1, 2, ed. 2. 77. t. 23. f. 1, 2; Forbes & Hanley, Brit. Moll. ii. 180. Enc. Meth. Vers, t. 217. f. 3. Inhab. New Zealand, &c. Introduced by Mr. C. Willcox as

naturalized at Portsmouth.

40. Mytilus Africanus.

Mytilus Africanus, Chemn. Conch. Cab. viii. 160. t. 83. f. 739-741; Forbes & Hanley, Brit. Moll. ii. 181.

Myt. Afer, Gmel. S. N. 3358; Lamk. Hist. ed. 2. vii. 44; Han-

ley, Rec. Shells, i. 248.

Myt. ungulatus (jun.), Dillw. Rec. Shells, i. 310; Turt. Conch. Dict. 111; Brit. Faun. 164. no. 308; Flem. B. A. 411.

Moule d'Afrique, Blainv. Man. Malac. t. 64. f. 2.

Enc. Méth. Vers, t. 218. f.1; Knorr, Délices des Yeux, vi. t. 4. f.1. Inhab. Africa. Introduced by Dr. Fleming, adhering to vessels from African coast.

41. LITHODOMUS ARISTATUS.

Le Ropan, Adans. Seneg. 267. t. 19. f. 2.

Mytilus aristatus, Soland. MSS.: Dillw. R. S. i. 303 (1817); Ind. Test. t. 12, Mytilus, f. 8.

Mytilus lithophagus striatus, J. Sow. Linn. Trans. viii. 274. t. 6.

f. 2 (1804).

Modiola caudigera, Lamk. Hist. 1st ed. vi. 116 (1819), 2nd ed. vii. 27; Philippi, Abbild. ii. 149, Modiola, t. 1. f. 5; Hanley, Rec. Shells, i. 238. t. 12, Mytilus, f. 8.

Lithodomus caudigerus, Sow. Gen. Shells, Lithodomus, f. 4;

Reeve, Conch. Syst. t. 99. f. 4.

Lithodomus Lithophagus, Flem. B. An. 414; Thorpe, M. C. 111. Callitriche lithodoma, and Callitrichoderma Lithophaga, Poli, ii. 254, 259.

Lithodomus aristatus, Forbes & Hanley, Brit. Moll. ii. 212.

Ency. Méth. Vers, t. 221. f. 8.

Inhab. W. Africa and W. Indies. Occurs in limestone used for repairing roads near London. Very rare; Thorpe.

42. Lithodomus fuscus.

Mytilus fuscus, Gmel. S. N. 3359, from Lister, Conch. t. 359. f. 197; Dillw. Rec. Shells, i. 306; Brown, Wern. Trans. ii. 513; Turton, Conch. Dict. 113; Linn. Trans. iv. 297; Ind. Test. t. 12. f. 12.

Modiola cinnamomea, var., Lamk. A. s. V. 2nd ed. vii. 25.

Mod. fusca, Deshayes, Lamk. l. c. vii. 28; Hanley, Rec. Shells, i. 239. t. 12. f. 12.

Lithodomus fuscus, Forbes & Hanley, Brit. Moll. ii. 213.

Schröter, Einleit. Conch. iii. 459.

Inhab. E. Indies. Introduced by Capt. Brown as found at Sligo.

43. PINNA CARNEA.

Pinna carnea, Gmel. S. N. 3365; Dillw. Rec. Shells, i. 326; Ind. Test. t. 12, Pinna, f. 6; Hanley, Rec. Shells, i. 252. t. 12, Pinna, f. 6; Forbes & Hanley, Brit. Moll. ii. 259.

Pinna haud ignobilis, Chemn. Conch. Cab. viii. 212. t. 87. f. 769. Pinn. saccata, Schröter (not Linn. nor authors), Einleit. Conch.

iii. t. 9. f. 17.

Pinn. muricata, Pulteney, Hutch. Dors. App. 39; Mont. Test. Brit. 183. t. 5. f. 3; Dorset Cat. 41; Turt. Conch. Dict. 149; Brit. Biv. 224; Flem. Brit. An. 406.

Pinn. flabellum, Lamk. Hist. 2nd ed. vii. 61 (part.); Knorr, Dé-

lices des Yeux, pt. ii. t. 23. f. 1.

Inhab. W. Indies. Introduced by Dr. Pulteney as found on the Dorset coast.

44. PERNA ALATA.

Ala Corvi pendula, Chemn. Conch. Cab. vii. 253. t. 59. f. 581. Ostrea alata, Gmel. S. N. 3339; Dillw. Rec. Shells, i. 283.

Ostrea perna, Wood, Ind. Test. t. 11. f. 78.

Perna obliqua, Lamk. Hist. 2nd ed. vii. 75; Hanley, Rec. Shells, i. 258.

Perna ephippium, Sow. (not Lamk.) Gen. Shells, Perna, f. 2; Reeve, Conch. Syst. t. 106. f. 2.

Crenatula Travisii, Turt. Mag. N. Hist. vii. 350. f. 47; Brown, Ill. C. G. B. 75. t. 23. f. 20.

Perna alata, Forbes & Hanley, Brit. Moll. ii. 260.

Knorr, Délices des Yeux, pt. vi. t. 21. f. 1.

Inhab. ——?

45. Pecten Jacobæus.

Pecten Jacobæus, Penn. (not Flem.) B. Z. ed. 4. iv. 85. t. 60. f. 62; Mont. T. B. 144; Da Costa, 143; Turt. B. Biv. 207; Brit. Faun. 161. no. 189; Hanley, Rec. Shells, i. 269; Brown, Ill. C. G. B. 71. t. 24. f. 5; Lamk. Hist. 2nd ed. vi. 130; Philippi, Moll. Sic. i. 78, ii. 56; Sow. Thes. Conch. i. 46. t. 15. f. 107, 108. t. 17. f. 153; Cuv. Règn. An. ed. Croch. t. 75. f. 2; Forbes & Hanley, Brit. Moll. ii. 305.

Ostrea Jacobæa, Linn. S. N. 1144 (not Turt.); Mus. Ulrich. 522; Pulteney, Dorset, 36; Don. B. S. iv. t. 137; Mat. & Rack. Linn. Trans. viii. 97; Dorset Cat. 37. t. 13. f. 2; Born,

Mus. Ces. 98; Poli, Test. Sic. ii. 149. t. 27; Dillw. Rec. Shells, i. 248.

P. Jacobi, Chemn. vii. 273. t. 60. f. 588, 589.

Argus calvculatus and Argoderma Jacobeus, Poli, ii. 254, 259. List. Conch. t. 165. f. 2, t. 166. f. 3; Enc. Méth. Vers, t. 209. f. 2. Inhab. the Mediterranean. Introduced by Pennant, as British, and said to be found at Weymouth by Dr. Pulteney. Corn-

wall and Scarborough, Da Costa.

a—e. "Britain?"

46. OSTREA CRISTA GALLI.

Mytilus Crista galli, Linn. S. N. 1155; Montagu, T. B. 166; Mat. & Rack. Trans. Linn. Soc. viii. 104; Turt. Conch. Dict. 109; Brit. Faun. 164. no. 313; Born, Mus. Cas. 120; Dillw. Rec. Shells, i. 300.

Auris porci, Chemn. Conch. Cab. viii. 52. t. 75. f. 684.
Ostrea crista galli, Lamk. 2nd ed. vii. 234; Sow. Gen. Shells,
Ostrea, f. 2; Penny Cyclopæd. xvii. 363; Reeve, Conch. Syst. t. 121. f. 2; Cuv. R. An. ed. Croch. t. 72. f. 3; Chenu, Lec. Elem. Hist. Nat. 108. f. 358; Forbes & Hanley, Brit. Moll. ii. 321.

Knorr, Délices des Yeux, pt. v. t. 16. f. 1.

Inhab. Asia. Introduced as taken alive on bottoms of ships by Montagu; Turton.

47. OSTREA FRONS.

Ostrea frons, Chemn. Conch. Cab. viii. 61. t. 75. f. 686; Forbes

& Hanley, Brit. Moll. ii. 321. Mytilus frons, Linn. S. N. 1155; Born, Mus. Cæs. 123, Vign. 6. p. 121; Burrows, Elem. Conch. t. 10. f. 4; Dillw. Rec. Shells, i. 301; Ind. Test. t. 12, Mytilus, f. 3.
Ostrea Crista Galli, Mont. (not Lamk.) Test. Brit. 160?; Turt.

Brit. Biv. 202.

O. rubella, Lamk. Hist. An. s. Vert. 2nd ed. vii. 231; Cuv. R. An. ed. Croch. t. 72. f. 2.

O. limacella and erucella, Lamk. Hist. 2nd ed. vii. 231.

O. folium, Sow. Gen. Shells, Ostrea, f. 3; Reeve, Conch. Syst. t. 121. f. 3; Sow. Conch. Man. f. 181.

Argenville, Conch. t. 23. f. D.

Inhab. W. Indies. Introduced as taken alive on the bottom of a foreign vessel by Turton.

48. DISCINA OSTREOIDES.

Discina Ostreoides, Lamk. Hist. 2nd ed. vii. 297; Thorpe, Brit. Mar. Conch. 125.

Orbicula Norvegica, Sow. (not Lamk.) Linn. Trans. xiii. 468. t. 26. f. 2; Sow. Gen. Shells, Orbicula, f. 3, 4, 5; Reeve. Conch. Syst. t. 129. f. 3-5.

Crania (\$\beta\$), Schum. Essai.

Discina Norvegica, Crouch, Introd. Conch. t. 13. f. 2. Orbicula striata, Sow. Thes. Conch. i. 366. t. 73. f. 8; Forbes & Hanley, Brit. Moll. ii. 368.

Inhab. --- ? Found in ballast used to mend roads in the neighbourhood of London.

THE END.

PRINTED BY RICHARD TAYLOR, RED LION COURT, FLEET STREET.



THE ZOOLOGICAL COLLECTION

IN

THE BRITISH MUSEUM.

I. VERTEBRATA.

List of Mammalia. By J. E. GRAY. 1843. 2s. 6d.

Catalogue of the Mammalia. By J. E. GRAY.

Part 1. Cetacea. 12mo, 1850. 4s., with Plates.

Part 2. Seals. 12mo, 1850. 1s. 6d., with Woodcuts.

This work contains the characters of the genera and species, and figures of the chief characters of the genera.

List of Mammalia and Birds of Nepaul, presented by B. H. Hodgson, Esq., to the British Museum. By J. E. Gray and G. R. Gray. 1846. 2s.

List of Birds. By G. R. GRAY.

Part 1. Raptorial. Edition 1, 1844; edition 2, 1848. 3s.

Part 2. Passeres. Section I. Fissirostres. 1848. 2s.

Part 3. Gallinæ, Grallæ and Anseres. 1844. 2s.

The other sections of the Passerine birds are in progress.

List of British Birds. By G. R. GRAY. 1850. 4s.

Catalogue of Reptiles. By J. E. GRAY.

Part 1. Tortoises, Crocodiles and Amphisbænians. 1844. 1s.

Part 2. Lizards. 1845. 3s. 6d.

Part 3. Snakes (Crotalidæ, Viperidæ, Hydridæ and Boidæ). 1849. 2s. 6d.

Part 4, completing the Snakes (Colubridæ), is in preparation.

Catalogue of Amphibia. By J. E. GRAY.

Part 2. Batrachia Gradientia. 12mo, 1850. 2s. 6d., with Plates.

Catalogue of Fish. By J. E. GRAY.

Part 1. Cartilaginous Fish. 12mo, 1850. With two Plates.

These Catalogues of Reptiles, Amphibia, and Fish, contain the characters of all the genera and species at present known; the latter are illustrated with figures of the genera.

List of British Fish; with Synonyma. 1851. 2s.

List of Osteological Specimens. By J. E. Gray. 1847. 2s.

II. ANNULOSA.

List of Lepidopterous Insects. By E. Doubleday.

Part 1. Papilionidæ, &c. 1844. 2s. 6d.

Part 2. Erycinidæ, &c. 1847. 9d.

Part 3. Appendix to Papilionidæ, Erycinidæ, &c. 1848. 9d.

Catalogue of Hymenopterous Insects. By F. Walker.

Part 1. Chalcididæ. 1846. 1s. 6d.

Part 2. Additions to Chalcididæ. 1848. 2s.

Catalogue of Dipterous Insects (in four Parts). By F. Walker.

Part 1. 1848. 3s. 6d.

Part 2. 1849. 3s. 6d.

Part 3. 1849. 3s.

Part 4. 1849. 6s. 6d.

Catalogue of Homopterous Insects. By F. Walker.

Part 1. 12mo, 1850. 3s. 6d.

Part 2. 12mo, 1850. 3s. 6d.

The Catalogues of Hymenopterous, Dipterous, and Homopterous Insects contain the description of the species in the Museum which appeared to be undescribed.

List of British Aculeate Hymenoptera; with Synonyma, and the description of some new species. By F. SMITH. 1851. 2s.

Catalogue of Hemipterous Insects. By W. S. Dallas.

Part 1. 1851. 7s. 6d., with Plates.

The Catalogue of *Hemiptera* contains the description of the new species in the Museum Collection, and figures of the more interesting genera.

Nomenclature of Coleopterous Insects. By A. White.

Part 1. Cetoniadæ. 1847. 1s.

Part 2. Hydrocanthari. 1847. 1s. 3d.

Part 3. Buprestidæ. 1848. 1s.

Part 4. Cleridæ (with characters of some new species). 1849. 1s. 8d.

List of Crustacea; with Synonyma. By A. WHITE. 1847. 2s.

List of Myriapoda, By G. Newport. 1844, 4d.

List of British Lepidoptera; with Synonyma. By J. F. Ste-Phens. 1850. 5s.

List of British Crustacea; with Synonyma. By A. White. 1850. 2s. 6d.

III. MOLLUSCA.

Catalogue of the Mollusca in the Collection of the British Museum. By J. E. Gray.

Part 1. Cephalopoda Antepedia. 1849. 4s.

Part 2. Pteropoda. 1850. 1s.

Part 3. Placuniadæ and Anomiadæ. 1850. 4d.

Containing the characters of the recent and fossil genera, and the descriptions of all the recent species at present known.

List of British Mollusca and Shells; with Synonyma.

Part 1. Acephala and Brachiopoda. 1851. 2s.

Nomenclature of Mollusca. By W. Baird, M.D.

Part 1. Cyclophoridæ. 1851. 1s.

IV. RADIATA.

List of British Radiata; with Synonyma. By J. E. GRAY. 1848. 4s.

List of British Sponges; with Synonyma. By J. E. GRAY. 1848. 10d.

Catalogue of the Echinidæ or Sea Eggs. By J. E. GRAY. Part 1. Echinida irregularia. 12mo, 1851, with Plates.

Containing the characters of all the known genera and species, and illustrated with figures of the new species.

V. BRITISH ZOOLOGY.

List of the British Animals; with Synonyma.

Part 1. Radiata. By J. E. Gray. 1848. 4s. Part 2. Sponges. By J. E. Gray. 1848. 10

Part 3. Birds. By G. R. GRAY. 1850. 4s.

Part 4. Crustacea. By A. White. 1850. 2s. 6d.

Part 5. Lepidoptera. By J. F. STEPHENS. 1850. 5s.

Part 6. Fish. 1851.

Part 7. Mollusca Acephala and Brachiopoda. 1851. 2s.

Part 8. Aculeate Hymenoptera. By F. Smith. 1851. 2s.

N.B.—These Catalogues can be obtained at the Secretary's Office in the BRITISH MUSEUM; of RICHARD TAYLOR, Red Lion Court, Fleet Street; or of any Bookseller.











